



September 14, 1999

US EPA RECORDS CENTER REGION 5

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492



1007456

Re: **OPERATION AND MAINTENANCE OF THE INTERIM CORRECTIVE MEASURE**
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by Handex of Indiana (Handex) at the above-referenced site. This report summarizes the activities completed during the July 26 to August 27, 1999 reporting period. Handex personnel inspected the site on a biweekly basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On August 13, 1999, Handex personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence or absence of liquid-phase hydrocarbons. Depth to water beneath the site ranged from 8.84 feet below grade in MW-9 to 17.25 feet below grade in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. All of the recovery wells were operational while well gauging activities were performed. Figure 1 is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in Attachment A, and a groundwater contour map has been included as Figure 2.

Groundwater Treatment System

During this reporting period, approximately 1,230,204 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, and RW-4. Based on data provided by EMCON and Handex field data sheets, the total volume of groundwater recovered to date is approximately 24,108,831 gallons. The average influent groundwater recovery rate for this reporting period was approximately 26.7 gpm. Attachment B includes a table and a graph illustrating the recovery rates to date, and Attachment C contains copies of Field Data Sheets completed by Handex personnel.

Handex personnel mobilized to the site on July 26, 1999 to perform an out-of-scope visit at the site in order to verify that the air stripper was operational and that the system was not discharging non-treated groundwater. The system was fully operational upon arrival and departure from the site on July 26, 1999.

Handex personnel mobilized to the site on July 29, 1999 to perform biweekly O&M activities. The groundwater recovery system was operational upon arrival at the site during the visit. Handex personnel also subcontracted a local electrician to rewire the system to include automatic shutoff tie-ins between the pressure blower and the electrical submersible pumps. Consequently, if the pressure blower discontinues operation in the future, the electrical submersible pumps should also automatically discontinue operation. Additionally, automatic shutoffs are tied into the low (<1" H₂O) and high (>22" H₂O) pressure levels in the air stripper and the high float level in the water sump of the air stripper.

Handex personnel visited the site on August 10, 1999 in order to inspect the condition of the system's groundwater discharge line. Handex personnel viewed the inside of the discharge line using a sewer camera and determined that an obstruction exists within the discharge line approximately 40 feet north of the treatment building. The obstruction consists of broken pieces of calcium deposits and is resulting in an overall reduction of the effluent flow rate. Handex is currently in the process of determining the best method of cleaning the inside of the discharge line.

Handex personnel mobilized to the site on August 13 and August 27, 1999 to perform biweekly O&M activities. The groundwater recovery system was operational upon arrival at the site during both visits. Handex personnel also performed monthly and quarterly O&M activities at the site during the August 13, 1999 site visit. Currently, the system is fully operational.

Groundwater Sampling and Analysis

On August 13, 1999, Handex personnel collected influent groundwater samples from all of the recovery wells (RW-1 through RW-4) and one combined effluent groundwater sample from the air stripper unit. The recovery well influent groundwater samples were collected from the sample ports located within the equipment enclosure prior to treatment through the air stripper. The air stripper effluent sample was collected from the discharge pipe prior to entering the sewer. The samples were placed into laboratory prepared 40-milliliter (ml) glass sample vials and placed into a cooler on ice. The samples were submitted under chain of custody control to Test America, Inc. (Test America) located in Indianapolis, Indiana. The samples were analyzed for volatile organic compounds (VOCs) using EPA Method 8240.

Laboratory analytical results indicate the presence of 1,1 - dichloroethane, tetrachloroethene, 1,1,1 - trichloroethane and trichloroethene in the samples collected from recovery wells RW-1, RW-2, and RW-3. Tetrachloroethene was the only VOC constituent detected in the influent groundwater sample collected from recovery well RW-4. Dissolved VOCs were not detected in the effluent water sample collected on August 13, 1999.

Laboratory analytical results are summarized in Table 1 and the laboratory analytical reports are included in Attachment D.


Schedule of Activities

Biweekly and monthly site inspections and O&M activities will continue. Site visits are scheduled for the weeks ending September 11 and September 25, 1999. The information from these site inspections will be summarized in the September 1999 progress report.

Should you have any questions regarding this site or information summarized within this report, please do not hesitate to contact this office at (317) 228-6240. Handex appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

HANDEX OF INDIANA


Bradley E. Gentry
Senior Hydrogeologist



Jay T. Simonds, L.P.G.
Project Manager

Attachments

cc: Mr. William Gabriel, O'Brien & Gere Engineers, Inc., Syracuse, NY
Mr. Rob Baker, Franklin Power Products

FIGURES

N



LEGEND

- MONITOR WELL
- PROPERTY BOUNDARY

0 100
APPROX. SCALE IN FEET

DRAWN BY: MARK B.
DATE: 5/15/86
REVISED:

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, IN

FIGURE 1
SITE MAP

 Handex
111291-01

FORMER AMPHENOL FACILITY
GROUNDWATER TABLE CONTOUR MAP
AUGUST 13, 1999




Figure 2

TABLES

TABLE 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Laboratory Analytical Results

| Well Number | Sample Date | Analytes | | | | | | | | | Total VOCs |
|-------------|-------------|-------------------------|-------------------------|-------------------------|-----------------------------|----------------------|----------------------------|--------------------|---------|------|------------|
| | | 1,1 - Dichloro - ethane | 1,2 - Dichloro - ethane | 1,1 - Dichloro - ethene | cis-1,2 - Dichloro - ethene | Tetrachloro - ethene | 1,1,1 - Trichloro - ethane | Trichloro - ethene | | | |
| RW-1 | 5/3/95 | 33 | ND | ND(1) | ND | 100 | 200 | 520 | 853 | | |
| | 8/3/95 | 31 | ND | ND | ND | 170 | 180 | 400 | 781 | | |
| | 11/7/95 | 30 | ND | ND | ND | 190 | 390 | NS | 610 | | |
| | 4/12/96 | NS(2) | ND | NS | NS | NS | NS | NS | NS | | |
| | 10/17/96 | 15 | ND | ND | ND | 29 | 150 | 1,800 | 1,994 | | |
| | 2/7/97 | 18 | ND | ND | ND | ND | 140 | 260 | 278 | | |
| | 5/7/97 | 9.9 | ND | ND | ND | 20 | 91 | 250 | 370.9 | | |
| | 8/4/97 | 9.8 | ND | ND | ND | 35 | 160 | 210 | 414.8 | | |
| | 11/10/97 | NS | ND | NS | NS | NS | NS | NS | NS | | |
| | 12/1/97 | 28 | ND | ND | 27 | 180 | 190 | 320 | 745 | | |
| | 2/4/98 | 24 | ND | ND | ND | ND | 150 | 270 | 444 | | |
| | 5/8/98 | ND | ND | ND | ND | 350 | 240 | 540 | 1,130 | | |
| | 7/30/98 | 16 | ND | ND | ND | 180 | 160 | 140 | 496 | | |
| | 11/13/98 | 12 | 11 | ND | ND | ND | 150 | 270 E | 443 | | |
| | 2/12/99 | 6.3 | ND | ND | ND | 24 | 76 | 156 | 262.3 | | |
| | 5/7/99 | 7.5 | ND | ND | ND | 6.6 | 97 | 150 | 261.1 | | |
| | 8/13/99 | 7.7 | ND | ND | ND | 7.6 | 89 | 180 | 284.3 | | |
| RW-2 | 5/3/95 | 47 | ND | 8.1 | 3.9 | 1,500 | 960 | 4,300 | 6,819 | | |
| | 8/3/95 | 48 | ND | ND | ND | 1,500 | 1,100 | 3,000 | 5,648 | | |
| | 11/7/95 | 58 | ND | 9.1 | 5.3 | 2,100 | 1,300 | 2,200 | 5,672.4 | | |
| | 4/12/96 | ND | ND | ND | ND | 980 | 530 | 1,500 | 3,010 | | |
| | 7/8/96 | 31 | ND | 7.3 | ND | 2,100 | 1,200 | 2,100 | 5,438.3 | | |
| | 10/17/96 | 33 | ND | ND | ND | 2,600 | 680 | 2,900 | 6,213 | | |
| | 2/7/97 | 27 | ND | ND | ND | 37 | 400 | 410 | 874 | | |
| | 5/7/97 | 24 | ND | ND | ND | 880 | 340 | 860 | 2,104 | | |
| | 8/4/97 | 18 | ND | ND | ND | 400 | 310 | 560 | 1,288 | | |
| | 11/10/97 | 21 | ND | ND | ND | 250 | 260 | 550 | 1,081 | | |
| | 2/4/98 | 22 | ND | ND | ND | 310 | 260 | 590 | 1,182 | | |
| | 5/8/98 | ND | ND | ND | ND | 750 | 330 | 790 | 1,870 | | |
| | 7/30/98 | 16 | ND | ND | ND | 870 | 270 | 890 | 2,046 | | |
| | 11/13/98 | ND | 13 | ND | ND | 200 | 160 | 93 | 466 | | |
| | 2/12/99 | 32 | ND | ND | ND | 1,400 | 390 | 1,200 | 3,022 | | |
| | 5/7/99 | 28 | ND | ND | ND | 1,300 | 530 | 900 | 2,758 | | |
| | 8/13/99 | 14 | ND | ND | ND | 1,200 | 410 | 810 | 2,434 | | |
| RW-3 | 5/3/95 | 28 | ND | ND | ND | 160 | 540 | 2,900 | 3,628 | | |
| | 8/3/95 | 53 | ND | ND | ND | 16 | 560 | 870 | 1,499 | | |
| | 11/7/95 | 48 | ND | 6.9 | ND | 1,400 | 950 | 1,700 | 4,104.9 | | |
| | 4/12/96 | ND | ND | ND | ND | 93 | 450 | 1,200 | 1,743 | | |
| | 7/8/96 | 39 | ND | 6.5 | ND | 45 | 820 | 1,100 | 2,010.5 | | |
| | 10/17/96 | 34 | ND | ND | ND | 2,600 | 720 | 2,900 | 6,254 | | |
| | 2/7/97 | 28 | ND | ND | ND | 37 | 410 | 410 | 885 | | |
| | 5/7/97 | 24 | ND | ND | ND | 1,000 | 400 | 990 | 2,414 | | |
| | 8/4/97 | 17 | ND | ND | ND | 110 | 330 | 490 | 947 | | |
| | 11/10/97 | 25 | ND | ND | ND | 76 | 400 | 600 | 1,101 | | |
| | 2/4/98 | 30 | ND | ND | ND | 180 | 460 | 840 | 1,510 | | |
| | 5/8/98 | ND | ND | ND | ND | 260 | 380 | 640 | 1,280 | | |
| | 7/30/98 | 33 | ND | ND | ND | 27 | 450 | 190 | 700 | | |
| | 11/13/98 | 11 | ND | ND | ND | 48 | 120 | 130 | 309 | | |
| | 2/12/99 | 33 | ND | ND | ND | 110 | 420 | 420 | 983 | | |
| | 5/7/99 | 18 | ND | ND | ND | 180 | 320 | 410 | 928 | | |
| | 8/13/99 | 15 | ND | ND | ND | 260 | 240 | 400 | 915 | | |
| RW-4 | 3/10/99 | ND | ND | ND | ND | 65 | 7 | ND | 72 | | |
| | 5/7/99 | ND | ND | ND | ND | 6.7 | ND | ND | 6.7 | | |
| | 8/13/99 | ND | ND | ND | ND | 37.0 | ND | ND | 37 | | |
| Effluent | 5/7/99 | ND | ND | ND | ND | 6.1 | ND | ND | 7.8 | 13.9 | |
| | 6/18/99 | ND | ND | ND | ND | ND | ND | ND | ND | | |
| | 8/13/99 | ND | ND | ND | ND | ND | ND | ND | ND | | |

Notes:

Results in micrograms per liter (ug/l).

(1) ND - Not Detected - analyte not detected above laboratory method detection limit.

(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.

E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.



ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| IT-2 | 8/29/95 | 732.25 | 12.36 | 719.89 |
| | 11/7/95 | | 13.07 | 719.18 |
| | 4/12/96 | | 13.45 | 718.80 |
| | 5/29/96 | | 10.82 | 721.43 |
| | 6/4/96 | | 11.08 | 721.17 |
| | 7/8/96 | | 11.84 | 720.41 |
| | 8/1/96 | | 12.04 | 720.21 |
| | 9/12/96 | | 12.58 | 719.67 |
| | 10/17/96 | | 12.37 | 719.88 |
| | 11/25/96 | | 12.26 | 719.99 |
| | 12/11/96 | | 12.02 | 720.23 |
| | 1/24/97 | | 11.71 | 720.54 |
| | 2/21/97 | | 11.85 | 720.40 |
| | 3/14/97 | | 11.48 | 720.77 |
| | 4/11/97 | | 11.94 | 720.31 |
| | 5/7/97 | | 11.98 | 720.27 |
| | 6/5/97 | | 11.37 | 720.88 |
| | 7/3/97 | | 11.73 | 720.52 |
| | 8/4/97 | | 12.25 | 720.00 |
| | 9/29/97 | | 12.46 | 719.79 |
| | 10/10/97 | | 12.68 | 719.57 |
| | 11/10/97 | | 12.80 | 719.45 |
| | 12/1/97 | | 12.93 | 719.32 |
| | 1/16/98 | | 13.06 | 719.19 |
| | 2/4/98 | | 13.11 | 719.14 |
| | 3/25/98 | | 12.05 | 720.20 |
| | 4/10/98 | | 12.00 | 720.25 |
| | 5/8/98 | | 11.60 | 720.65 |
| | 6/5/98 | | 11.80 | 720.45 |
| | 7/2/98 | | 11.12 | 721.13 |
| | 7/30/98 | | 11.65 | 720.60 |
| | 9/10/98 | | 12.20 | 720.05 |
| | 10/12/98 | | 12.65 | 719.60 |
| | 11/13/98 | | 12.80 | 719.45 |
| | 12/11/98 | | 13.00 | 719.25 |
| | 1/29/99 | | 11.99 | 720.26 |
| | 2/12/99 | | 11.70 | 720.55 |
| | 3/10/99 | NR | (2) | NA |
| | 3/19/99 | | 12.20 | 720.05 |
| | 3/25/99 | | 10.76 | 721.49 |
| | 4/9/99 | | 12.50 | 719.75 |
| | 4/16/99 | | 12.53 | 719.72 |
| | 4/23/99 | | 12.75 | 719.50 |
| | 5/7/99 | | 12.51 | 719.74 |
| | 6/4/99 | | 12.40 | 719.85 |
| | 7/16/99 | | 12.25 | 720.00 |
| | 8/13/99 | | 12.64 | 719.61 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| IT-3 | 8/29/95 | 728.71 | 9.52 | 719.19 |
| | 11/7/95 | | 11.14 | 717.57 |
| | 4/12/96 | | 12.09 | 716.62 |
| | 5/29/96 | | 9.41 | 719.30 |
| | 6/4/96 | | 10.11 | 718.60 |
| | 7/8/96 | | 10.44 | 718.27 |
| | 8/1/96 | | 10.63 | 718.08 |
| | 9/12/96 | | 10.85 | 717.86 |
| | 10/17/96 | | 10.97 | 717.74 |
| | 11/25/96 | | 10.82 | 717.89 |
| | 12/11/96 | | 10.79 | 717.92 |
| | 1/24/97 | | 10.55 | 718.16 |
| | 2/21/97 | | 10.80 | 717.91 |
| | 3/14/97 | | 10.51 | 718.20 |
| | 4/11/97 | | 10.76 | 717.95 |
| | 5/7/97 | | 10.79 | 717.92 |
| | 6/5/97 | | 10.18 | 718.53 |
| | 7/3/97 | | 10.49 | 718.22 |
| | 8/4/97 | | 10.78 | 717.93 |
| | 9/29/97 | | 10.93 | 717.78 |
| | 10/10/97 | | 11.02 | 717.69 |
| | 11/10/97 | | 11.12 | 717.59 |
| | 12/1/97 | | 11.18 | 717.53 |
| | 1/16/98 | | 11.21 | 717.50 |
| | 2/4/98 | | 11.30 | 717.41 |
| | 3/25/98 | | 10.78 | 717.93 |
| | 4/10/98 | | 10.67 | 718.04 |
| | 5/8/98 | | 10.48 | 718.23 |
| | 6/5/98 | | 10.70 | 718.01 |
| | 7/2/98 | | 10.24 | 718.47 |
| | 7/30/98 | | 10.39 | 718.32 |
| | 9/10/98 | | 10.80 | 717.91 |
| | 10/12/98 | | 10.94 | 717.77 |
| | 11/13/98 | | 11.10 | 717.61 |
| | 12/11/98 | | 11.23 | 717.48 |
| | 1/29/99 | | 11.00 | 717.71 |
| | 2/12/99 | | 10.81 | 717.90 |
| | 3/10/99 | NR | (2) | NA |
| | 3/19/99 | | 10.80 | 717.91 |
| | 3/25/99 | | 10.86 | 717.85 |
| | 4/9/99 | | 10.95 | 717.76 |
| | 4/16/99 | | 10.98 | 717.73 |
| | 4/23/99 | NR | (2) | NA |
| | 5/7/99 | | 10.97 | 717.74 |
| | 6/4/99 | | 10.89 | 717.82 |
| | 7/16/99 | | 10.77 | 717.94 |
| | 8/13/99 | | 10.85 | 717.86 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-3 | 8/29/95 | 736.44 | 15.23 | 721.21 |
| | 11/7/95 | | 16.40 | 720.04 |
| | 4/12/96 | | 14.91 | 721.53 |
| | 5/29/96 | | 13.16 | 723.28 |
| | 6/4/96 | | 13.15 | 723.29 |
| | 7/8/96 | | 14.03 | 722.41 |
| | 8/1/96 | | 14.53 | 721.91 |
| | 9/12/96 | | 15.33 | 721.11 |
| | 10/17/96 | | 15.33 | 721.11 |
| | 11/25/96 | | 15.29 | 721.15 |
| | 12/11/96 | | 14.95 | 721.49 |
| | 1/24/97 | | 14.50 | 721.94 |
| | 2/21/97 | | 14.50 | 721.94 |
| | 3/14/97 | | 14.06 | 722.38 |
| | 4/11/97 | | 14.42 | 722.02 |
| | 5/12/97 | | 14.59 | 721.85 |
| | 6/5/97 | | 13.53 | 722.91 |
| | 7/3/97 | | 14.09 | 722.35 |
| | 8/4/97 | | 14.90 | 721.54 |
| | 9/29/97 | | 15.53 | 720.91 |
| | 10/10/97 | | 15.75 | 720.69 |
| | 11/10/97 | | 16.08 | 720.36 |
| | 12/1/97 | | 17.24 | 719.20 |
| | 1/16/98 | | 16.32 | 720.12 |
| | 2/4/98 | | 16.40 | 720.04 |
| | 3/25/98 | | 15.39 | 721.05 |
| | 4/10/98 | | 15.00 | 721.44 |
| | 5/8/98 | | 14.27 | 722.17 |
| | 6/5/98 | | 14.44 | 722.00 |
| | 7/2/98 | | 13.38 | 723.06 |
| | 7/30/98 | | 14.02 | 722.42 |
| | 9/10/98 | | 15.08 | 721.36 |
| | 10/12/98 | | 15.50 | 720.94 |
| | 11/13/98 | | 17.77 | 718.67 |
| | 12/11/98 | | 16.08 | 720.36 |
| | 1/29/99 | | 14.85 | 721.59 |
| | 2/12/99 | | 14.48 | 721.96 |
| | 3/10/99 | | 14.65 | 721.79 |
| | 3/19/99 | | 14.65 | 721.79 |
| | 3/25/99 | | 14.75 | 721.69 |
| | 4/9/99 | | 15.01 | 721.43 |
| | 4/16/99 | | 15.07 | 721.37 |
| | 4/23/99 | | 15.03 | 721.41 |
| | 5/7/99 | | 15.11 | 721.33 |
| | 6/4/99 | | 14.93 | 721.51 |
| | 7/16/99 | | 14.87 | 721.57 |
| | 8/13/99 | | 15.29 | 721.15 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-9 | 8/29/95 | 733.04 | 9.70 | 723.34 |
| | 11/7/95 | | 11.47 | 721.57 |
| | 4/12/96 | | 9.46 | 723.58 |
| | 5/29/96 | | 3.94 | 729.10 |
| | 6/4/96 | | 5.81 | 727.23 |
| | 7/8/96 | | 6.90 | 726.14 |
| | 8/1/96 | | 7.65 | 725.39 |
| | 9/12/96 | | 9.23 | 723.81 |
| | 10/17/96 | | 9.64 | 723.40 |
| | 11/25/96 | | 9.53 | 723.51 |
| | 12/11/96 | | 9.18 | 723.86 |
| | 1/24/97 | | 7.66 | 725.38 |
| | 2/21/97 | | 7.70 | 725.34 |
| | 3/14/97 | | 6.68 | 726.36 |
| | 4/11/97 | | 7.54 | 725.50 |
| | 5/12/97 | | 7.97 | 725.07 |
| | 6/5/97 | | 5.63 | 727.41 |
| | 7/3/97 | | 7.13 | 725.91 |
| | 8/4/97 | | 8.44 | 724.60 |
| | 9/29/97 | | 9.82 | 723.22 |
| | 10/10/97 | | 10.17 | 722.87 |
| | 11/10/97 | | 10.84 | 722.20 |
| | 12/1/97 | | 11.16 | 721.88 |
| | 1/16/98 | | 11.25 | 721.79 |
| | 2/4/98 | | 11.28 | 721.76 |
| | 3/25/98 | | 9.70 | 723.34 |
| | 4/10/98 | | 8.70 | 724.34 |
| | 5/8/98 | | 6.95 | 726.09 |
| | 6/5/98 | | 7.50 | 725.54 |
| | 7/2/98 | | 6.07 | 726.97 |
| | 7/30/98 | | 7.10 | 725.94 |
| | 9/10/98 | | 8.87 | 724.17 |
| | 10/12/98 | | 9.57 | 723.47 |
| | 11/13/98 | | 9.92 | 723.12 |
| | 12/11/98 | | 10.37 | 722.67 |
| | 1/29/99 | | 9.00 | 724.04 |
| | 2/12/99 | | 7.40 | 725.64 |
| | 3/10/99 | | 7.55 | 725.49 |
| | 3/19/99 | | 7.66 | 725.38 |
| | 3/25/99 | | 7.85 | 725.19 |
| | 4/9/99 | | 8.07 | 724.97 |
| | 4/16/99 | | 8.25 | 724.79 |
| | 4/23/99 | | 8.10 | 724.94 |
| | 5/7/99 | | 8.34 | 724.70 |
| | 6/4/99 | | 8.03 | 725.01 |
| | 7/16/99 | | 8.35 | 724.69 |
| | 8/13/99 | | 8.84 | 724.20 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-12 | 8/29/95 | 736.38 | 16.43 | 719.95 |
| | 11/7/95 | | 17.18 | 719.20 |
| | 4/12/96 | | 16.21 | 720.17 |
| | 5/29/96 | | 15.07 | 721.31 |
| | 6/4/96 | | 15.31 | 721.07 |
| | 7/8/96 | | 15.88 | 720.50 |
| | 8/1/96 | | 16.16 | 720.22 |
| | 9/12/96 | | 16.59 | 719.79 |
| | 10/17/96 | | 16.47 | 719.91 |
| | 11/25/96 | | 16.32 | 720.06 |
| | 12/11/96 | | 16.12 | 720.26 |
| | 1/24/97 | | 15.89 | 720.49 |
| | 2/21/97 | | 15.96 | 720.42 |
| | 3/14/97 | | 15.66 | 720.72 |
| | 4/11/97 | | 16.07 | 720.31 |
| | 5/7/97 | | 16.09 | 720.29 |
| | 6/5/97 | | 15.85 | 720.53 |
| | 7/3/97 | | 15.64 | 720.74 |
| | 8/4/97 | | 16.36 | 720.02 |
| | 9/29/97 | | 16.57 | 719.81 |
| | 10/10/97 | | 16.70 | 719.68 |
| | 11/10/97 | | 16.90 | 719.48 |
| | 12/1/97 | | 17.00 | 719.38 |
| | 1/16/98 | | 17.20 | 719.18 |
| | 2/4/98 | | 17.20 | 719.18 |
| | 3/25/98 | | 16.26 | 720.12 |
| | 4/10/98 | | 16.12 | 720.26 |
| | 5/8/98 | | 15.79 | 720.59 |
| | 6/5/98 | | 16.00 | 720.38 |
| | 7/2/98 | | 15.33 | 721.05 |
| | 7/30/98 | | 15.70 | 720.68 |
| | 9/10/98 | | 16.26 | 720.12 |
| | 10/12/98 | | 16.81 | 719.57 |
| | 11/13/98 | | 16.94 | 719.44 |
| | 12/11/98 | | 17.10 | 719.28 |
| | 1/29/99 | | 16.18 | 720.20 |
| | 2/12/99 | | 15.92 | 720.46 |
| | 3/10/99 | | 16.40 | 719.98 |
| | 3/19/99 | | 16.44 | 719.94 |
| | 3/25/99 | | 16.50 | 719.88 |
| | 4/9/99 | | 16.71 | 719.67 |
| | 4/16/99 | | 16.73 | 719.65 |
| | 4/23/99 | | 16.70 | 719.68 |
| | 5/7/99 | | 16.73 | 719.65 |
| | 6/4/99 | | 16.56 | 719.82 |
| | 7/16/99 | | 16.45 | 719.93 |
| | 8/13/99 | | 15.77 | 720.61 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-20 | 8/29/95 | 734.03 | 10.35 | 723.68 |
| | 11/7/95 | | 12.16 | 721.87 |
| | 4/12/96 | | 9.70 | 724.33 |
| | 5/29/96 | | 6.30 | 727.73 |
| | 6/4/96 | | 7.63 | 726.40 |
| | 7/8/96 | | 8.58 | 725.45 |
| | 8/1/96 | | 8.93 | 725.10 |
| | 9/12/96 | | 10.39 | 723.64 |
| | 10/17/96 | | 10.56 | 723.47 |
| | 11/25/96 | | 9.82 | 724.21 |
| | 12/11/96 | | 9.64 | 724.39 |
| | 1/24/97 | | 8.57 | 725.46 |
| | 2/21/97 | | 8.86 | 725.17 |
| | 3/14/97 | | 8.00 | 726.03 |
| | 4/11/97 | | 8.87 | 725.16 |
| | 5/12/97 | | 9.13 | 724.90 |
| | 6/5/97 | | 7.55 | 726.48 |
| | 7/3/97 | | 8.70 | 725.33 |
| | 8/4/97 | | 9.70 | 724.33 |
| | 9/29/97 | | 10.85 | 723.18 |
| | 10/10/97 | | 11.08 | 722.95 |
| | 11/10/97 | | 11.66 | 722.37 |
| | 12/1/97 | | 11.80 | 722.23 |
| | 1/16/98 | | 11.68 | 722.35 |
| | 2/4/98 | | 11.80 | 722.23 |
| | 3/25/98 | | 10.08 | 723.95 |
| | 4/10/98 | | 9.26 | 724.77 |
| | 5/8/98 | | 8.22 | 725.81 |
| | 6/5/98 | | 8.78 | 725.25 |
| | 7/2/98 | | 8.10 | 725.93 |
| | 7/30/98 | | 8.72 | 725.31 |
| | 9/10/98 | | 10.10 | 723.93 |
| | 10/12/98 | | 10.67 | 723.36 |
| | 11/13/98 | | 10.85 | 723.18 |
| | 12/11/98 | | 11.44 | 722.59 |
| | 1/29/99 | | 9.71 | 724.32 |
| | 2/12/99 | | 7.01 | 727.02 |
| | 3/10/99 | | 8.84 | 725.19 |
| | 3/19/99 | | NR (2) | NA |
| | 3/25/99 | | 9.21 | 724.82 |
| | 4/9/99 | | 9.63 | 724.40 |
| | 4/16/99 | | 9.73 | 724.30 |
| | 4/23/99 | | 9.28 | 724.75 |
| | 5/7/99 | | 9.41 | 724.62 |
| | 6/4/99 | | 9.18 | 724.85 |
| | 7/16/99 | | 9.35 | 724.68 |
| | 8/13/99 | | 9.86 | 724.17 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-21 | 8/29/95 | 737.91 | 16.81 | 721.10 |
| | 11/7/95 | | 17.92 | 719.99 |
| | 4/12/96 | | 16.48 | 721.43 |
| | 5/29/96 | | 14.82 | 723.09 |
| | 6/4/96 | | 14.82 | 723.09 |
| | 7/8/96 | | 15.67 | 722.24 |
| | 8/1/96 | | 16.16 | 721.75 |
| | 9/12/96 | | 16.89 | 721.02 |
| | 10/17/96 | | 16.89 | 721.02 |
| | 11/25/96 | | 16.85 | 721.06 |
| | 12/11/96 | | 16.53 | 721.38 |
| | 1/24/97 | | 16.10 | 721.81 |
| | 2/21/97 | | 16.11 | 721.80 |
| | 3/14/97 | | 15.64 | 722.27 |
| | 4/11/97 | | 16.05 | 721.86 |
| | 5/12/97 | | 16.20 | 721.71 |
| | 6/5/97 | | 15.18 | 722.73 |
| | 7/3/97 | | 15.72 | 722.19 |
| | 8/4/97 | | 16.48 | 721.43 |
| | 9/29/97 | | 17.10 | 720.81 |
| | 10/10/97 | | 17.31 | 720.60 |
| | 11/10/97 | | 17.61 | 720.30 |
| | 12/1/97 | | 17.78 | 720.13 |
| | 1/16/98 | | 17.87 | 720.04 |
| | 2/4/98 | | 17.98 | 719.93 |
| | 3/25/98 | | 16.92 | 720.99 |
| | 4/10/98 | | 16.56 | 721.35 |
| | 5/8/98 | | 15.92 | 721.99 |
| | 6/5/98 | | 16.08 | 721.83 |
| | 7/2/98 | | 15.06 | 722.85 |
| | 7/30/98 | | 15.65 | 722.26 |
| | 9/10/98 | | 16.64 | 721.27 |
| | 10/12/98 | | 17.10 | 720.81 |
| | 11/13/98 | | 17.31 | 720.60 |
| | 12/11/98 | | 17.60 | 720.31 |
| | 1/29/99 | | 16.42 | 721.49 |
| | 2/12/99 | | 16.04 | 721.87 |
| | 3/10/99 | | 16.32 | 721.59 |
| | 3/19/99 | | 16.26 | 721.65 |
| | 3/25/99 | | 16.36 | 721.55 |
| | 4/9/99 | | 16.62 | 721.29 |
| | 4/16/99 | | 16.67 | 721.24 |
| | 4/23/99 | | 16.59 | 721.32 |
| | 5/7/99 | | 16.72 | 721.19 |
| | 6/4/99 | | 16.55 | 721.36 |
| | 7/16/99 | | 16.48 | 721.43 |
| | 8/13/99 | | 16.91 | 721.00 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-22 | 8/29/95 | 737.64 | 17.05 | 720.59 |
| | 11/7/95 | | 17.90 | 719.74 |
| | 4/12/96 | | 16.74 | 720.90 |
| | 5/29/96 | | 15.52 | 722.12 |
| | 6/4/96 | | 15.63 | 722.01 |
| | 7/8/96 | | 16.22 | 721.42 |
| | 8/1/96 | | 16.58 | 721.06 |
| | 9/12/96 | | 17.15 | 720.49 |
| | 10/17/96 | | 17.04 | 720.60 |
| | 11/25/96 | | 16.99 | 720.65 |
| | 12/11/96 | | 16.76 | 720.88 |
| | 1/24/97 | | 16.46 | 721.18 |
| | 2/21/97 | | 16.50 | 721.14 |
| | 3/14/97 | | 16.15 | 721.49 |
| | 4/11/97 | | 16.47 | 721.17 |
| | 5/7/97 | | 17.55 | 720.09 |
| | 6/5/97 | | 15.88 | 721.76 |
| | 7/3/97 | | 16.34 | 721.30 |
| | 8/4/97 | | 16.86 | 720.78 |
| | 9/29/97 | | 17.26 | 720.38 |
| | 10/10/97 | | 17.43 | 720.21 |
| | 11/10/97 | | 17.65 | 719.99 |
| | 12/1/97 | | 17.80 | 719.84 |
| | 1/16/98 | | 18.00 | 719.64 |
| | 2/4/98 | | 18.05 | 719.59 |
| | 3/25/98 | | 17.00 | 720.64 |
| | 4/10/98 | | 16.75 | 720.89 |
| | 5/8/98 | | 16.35 | 721.29 |
| | 6/5/98 | | 16.51 | 721.13 |
| | 7/2/98 | | 15.84 | 721.80 |
| | 7/30/98 | | 16.22 | 721.42 |
| | 9/10/98 | | 16.91 | 720.73 |
| | 10/12/98 | | 17.35 | 720.29 |
| | 11/13/98 | | 17.52 | 720.12 |
| | 12/11/98 | | 17.74 | 719.90 |
| | 1/29/99 | | 16.80 | 720.84 |
| | 2/12/99 | | 16.50 | 721.14 |
| | 3/10/99 | | 16.80 | 720.84 |
| | 3/19/99 | | 16.77 | 720.87 |
| | 3/25/99 | | 16.80 | 720.84 |
| | 4/9/99 | | 17.04 | 720.60 |
| | 4/16/99 | | 17.03 | 720.61 |
| | 4/23/99 | | 17.02 | 720.62 |
| | 5/7/99 | | 17.13 | 720.51 |
| | 6/4/99 | | 17.00 | 720.64 |
| | 7/16/99 | | 16.90 | 720.74 |
| | 8/13/99 | | 17.25 | 720.39 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-24 | 8/29/95 | 736.02 | 15.59 | 720.43 |
| | 11/7/95 | | 16.41 | 719.61 |
| | 4/12/96 | | 15.29 | 720.73 |
| | 5/29/96 | | 13.77 | 722.25 |
| | 6/4/96 | | 13.80 | 722.22 |
| | 7/8/96 | | 14.54 | 721.48 |
| | 8/1/96 | | 15.01 | 721.01 |
| | 9/12/96 | | 15.61 | 720.41 |
| | 10/17/96 | | 15.66 | 720.36 |
| | 11/25/96 | | 15.61 | 720.41 |
| | 12/11/96 | | 15.33 | 720.69 |
| | 1/24/97 | | 14.96 | 721.06 |
| | 2/21/97 | | 15.24 | 720.78 |
| | 3/14/97 | | 14.62 | 721.40 |
| | 4/11/97 | | 14.96 | 721.06 |
| | 5/7/97 | | 15.04 | 720.98 |
| | 6/5/97 | | 14.20 | 721.82 |
| | 7/3/97 | | 14.62 | 721.40 |
| | 8/4/97 | | 15.30 | 720.72 |
| | 9/29/97 | | 15.79 | 720.23 |
| | 10/10/97 | | 15.98 | 720.04 |
| | 11/10/97 | | 16.18 | 719.84 |
| | 12/1/97 | | 16.33 | 719.69 |
| | 1/16/98 | | 16.48 | 719.54 |
| | 2/4/98 | | 16.53 | 719.49 |
| | 3/25/98 | | 15.65 | 720.37 |
| | 4/10/98 | | 15.44 | 720.58 |
| | 5/8/98 | | 14.83 | 721.19 |
| | 6/5/98 | | 15.00 | 721.02 |
| | 7/2/98 | | 14.00 | 722.02 |
| | 7/30/98 | | 14.50 | 721.52 |
| | 9/10/98 | | 15.38 | 720.64 |
| | 10/12/98 | | 15.80 | 720.22 |
| | 11/13/98 | | 16.05 | 719.97 |
| | 12/11/98 | | 16.23 | 719.79 |
| | 1/29/99 | | 15.28 | 720.74 |
| | 2/12/99 | | 15.03 | 720.99 |
| | 3/10/99 | | 15.15 | 720.87 |
| | 3/19/99 | | 15.07 | 720.95 |
| | 3/25/99 | | 15.18 | 720.84 |
| | 4/9/99 | | NR (2) | NA |
| | 4/16/99 | | NR (2) | NA |
| | 4/23/99 | | 11.05 | 724.97 |
| | 5/7/99 | | NR (2) | NA |
| | 6/4/99 | | NR (2) | NA |
| | 7/16/99 | | 15.31 | 720.71 |
| | 8/13/99 | | 15.65 | 720.37 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-26 | 8/29/95 | 736.39 | 13.46 | 722.93 |
| | 11/7/95 | | 15.02 | 721.37 |
| | 4/12/96 | | 13.17 | 723.22 |
| | 5/29/96 | | 9.53 | 726.86 |
| | 6/4/96 | | 10.47 | 725.92 |
| | 7/8/96 | | 11.62 | 724.77 |
| | 8/1/96 | | 12.16 | 724.23 |
| | 9/12/96 | | 13.48 | 722.91 |
| | 10/17/96 | | 13.60 | 722.79 |
| | 11/25/96 | | 13.42 | 722.97 |
| | 12/11/96 | | 13.08 | 723.31 |
| | 1/24/97 | | 12.14 | 724.25 |
| | 2/21/97 | | 12.25 | 724.14 |
| | 3/14/97 | | 11.48 | 724.91 |
| | 4/11/97 | | 12.18 | 724.21 |
| | 5/12/97 | | 12.41 | 723.98 |
| | 6/5/97 | | 10.45 | 725.94 |
| | 7/3/97 | | 11.78 | 724.61 |
| | 8/4/97 | | 12.78 | 723.61 |
| | 9/29/97 | | 13.83 | 722.56 |
| | 10/10/97 | | 14.09 | 722.30 |
| | 11/10/97 | | 14.61 | 721.78 |
| | 12/1/97 | | 14.86 | 721.53 |
| | 1/16/98 | | 14.90 | 721.49 |
| | 2/4/98 | | 15.00 | 721.39 |
| | 3/25/98 | | 13.57 | 722.82 |
| | 4/10/98 | | 12.92 | 723.47 |
| | 5/8/98 | | 11.70 | 724.69 |
| | 6/5/98 | | 12.06 | 724.33 |
| | 7/2/98 | | 10.90 | 725.49 |
| | 7/30/98 | | 13.16 | 723.23 |
| | 9/10/98 | | 11.69 | 724.70 |
| | 10/12/98 | | 13.69 | 722.70 |
| | 11/13/98 | | 14.00 | 722.39 |
| | 12/11/98 | | 14.41 | 721.98 |
| | 1/29/99 | | 13.07 | 723.32 |
| | 2/12/99 | | 12.29 | 724.10 |
| | 3/10/99 | | 12.10 | 724.29 |
| | 3/19/99 | | 12.27 | 724.12 |
| | 3/25/99 | | 12.42 | 723.97 |
| | 4/9/99 | | 12.63 | 723.76 |
| | 4/16/99 | | 12.73 | 723.66 |
| | 4/23/99 | | 12.62 | 723.77 |
| | 5/7/99 | | 12.77 | 723.62 |
| | 6/4/99 | | 12.51 | 723.88 |
| | 7/16/99 | | 12.72 | 723.67 |
| | 8/13/99 | | 13.10 | 723.29 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-27 | 8/29/95 | 736.63 | 15.37 | 721.26 |
| | 11/7/95 | | 16.66 | 719.97 |
| | 4/12/96 | | 15.01 | 721.62 |
| | 5/29/96 | | 13.23 | 723.40 |
| | 6/4/96 | | 13.44 | 723.19 |
| | 7/8/96 | | 14.38 | 722.25 |
| | 8/1/96 | | 14.79 | 721.84 |
| | 9/12/96 | | 15.62 | 721.01 |
| | 10/17/96 | | 15.56 | 721.07 |
| | 11/25/96 | | 15.45 | 721.18 |
| | 12/11/96 | | 15.11 | 721.52 |
| | 1/24/97 | | 14.63 | 722.00 |
| | 2/21/97 | | 14.75 | 721.88 |
| | 3/14/97 | | 14.28 | 722.35 |
| | 4/11/97 | | 14.71 | 721.92 |
| | 5/12/97 | | 14.88 | 721.75 |
| | 6/5/97 | | 13.78 | 722.85 |
| | 7/3/97 | | 14.40 | 722.23 |
| | 8/4/97 | | 15.12 | 721.51 |
| | 9/29/97 | | 15.82 | 720.81 |
| | 10/10/97 | | 16.02 | 720.61 |
| | 11/10/97 | | 16.36 | 720.27 |
| | 12/1/97 | | 16.52 | 720.11 |
| | 1/16/98 | | 16.46 | 720.17 |
| | 2/4/98 | | 16.58 | 720.05 |
| | 3/25/98 | | 15.42 | 721.21 |
| | 4/10/98 | | 15.06 | 721.57 |
| | 5/8/98 | | 14.40 | 722.23 |
| | 6/5/98 | | 14.67 | 721.96 |
| | 7/2/98 | | 13.78 | 722.85 |
| | 7/30/98 | | 14.34 | 722.29 |
| | 9/10/98 | | 15.38 | 721.25 |
| | 10/12/98 | | 15.80 | 720.83 |
| | 11/13/98 | | 15.98 | 720.65 |
| | 12/11/98 | | 16.32 | 720.31 |
| | 1/29/99 | | 14.97 | 721.66 |
| | 2/12/99 | | 14.55 | 722.08 |
| | 3/10/99 | | 15.00 | 721.63 |
| | 3/19/99 | | 14.93 | 721.70 |
| | 3/25/99 | | 15.03 | 721.60 |
| | 4/9/99 | | 15.30 | 721.33 |
| | 4/16/99 | | 15.38 | 721.25 |
| | 4/23/99 | | 15.28 | 721.35 |
| | 5/7/99 | | 15.38 | 721.25 |
| | 6/4/99 | | 15.12 | 721.51 |
| | 7/16/99 | | 15.13 | 721.50 |
| | 8/13/99 | | 15.58 | 721.05 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-28 | 8/29/95 | 738.04 | 17.03 | 721.01 |
| | 11/7/95 | | 18.19 | 719.85 |
| | 4/12/96 | | 16.72 | 721.32 |
| | 5/29/96 | | 15.21 | 722.83 |
| | 6/4/96 | | 15.32 | 722.72 |
| | 7/8/96 | | 16.12 | 721.92 |
| | 8/1/96 | | 16.54 | 721.50 |
| | 9/12/96 | | 17.25 | 720.79 |
| | 10/17/96 | | 17.20 | 720.84 |
| | 11/25/96 | | 17.10 | 720.94 |
| | 12/11/96 | | 16.81 | 721.23 |
| | 1/24/97 | | 16.39 | 721.65 |
| | 2/21/97 | | 16.49 | 721.55 |
| | 3/14/97 | | 16.05 | 721.99 |
| | 4/11/97 | | 16.41 | 721.63 |
| | 5/12/97 | | 16.57 | 721.47 |
| | 6/5/97 | | 15.66 | 722.38 |
| | 7/3/97 | | 16.17 | 721.87 |
| | 8/4/97 | | 16.84 | 721.20 |
| | 9/29/97 | | 17.41 | 720.63 |
| | 10/10/97 | | 17.61 | 720.43 |
| | 11/10/97 | | 17.91 | 720.13 |
| | 12/1/97 | | 18.08 | 719.96 |
| | 1/16/98 | | 18.10 | 719.94 |
| | 2/4/98 | | 18.20 | 719.84 |
| | 3/25/98 | | 17.10 | 720.94 |
| | 4/10/98 | | 16.79 | 721.25 |
| | 5/8/98 | | 16.20 | 721.84 |
| | 6/5/98 | | 16.40 | 721.64 |
| | 7/2/98 | | 15.60 | 722.44 |
| | 7/30/98 | | 16.10 | 721.94 |
| | 9/10/98 | | 17.00 | 721.04 |
| | 10/12/98 | | 17.41 | 720.63 |
| | 11/13/98 | | 17.60 | 720.44 |
| | 12/11/98 | | 17.88 | 720.16 |
| | 1/29/99 | | 16.70 | 721.34 |
| | 2/12/99 | | 16.34 | 721.70 |
| | 3/10/99 | | 16.68 | 721.36 |
| | 3/19/99 | | 16.71 | 721.33 |
| | 3/25/99 | | 16.80 | 721.24 |
| | 4/9/99 | | 17.02 | 721.02 |
| | 4/16/99 | | 17.08 | 720.96 |
| | 4/23/99 | | 17.03 | 721.01 |
| | 5/7/99 | | 17.10 | 720.94 |
| | 6/4/99 | | 16.90 | 721.14 |
| | 7/16/99 | | 16.85 | 721.19 |
| | 8/13/99 | | 17.24 | 720.80 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-29 | 8/29/95 | 737.61 | 16.83 | 720.78 |
| | 11/7/95 | | 17.99 | 719.62 |
| | 4/12/96 | | 16.46 | 721.15 |
| | 5/29/96 | | 15.01 | 722.60 |
| | 6/4/96 | | 15.19 | 722.42 |
| | 7/8/96 | | 16.04 | 721.57 |
| | 8/1/96 | | 16.40 | 721.21 |
| | 9/12/96 | | 17.15 | 720.46 |
| | 10/17/96 | | 17.02 | 720.59 |
| | 11/25/96 | | 16.93 | 720.68 |
| | 12/11/96 | | 16.61 | 721.00 |
| | 1/24/97 | | 16.24 | 721.37 |
| | 2/21/97 | | 16.31 | 721.30 |
| | 3/14/97 | | 15.91 | 721.70 |
| | 4/11/97 | | 16.30 | 721.31 |
| | 5/12/97 | | 16.41 | 721.20 |
| | 6/5/97 | | 15.57 | 722.04 |
| | 7/3/97 | | 16.06 | 721.55 |
| | 8/4/97 | | 16.70 | 720.91 |
| | 9/29/97 | | 17.25 | 720.36 |
| | 10/10/97 | | 17.44 | 720.17 |
| | 11/10/97 | | 17.86 | 719.75 |
| | 12/1/97 | | 17.86 | 719.75 |
| | 1/16/98 | | 17.81 | 719.80 |
| | 2/4/98 | | 17.95 | 719.66 |
| | 3/25/98 | | 16.80 | 720.81 |
| | 4/10/98 | | 16.53 | 721.08 |
| | 5/8/98 | | 15.98 | 721.63 |
| | 6/5/98 | | 16.30 | 721.31 |
| | 7/2/98 | | 15.50 | 722.11 |
| | 7/30/98 | | 15.98 | 721.63 |
| | 9/10/98 | | 16.89 | 720.72 |
| | 10/12/98 | | 17.23 | 720.38 |
| | 11/13/98 | | 17.40 | 720.21 |
| | 12/11/98 | | 17.70 | 719.91 |
| | 1/29/99 | | 16.45 | 721.16 |
| | 2/12/99 | | 16.09 | 721.52 |
| | 3/10/99 | | 16.48 | 721.13 |
| | 3/19/99 | | 16.48 | 721.13 |
| | 3/25/99 | | 16.61 | 721.00 |
| | 4/9/99 | | 16.88 | 720.73 |
| | 4/16/99 | | 16.92 | 720.69 |
| | 4/23/99 | | 16.84 | 720.77 |
| | 5/7/99 | | 16.92 | 720.69 |
| | 6/4/99 | | 16.70 | 720.91 |
| | 7/16/99 | | 16.67 | 720.94 |
| | 8/13/99 | | 17.05 | 720.56 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number. | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------|--------------|------------------|-----------------------|---|
| MW-30 | 8/29/95 | 734.84 | 15.54 | 719.30 |
| | 11/7/95 | | 15.93 | 718.91 |
| | 4/12/96 | | 14.95 | 719.89 |
| | 5/29/96 | | 14.10 | 720.74 |
| | 6/4/96 | | 14.38 | 720.46 |
| | 7/8/96 | | 14.84 | 720.00 |
| | 8/1/96 | | 15.06 | 719.78 |
| | 9/12/96 | | 15.28 | 719.56 |
| | 10/17/96 | | 15.58 | 719.26 |
| | 11/25/96 | | 15.13 | 719.71 |
| | 12/11/96 | | 14.98 | 719.86 |
| | 1/24/97 | | 14.71 | 720.13 |
| | 2/21/97 | | 14.95 | 719.89 |
| | 3/14/97 | | 14.70 | 720.14 |
| | 4/11/97 | | 14.92 | 719.92 |
| | 5/7/97 | | 14.93 | 719.91 |
| | 6/5/97 | | 14.37 | 720.47 |
| | 7/3/97 | | 14.75 | 720.09 |
| | 8/4/97 | | 15.28 | 719.56 |
| | 9/29/97 | | 15.33 | 719.51 |
| | 10/10/97 | | 15.42 | 719.42 |
| | 11/10/97 | | 15.52 | 719.32 |
| | 12/1/97 | | 15.80 | 719.04 |
| | 1/16/98 | | 15.70 | 719.14 |
| | 2/4/98 | | 15.80 | 719.04 |
| | 3/25/98 | | 15.44 | 719.40 |
| | 4/10/98 | | 15.18 | 719.66 |
| | 5/8/98 | | 15.05 | 719.79 |
| | 6/5/98 | | 15.20 | 719.64 |
| | 7/2/98 | | 14.30 | 720.54 |
| | 7/30/98 | | 14.73 | 720.11 |
| | 9/10/98 | | 15.12 | 719.72 |
| | 10/12/98 | | 15.88 | 718.96 |
| | 11/13/98 | | 16.00 | 718.84 |
| | 12/11/98 | | 16.10 | 718.74 |
| | 1/29/99 | | 16.90 | 717.94 |
| | 2/12/99 | | 15.33 | 719.51 |
| | 3/10/99 | | 15.46 | 719.38 |
| | 3/19/99 | | 15.50 | 719.34 |
| | 3/25/99 | | 15.55 | 719.29 |
| | 4/9/99 | | 15.65 | 719.19 |
| | 4/16/99 | | 15.69 | 719.15 |
| | 4/23/99 | | 15.65 | 719.19 |
| | 5/7/99 | | 15.73 | 719.11 |
| | 6/4/99 | | 15.52 | 719.32 |
| | 7/16/99 | | 15.50 | 719.34 |
| | 8/13/99 | | 15.70 | 719.14 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-1 | 8/29/95 | 730.97 | 2.58 | 728.39 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 11.02 | 719.95 |
| | 5/29/96 | | 10.84 | 720.13 |
| | 6/4/96 | | 11.12 | 719.85 |
| | 7/8/96 | | 11.28 | 719.69 |
| | 8/1/96 | | NR (2) | NA |
| | 9/12/96 | | 11.55 | 719.42 |
| | 10/17/96 | | 12.50 | 718.47 |
| | 11/25/96 | | 11.23 | 719.74 |
| | 12/11/96 | | 11.06 | 719.91 |
| | 1/24/97 | | 10.90 | 720.07 |
| | 2/21/97 | | 11.06 | 719.91 |
| | 3/14/97 | | 10.73 | 720.24 |
| | 4/11/97 | | 10.98 | 719.99 |
| | 5/7/97 | | 11.02 | 719.95 |
| | 6/5/97 | | 10.48 | 720.49 |
| | 7/3/97 | | 10.86 | 720.11 |
| | 8/4/97 | | 11.72 | 719.25 |
| | 9/29/97 | | 12.75 | 718.22 |
| | 10/10/97 | | 11.50 | 719.47 |
| | 11/10/97 | | 11.60 | 719.37 |
| | 12/1/97 | | 13.00 | 717.97 |
| | 1/16/98 | | 11.90 | 719.07 |
| | 2/4/98 | | 11.90 | 719.07 |
| | 3/25/98 | | 12.96 | 718.01 |
| | 4/10/98 | | 12.50 | 718.47 |
| | 5/8/98 | | 12.10 | 718.87 |
| | 6/5/98 | | 12.30 | 718.67 |
| | 7/2/98 | | 10.60 | 720.37 |
| | 7/30/98 | | 11.60 | 719.37 |
| | 9/10/98 | | 11.22 | 719.75 |
| | 10/12/98 | | 13.80 | 717.17 |
| | 11/13/98 | | 13.50 | 717.47 |
| | 12/11/98 | | 13.80 | 717.17 |
| | 1/29/99 | | 13.20 | 717.77 |
| | 2/12/99 | | 12.70 | 718.27 |
| | 3/25/99 | | 12.66 | 718.31 |
| | 4/9/99 | | 12.63 | 718.34 |
| | 4/23/99 | | 12.65 | 718.32 |
| | 5/7/99 | | 12.76 | 718.21 |
| | 6/4/99 | | 12.22 | 718.75 |
| | 7/16/99 | | 12.37 | 718.60 |
| | 8/13/99 | | 12.61 | 718.36 |



Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-2 | 8/29/95 | 732.05 | 4.42 | (1) 727.63 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 12.72 | 719.33 |
| | 5/29/96 | | 11.50 | 720.55 |
| | 6/4/96 | | 11.88 | 720.17 |
| | 7/8/96 | | 12.48 | 719.57 |
| | 8/1/96 | | 12.76 | 719.29 |
| | 9/12/96 | | 13.25 | 718.80 |
| | 10/17/96 | | 12.86 | 719.19 |
| | 11/25/96 | | 12.26 | 719.79 |
| | 12/11/96 | | 11.89 | 720.16 |
| | 1/24/97 | | 11.76 | 720.29 |
| | 2/21/97 | | 11.80 | 720.25 |
| | 3/14/97 | | 11.45 | 720.60 |
| | 4/11/97 | | 11.84 | 720.21 |
| | 5/7/97 | | 11.85 | 720.20 |
| | 6/5/97 | | 11.43 | 720.62 |
| | 7/3/97 | | 11.61 | 720.44 |
| | 8/4/97 | | 12.10 | 719.95 |
| | 9/29/97 | | 12.90 | 719.15 |
| | 10/10/97 | | 12.42 | 719.63 |
| | 11/10/97 | | 13.10 | 718.95 |
| | 12/1/97 | | 12.62 | 719.43 |
| | 1/16/98 | | 12.90 | 719.15 |
| | 2/4/98 | | 12.95 | 719.10 |
| | 3/25/98 | | 13.10 | 718.95 |
| | 4/10/98 | | 13.10 | 718.95 |
| | 5/8/98 | | 12.80 | 719.25 |
| | 6/5/98 | | 12.20 | 719.85 |
| | 7/2/98 | | 12.40 | 719.65 |
| | 7/30/98 | | 12.80 | 719.25 |
| | 9/10/98 | | 11.96 | 720.09 |
| | 10/12/98 | | 15.80 | 716.25 |
| | 11/13/98 | | 14.12 | 717.93 |
| | 12/11/98 | | 14.10 | 717.95 |
| | 1/29/99 | | 14.00 | 718.05 |
| | 2/12/99 | | 12.90 | 719.15 |
| | 3/25/99 | | 15.24 | 716.81 |
| | 4/9/99 | | 16.40 | 715.65 |
| | 4/23/99 | | 16.54 | 715.51 |
| | 5/7/99 | | 15.90 | 716.15 |
| | 6/4/99 | | 13.90 | 718.15 |
| | 7/16/99 | | 14.73 | 717.32 |
| | 8/13/99 | | 15.76 | 716.29 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| RW-3 | 8/29/95 | 733.19 | 4.08 | 729.11 |
| | 11/7/95 | | NR | NA |
| | 4/12/96 | | 13.07 | 720.12 |
| | 5/29/96 | | 11.73 | 721.46 |
| | 6/4/96 | | 12.68 | 720.51 |
| | 7/8/96 | | 13.26 | 719.93 |
| | 8/1/96 | | 13.10 | 720.09 |
| | 9/12/96 | | 13.40 | 719.79 |
| | 10/17/96 | | 12.78 | 720.41 |
| | 11/25/96 | | 12.68 | 720.51 |
| | 12/11/96 | | 12.51 | 720.68 |
| | 1/24/97 | | 12.26 | 720.93 |
| | 2/21/97 | | 12.20 | 720.99 |
| | 3/14/97 | | 11.90 | 721.29 |
| | 4/11/97 | | 12.23 | 720.96 |
| | 5/7/97 | | 12.23 | 720.96 |
| | 6/5/97 | | 11.68 | 721.51 |
| | 7/3/97 | | 12.00 | 721.19 |
| | 8/4/97 | | 14.00 | 719.19 |
| | 9/29/97 | | 14.20 | 718.99 |
| | 10/10/97 | | 13.18 | 720.01 |
| | 11/10/97 | | 14.52 | 718.67 |
| | 12/1/97 | | 15.60 | 717.59 |
| | 1/16/98 | | 13.76 | 719.43 |
| | 2/4/98 | | 13.80 | 719.39 |
| | 3/25/98 | | 15.46 | 717.73 |
| | 4/10/98 | | 15.00 | 718.19 |
| | 5/8/98 | | 13.50 | 719.69 |
| | 6/5/98 | | 14.10 | 719.09 |
| | 7/2/98 | | 12.74 | 720.45 |
| | 7/30/98 | | 13.60 | 719.59 |
| | 9/10/98 | | 12.30 | 720.89 |
| | 10/12/98 | | 16.20 | 716.99 |
| | 11/13/98 | | 15.16 | 718.03 |
| | 12/11/98 | | 14.80 | 718.39 |
| | 1/29/99 | | 13.40 | 719.79 |
| | 2/12/99 | | 13.10 | 720.09 |
| | 3/25/99 | | 14.91 | 718.28 |
| | 4/9/99 | | 15.10 | 718.09 |
| | 4/23/99 | | 15.12 | 718.07 |
| | 5/7/99 | | 16.00 | 717.19 |
| | 6/4/99 | | 15.00 | 718.19 |
| | 7/16/99 | | 15.60 | 717.59 |
| | 8/13/99 | | 16.82 | 716.37 |
| RW-4 | 3/25/99 | 735.48 | 16.33 | 719.15 |
| | 4/9/99 | | 16.90 | 718.58 |
| | 4/23/99 | | 16.51 | 718.97 |
| | 5/7/99 | | 16.47 | 719.01 |
| | 6/4/99 | | 14.90 | 720.58 |
| | 7/16/99 | | 15.70 | 719.78 |
| | 8/13/99 | | 15.60 | 719.88 |

(1) Ground water elevation based on measurements from top of bubbler tip.

(2) NR - Not Recorded



ATTACHMENT B

Groundwater Recovery Summary

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | | |
|----------|------------------------------|------------------|------------------|------|------------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 2/24/95 | - | - | - | - | - |
| 3/3/95 | 20,984 | 31,644 | 80,228 | - | 132,856 |
| 3/29/95 | 84,695 | 88,774 | 152,228 | - | 325,697 |
| 4/14/95 | 136,654 | 133,675 | 224,228 | - | 494,557 |
| 5/3/95 | 200,683 | 193,729 | 284,420 | - | 678,832 |
| 5/14/95 | 237,115 | 228,577 | 319,268 | - | 784,960 |
| 5/18/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/23/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/26/95 | 276,211 | 266,031 | 374,420 | - | 916,662 |
| 6/19/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/3/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/4/95 | 448,963 | 431,997 | 543,600 | - | 1,424,560 |
| 8/9/95 | 473,414 | 453,496 | 590,792 | - | 1,517,702 |
| 8/11/95 | 482,414 | 461,556 | 609,202 | - | 1,553,172 |
| 8/14/95 | 496,474 | 474,106 | 637,152 | - | 1,607,732 |
| 8/29/95 | 561,302 | 533,550 | 768,644 | - | 1,863,496 |
| 10/6/95 | 664,814 | 629,975 | 985,749 | - | 2,280,538 |
| 11/7/95 | 665,305 | 763,804 | 1,159,950 | - | 2,589,059 |
| 12/8/95 | 686,316 | 766,356 | 1,253,348 | - | 2,706,020 |
| 1/15/96 | 778,585 | 873,570 | 1,263,941 | - | 2,916,096 |
| 4/12/96 | 778,585 | 1,170,564 | 1,651,617 | - | 3,600,766 |
| 5/29/96 | 873,365 | 1,376,384 | 1,823,668 | - | 4,073,417 |
| 6/26/96 | 915,555 | 1,414,873 | 1,884,622 | - | 4,215,050 |
| 7/8/96 | 972,328 | 1,474,048 | 1,987,350 | - | 4,433,726 |
| 7/18/96 | 1,006,046 | 1,516,919 | 2,060,742 | - | 4,583,707 |
| 8/1/96 | 1,049,996 | 1,577,801 | 2,164,916 | - | 4,792,713 |
| 8/16/96 | 1,091,112 | 1,638,683 | 2,246,037 | - | 4,975,832 |
| 8/27/96 | 1,118,169 | 1,684,621 | 2,314,606 | - | 5,117,396 |
| 9/12/96 | 1,146,432 | 1,754,050 | 2,360,521 | - | 5,261,003 |
| 9/24/96 | 1,159,035 | 1,796,140 | 2,409,496 | - | 5,364,671 |
| 10/1/96 | 1,174,178 | 1,825,149 | 2,408,298 | - | 5,407,625 |
| 10/17/96 | 1,253,727 | 1,855,632 | 2,411,539 | - | 5,520,898 |
| 11/2/96 | 1,315,165 | 1,906,634 | 2,420,559 | - | 5,642,358 |
| 11/15/96 | 1,365,973 | 1,908,623 | 2,502,342 | - | 5,776,938 |
| 11/25/96 | 1,396,032 | 1,911,188 | 2,552,717 | - | 5,859,937 |
| 12/11/96 | 1,430,595 | 1,935,775 | 2,611,374 | - | 5,977,744 |
| 12/27/96 | 1,452,912 | 1,937,132 | 2,649,962 | - | 6,040,006 |
| 1/3/97 | 1,456,304 | 1,939,518 | 2,655,775 | - | 6,051,597 |
| 1/14/97 | 1,470,242 | 1,949,120 | 2,684,864 | - | 6,104,226 |
| 1/24/97 | 1,470,505 | 1,949,124 | 2,702,272 | - | 6,121,901 |
| 2/7/97 | 1,518,975 | 1,950,754 | 2,796,872 | - | 6,266,601 |
| 2/21/97 | 1,571,273 | 1,952,209 | 2,835,673 | - | 6,359,155 |
| 3/14/97 | 1,646,678 | 1,952,209 | 2,835,673 | - | 6,436,098 |
| 3/28/97 | 1,692,834 | 2,039,011 | 2,835,673 | - | 6,588,745 |
| 4/11/97 | 1,734,064 | 2,124,196 | 2,835,673 | - | 6,715,160 |
| 4/25/97 | 1,773,261 | 2,182,646 | 2,842,124 | - | 6,819,258 |
| 5/7/97 | 1,798,995 | 2,336,981 | 2,842,124 | - | 6,999,327 |
| 5/22/97 | 1,825,676 | 2,393,705 | 2,905,414 | - | 7,146,022 |
| 6/5/97 | 1,867,121 | 2,472,696 | 2,988,177 | - | 7,349,221 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**
Cumulative Ground Water Flow Readings

| Date | RW-1 | RW-2 | RW-3 | RW-4 | Total |
|----------|-----------|-----------|-----------|------|------------|
| 6/20/97 | 1,912,764 | 2,540,269 | 3,061,814 | - | 7,536,074 |
| 7/3/97 | 1,954,658 | 2,609,124 | 3,135,756 | - | 7,720,764 |
| 7/17/97 | 1,975,303 | 2,680,948 | 3,199,801 | - | 7,877,279 |
| 8/4/97 | 2,025,486 | 2,806,996 | 3,364,397 | - | 8,218,106 |
| 8/15/97 | 2,052,962 | 2,958,721 | 3,461,264 | - | 8,494,174 |
| 8/28/97 | 2,083,623 | 3,093,542 | 3,569,012 | - | 8,767,404 |
| 9/12/97 | 2,083,684 | 3,119,818 | 3,692,072 | - | 8,916,801 |
| 9/29/97 | 2,083,905 | 3,120,840 | 3,839,556 | - | 9,065,528 |
| 10/10/97 | 2,101,637 | 3,231,288 | 3,924,600 | - | 9,278,752 |
| 10/31/97 | 2,101,662 | 3,254,766 | 4,062,129 | - | 9,439,784 |
| 11/10/97 | 2,101,662 | 3,394,895 | 4,102,900 | - | 9,620,684 |
| 12/1/97 | 2,101,662 | 3,626,479 | 4,211,530 | - | 9,960,898 |
| 12/28/97 | 2,102,033 | 3,627,036 | 4,212,021 | - | 9,962,317 |
| 1/16/98 | 2,145,973 | 3,914,074 | 4,365,837 | - | 10,447,111 |
| 1/27/98 | 2,146,228 | 3,915,067 | 4,366,295 | - | 10,448,817 |
| 2/4/98 | 2,146,228 | 4,068,235 | 4,412,344 | - | 10,648,034 |
| 2/17/98 | 2,189,727 | 4,222,732 | 4,539,755 | - | 10,973,441 |
| 3/18/98 | 2,293,340 | 4,743,314 | 4,774,847 | - | 11,832,728 |
| 3/25/98 | 2,309,656 | 4,805,528 | 4,802,993 | - | 11,939,404 |
| 4/10/98 | 2,383,929 | 5,043,344 | 4,927,777 | - | 12,376,277 |
| 4/24/98 | 2,453,055 | 5,233,074 | 5,019,725 | - | 12,727,081 |
| 5/8/98 | 2,525,463 | 5,474,383 | 5,106,293 | - | 13,127,366 |
| 5/22/98 | 2,593,232 | 5,670,794 | 5,210,326 | - | 13,495,579 |
| 6/5/98 | 2,659,709 | 5,852,839 | 5,315,076 | - | 13,848,851 |
| 6/19/98 | 2,698,743 | 6,047,156 | 5,406,842 | - | 14,173,968 |
| 7/2/98 | 2,700,428 | 6,135,172 | 5,453,010 | - | 14,309,837 |
| 7/16/98 | 2,701,261 | 6,336,772 | 5,654,610 | - | 14,713,870 |
| 7/30/98 | 2,702,469 | 6,378,927 | 5,700,300 | - | 14,802,923 |
| 8/6/98 | 2,702,469 | 6,381,833 | 5,702,810 | - | 14,808,339 |
| 8/7/98 | 2,702,469 | 6,381,833 | 5,709,497 | - | 14,815,026 |
| 8/26/98 | 2,702,469 | 6,381,833 | 5,709,507 | - | 14,815,036 |
| 9/10/98 | 2,763,725 | 6,446,571 | 5,779,418 | - | 15,010,941 |
| 9/25/98 | 2,770,423 | 6,451,177 | 5,784,427 | - | 15,027,254 |
| 10/12/98 | 2,861,852 | 6,516,954 | 5,858,558 | - | 15,258,591 |
| 10/23/98 | 2,917,194 | 6,605,960 | 5,991,054 | - | 15,535,435 |
| 11/13/98 | 2,992,505 | 6,736,611 | 6,138,358 | - | 15,888,701 |
| 11/24/98 | 3,043,555 | 6,829,030 | 6,208,200 | - | 16,102,012 |
| 12/11/98 | 3,116,948 | 6,964,953 | 6,260,783 | - | 16,363,911 |
| 12/23/98 | 3,166,441 | 7,055,518 | 6,295,200 | - | 16,538,386 |
| 1/8/99 | 3,231,706 | 7,182,268 | 6,341,789 | - | 16,776,990 |
| 1/22/99 | 3,291,306 | 7,288,952 | 6,391,971 | - | 16,993,456 |
| 1/29/99 | 3,313,604 | 7,312,970 | 6,402,525 | - | 17,050,326 |
| 2/12/99 | 3,400,844 | 7,406,750 | 6,440,706 | - | 17,269,527 |
| 2/25/99 | 3,458,990 | 7,473,334 | 6,481,956 | - | 17,435,507 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**
Cumulative Ground Water Flow Readings


| Date | Cumulative Pumpage (gallons) | | | | Total |
|---------|------------------------------|-----------|-----------|-----------|------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | |
| 3/10/99 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | 17,921,939 |
| 3/19/99 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | 18,260,475 |
| 3/25/99 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | 18,480,324 |
| 4/9/99 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | 19,040,617 |
| 4/16/99 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | 19,287,008 |
| 4/23/99 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | 19,540,774 |
| 5/7/99 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | 20,055,585 |
| 5/21/99 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | 20,575,582 |
| 6/4/99 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | 20,993,989 |
| 6/8/99 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | 21,150,724 |
| 6/18/99 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | 21,507,711 |
| 7/2/99 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | 21,983,209 |
| 7/16/99 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | 22,497,252 |
| 7/21/99 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | 22,679,104 |
| 7/26/99 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | 22,878,627 |
| 7/29/99 | 4,089,902 | 9,169,233 | 7,997,079 | 1,698,578 | 22,976,019 |
| 8/10/99 | 4,137,725 | 9,300,212 | 8,181,440 | 1,803,781 | 23,444,385 |
| 8/13/99 | 4,149,388 | 9,330,366 | 8,224,159 | 1,827,658 | 23,552,798 |
| 8/27/99 | 4,206,170 | 9,484,469 | 8,443,644 | 1,953,321 | 24,108,831 |

Notes:

- Data prior to 4/12/96 was collected by EMCN.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Site Inspection Forms



980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 7/26/99

Handex Personnel: Brad Gentry

Arrival Time: 5:50

Departure Time: 5:55

Alarm Response Visit: (YES) NO OUT-OF-SCOPE VISIT → check on Air Stripper

BIWEEKLY DATA

Totalizer Readings: RW-1 3,633,950 RW-2 8,996,358 RW-3 7,583,150 RW-4 1,669,735

Flow Rate GPM: RW-1 2.75 RW-2 7.4 RW-3 8.1 RW-4 7.7

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 86 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

Manholes
Lines
Stripper

NO
NO
NO

YES Repaired
YES Repaired
YES Repaired

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

Franklin, Indiana

Site Inspection Date: 7-29-99
 Handex Personnel: R.M.
 Arrival Time: 8:15
 Departure Time: 1:30
 Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3644349.0 RW-2 9024251.0 RW-3 7613369.0 RW-4 1698578.0

Flow Rate GPM: RW-1 2.75 RW-2 7.50 RW-3 8.00 RW-4 8.00

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 82 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

| | | | | |
|----------|-------------------------------------|-----|----------|-------|
| Manholes | <input checked="" type="radio"/> NO | YES | Repaired | _____ |
| Lines | <input checked="" type="radio"/> NO | YES | Repaired | _____ |
| Stripper | <input checked="" type="radio"/> NO | YES | Repaired | _____ |

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: _____ RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 8/10/99

Handex Personnel: MST

Arrival Time: 14:50

Departure Time: 15:30

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3,692,170 RW-2 9,155,270 RW-3 7,797,730 RW-4 1,803,784

Flow Rate GPM: RW-1 2.8 RW-2 7.6 RW-3 10 RW-4 10.1 gpm

Air Stripper Pressure: 12 Inches of Water

Effluent Clarity: CLEAR

Building Temperature: 78° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

| | | | | |
|----------|----|-----|----------|-------|
| Manholes | NO | YES | Repaired | _____ |
| Lines | NO | YES | Repaired | _____ |
| Stripper | NO | YES | Repaired | _____ |

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

Franklin, Indiana

Site Inspection Date: 8-13-99
 Handex Personnel: R.M.
 Arrival Time: 9:30
 Departure Time: _____
 Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3703833.0 RW-2 9185424.0 RW-3 7840449.0 RW-4 1827658.0

Flow Rate GPM: RW-1 2.05 RW-2 7.50 RW-3 10.50 RW-4 7.0 = 27.05

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 80° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

Manholes
Lines
Striper

NO
NO
NO

YES Repaired
YES Repaired
YES Repaired

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4

Stripper Trays and Tubes Checked: Y

Stripper Trays and Tubes Cleaned: Y

Monitoring/Recovery Wells Gauged: Y

Recommendations for system optimization or general comments:

We Have 19 filters on site

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

8/13/99 RM

page 2 of 2

| QUARTERLY DATA | | | |
|---|--|--|--|
| Air Stripper Cleaned: | yes | | |
| Recovery Wells Sampled: | <input checked="" type="checkbox"/> RW-1 | <input checked="" type="checkbox"/> RW-2 | <input checked="" type="checkbox"/> RW-3 |
| Air Stripper Effluent Sampled: | <input checked="" type="checkbox"/> | | |
| Pumps Checked/Cleaned | <input checked="" type="checkbox"/> RW-1 | <input checked="" type="checkbox"/> RW-2 | <input checked="" type="checkbox"/> RW-3 |
| RW-4 for we can not pull this pump | | | |

| SEMIANNUAL DATA | |
|---|-------|
| Filter elements on S-2 controllers inspected and replaced as necessary: | _____ |
| Air compressor inspection and overhaul as necessary: | _____ |

| ANNUAL DATA | |
|--|-------|
| Break down air stripper blower and check for lubrication and bearing integrity per manufacturers specifications. | _____ |
| Break down S-2 controllers and check and replace where necessary filters, valves, springs, and cylinder bores. | _____ |
| Pull pumps and clean well screens. | _____ |

Recommendations for system optimization or general comments:

980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 8-27-99
Handex Personnel: R. mier
Arrival Time: 4:30
Departure Time: 5:20
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3160615.0 RW-2 8559529.0 RW-3 8058934.0 RW-4 1853321.0

Flow Rate GPM: RW-1 2.50 RW-2 0.50 RW-3 10.75 RW-4 6.50

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: clear

Building Temperature: 80 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

Manholes
Lines
Stripper

NO
NO
NO

YES Repaired
YES Repaired
YES Repaired

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

ATTACHMENT D

Groundwater Analytical Results

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
HANDEX OF INDIANA
8579 Zionsville Rd.
Indianapolis, IN 46268

08/23/1999

Job Number: 99.04637
Page 1 of 12


Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: 111291-05 FORMER AMPHENOL

| Sample Number | Sample Description | Date Taken | Date Received |
|---------------|--------------------|------------|---------------|
| 245725 | RW-1 | 08/13/1999 | 08/13/1999 |
| 245726 | RW-2 | 08/13/1999 | 08/13/1999 |
| 245727 | RW-3 | 08/13/1999 | 08/13/1999 |
| 245728 | RW-4 | 08/13/1999 | 08/13/1999 |
| 245729 | EFFLUENT | 08/13/1999 | 08/13/1999 |

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Lori Baser
Project Representative

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245725
 Job No.: 99.04637
 P.O. NO.:

Page 2 of 12

Sample Description: RW-1
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|--------------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| Acetone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Acrolein | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Acrylonitrile | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Benzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromodichloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromoform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Butanone (MEK) | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon disulfide | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon tetrachloride | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chlorobenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloroethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Chloroethyl vinyl ether | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Chloroform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromochloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dibromo-3-chloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,2-Dibromoethane (EDB) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Dichlorodifluoromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1-Dichloroethane | 7.7 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloropropane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethylbenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethyl methacrylate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Hexanone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Methyl-tert-butyl-ether (MTBE) | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Iodomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Methylene chloride | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999
 Sample No.: 245725
 Job No.: 99.04637
 P.O. NO.:

Page 3 of 12

Sample Description: RW-1
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999 Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|-----------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| 4-Methyl-2-pentanone (MIBK) | <25. | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Styrene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2,2-Tetrachloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Tetrachloroethene | 7.6 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Toluene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2,3-Trichloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1,1-Trichloroethane | 89. | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichloroethene | 180 | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Trichlorofluoromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Vinyl acetate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Vinyl chloride | <2.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <2.0 |
| Xylenes, (Total) | <5.0 | | ug/L | jas / 08/14/1999 | SW 8240 | <5.0 |
| SURR: 1,2-Dichloroethane-d4 | 108. | | 76-114% | jas / 08/15/1999 | SW 8240 | |
| SURR: Toluene-d8 | 94 | | 88-110% | jas / 08/15/1999 | SW 8240 | |
| SURR: 4-Bromofluorobenzene | 101. | | 86-115% | jas / 08/15/1999 | SW 8240 | |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245726
 Job No.: 99.04637
 P.O. NO.:

Page 4 of 12

Sample Description: RW-2
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> | <u>Reporting</u> <u>Number</u> | <u>Limit</u> |
|--------------------------------|---------------|-------------|--------------|--|---------------|-----------------------------------|--------------|
| VOLATILE-8240 (AQ) | | | | | | | |
| Acetone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. | |
| Acrolein | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 | |
| Acrylonitrile | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 | |
| Benzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Bromodichloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Bromoform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Bromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| 2-Butanone (MEK) | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. | |
| Carbon disulfide | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. | |
| Carbon tetrachloride | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Chlorobenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Chloroethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| 2-Chloroethyl vinyl ether | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. | |
| Chloroform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Chloromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| Dibromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| Dibromochloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| 1,2-Dibromo-3-chloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| 1,2-Dibromoethane (EDB) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Dichlorodifluoromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| 1,1-Dichloroethane | 14. | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| 1,2-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| 1,1-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| trans-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| cis-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| 1,2-Dichloropropane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| cis-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| trans-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Ethylbenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 | |
| Ethyl methacrylate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| 2-Hexanone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. | |
| Methyl-tert-butyl-ether (MTBE) | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| Iodomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |
| Methylene chloride | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. | |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245726
 Job No.: 99.04637
 P.O. NO.:

Page 5 of 12

Sample Description: RW-2
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|-----------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| 4-Methyl-2-pentanone (MIBK) | <25. | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Styrene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2,2-Tetrachloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Tetrachloroethene | 1,200 | | ug/L | jas / 08/15/1999 | SW 8240 | <100 |
| Toluene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2,3-Trichloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1,1-Trichloroethane | 410 | | ug/L | jas / 08/15/1999 | SW 8240 | <100 |
| 1,1,2-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichloroethene | 810 | | ug/L | jas / 08/15/1999 | SW 8240 | <100 |
| Trichlorofluoromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Vinyl acetate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Vinyl chloride | <2.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <2.0 |
| Xylenes, (Total) | <5.0 | | ug/L | jas / 08/14/1999 | SW 8240 | <5.0 |
| SURR: 1,2-Dichloroethane-d4 | 103. | | 76-114% | jas / 08/15/1999 | SW 8240 | |
| SURR: Toluene-d8 | 96 | | 88-110% | jas / 08/15/1999 | SW 8240 | |
| SURR: 4-Bromofluorobenzene | 101. | | 86-115% | jas / 08/15/1999 | SW 8240 | |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245727
 Job No.: 99.04637
 P.O. NO.:

Page 6 of 12

Sample Description: RW-3
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/ Date of Analysis</u> | <u>Method Number</u> | <u>Reporting Limit</u> |
|--------------------------------|---------------|-------------|--------------|--------------------------------------|--------------------------|----------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| Acetone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Acrolein | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Acrylonitrile | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Benzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromodichloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromoform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Butanone (MEK) | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon disulfide | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon tetrachloride | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chlorobenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloroethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Chloroethyl vinyl ether | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Chloroform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromochloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dibromo-3-chloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,2-Dibromoethane (EDB) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Dichlorodifluoromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1-Dichloroethane | 15. | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloropropane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethylbenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethyl methacrylate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Hexanone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Methyl-tert-butyl-ether (MTBE) | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Iodomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Methylene chloride | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245727
 Job No.: 99.04637
 P.O. NO.:

Page 7 of 12

Sample Description: RW-3

Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|-----------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| 4-Methyl-2-pentanone (MIBK) | <25. | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Styrene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2,2-Tetrachloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Tetrachloroethene | 260 | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Toluene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2,3-Trichloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1,1-Trichloroethane | 240 | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| 1,1,2-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichloroethene | 400 | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Trichlorofluoromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Vinyl acetate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Vinyl chloride | <2.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <2.0 |
| Xylenes, (Total) | <5.0 | | ug/L | jas / 08/14/1999 | SW 8240 | <5.0 |
| SURR: 1,2-Dichloroethane-d4 | 107. | | 76-114t | jas / 08/15/1999 | SW 8240 | |
| SURR: Toluene-d8 | 96 | | 88-110t | jas / 08/15/1999 | SW 8240 | |
| SURR: 4-Bromofluorobenzene | 101. | | 86-115t | jas / 08/15/1999 | SW 8240 | |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245728
 Job No.: 99.04637
 P.O. NO.:

Page 8 of 12

Sample Description: RW-4
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/ Date of Analysis</u> | <u>Method Number</u> | <u>Reporting Limit</u> |
|--------------------------------|---------------|-------------|--------------|----------------------------------|----------------------|------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| Acetone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Acrolein | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Acrylonitrile | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Benzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromodichloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromoform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Butanone (MEK) | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon disulfide | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon tetrachloride | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chlorobenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloroethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Chloroethyl vinyl ether | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Chloroform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromochloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dibromo-3-chloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,2-Dibromoethane (EDB) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Dichlorodifluoromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloropropane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethylbenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethyl methacrylate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Hexanone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Methyl-tert-butyl-ether (MTBE) | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Iodomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Methylene chloride | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245728
 Job No.: 99.04637
 P.O. NO.:

Page 9 of 12

Sample Description: RW-4

Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|-----------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| 4-Methyl-2-pentanone (MIBK) | <25. | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Styrene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2,2-Tetrachloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Tetrachloroethene | 37. | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Toluene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2,3-Trichloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1,1-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichlorofluoromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Vinyl acetate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Vinyl chloride | <2.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <2.0 |
| Xylenes, (Total) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| SURR: 1,2-Dichloroethane-d4 | 103. | | 76-114t | jas / 08/15/1999 | SW 8240 | |
| SURR: Toluene-d8 | 94 | | 88-110t | jas / 08/15/1999 | SW 8240 | |
| SURR: 4-Bromofluorobenzene | 104. | | 86-115t | jas / 08/15/1999 | SW 8240 | |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245729
 Job No.: 99.04637
 P.O. NO.:

Page 10 of 12

Sample Description: EFFLUENT
 Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/ Date of Analysis</u> | <u>Method Number</u> | <u>Reporting Limit</u> |
|--------------------------------|---------------|-------------|--------------|----------------------------------|----------------------|------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| Acetone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Acrolein | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Acrylonitrile | <250 | | ug/L | jas / 08/15/1999 | SW 8240 | <250 |
| Benzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromodichloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromoform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Bromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Butanone (MEK) | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon disulfide | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Carbon tetrachloride | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chlorobenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloroethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Chloroethyl vinyl ether | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Chloroform | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Chloromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Dibromochloromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dibromo-3-chloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,2-Dibromoethane (EDB) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Dichlorodifluoromethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,2-Dichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| cis-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| trans-1,3-Dichloropropene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethylbenzene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Ethyl methacrylate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 2-Hexanone | <50. | | ug/L | jas / 08/15/1999 | SW 8240 | <50. |
| Methyl-tert-butyl-ether (MTBE) | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Iodomethane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Methylene chloride | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Brad Gentry
 HANDEX OF INDIANA
 8579 Zionsville Rd.
 Indianapolis, IN 46268

08/23/1999

Sample No.: 245729
 Job No.: 99.04637
 P.O. NO.:

Page 11 of 12

Sample Description: EFFLUENT

Job Description: 111291-05 FORMER AMPHENOL

Date Taken: 08/13/1999

Date Received: 08/13/1999

| <u>Parameter</u> | <u>Result</u> | <u>Flag</u> | <u>Units</u> | <u>Analyst/</u> <u>Date of Analysis</u> | <u>Method</u> <u>Number</u> | <u>Reporting</u> <u>Limit</u> |
|-----------------------------|---------------|-------------|--------------|--|--------------------------------|----------------------------------|
| VOLATILE-8240 (AQ) | | | | | | |
| 4-Methyl-2-pentanone (MIBK) | <25. | | ug/L | jas / 08/15/1999 | SW 8240 | <25. |
| Styrene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2,2-Tetrachloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Tetrachloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Toluene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,2,3-Trichloropropane | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| 1,1,1-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| 1,1,2-Trichloroethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichloroethene | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Trichlorofluoromethane | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| Vinyl acetate | <10. | | ug/L | jas / 08/15/1999 | SW 8240 | <10. |
| Vinyl chloride | <2.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <2.0 |
| Xylenes, (Total) | <5.0 | | ug/L | jas / 08/15/1999 | SW 8240 | <5.0 |
| SURR: 1,2-Dichloroethane-d4 | 104. | | 76-114‡ | jas / 08/15/1999 | SW 8240 | |
| SURR: Toluene-d8 | 95 | | 88-110‡ | jas / 08/15/1999 | SW 8240 | |
| SURR: 4-Bromofluorobenzene | 103. | | 86-115‡ | jas / 08/15/1999 | SW 8240 | |

TestAmerica

INCORPORATED

KEY TO ABBREVIATIONS

- < Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- % Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- * Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- a Indicates the sample concentration was quantitated using a diesel fuel standard.
- b Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- d1 Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- e Indicates the reported concentration is estimated.
- f Indicates the sample concentration was quantitated using a fuel oil standard.
- g Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- i Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- l Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
- m Indicates the sample concentration was quantitated using a mineral spirits standard.
- o Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. All other Quality Control Indicators were in control.
- r Indicates the sample was received past recommended holding time.
- s Indicates the sample concentration was quantitated using a stoddard solvent standard.
- u Indicates the sample was received improperly preserved and/or imporperly contained.
- uj Indicates the result is below the Reporting Limit and is considered estimated.



NATIONAL
ENVIRONMENTAL
TESTING, INC.

CHAIN OF CUSTODY RECORD

COMPANY Handek
ADDRESS 8579 Zionsville Rd.
PHONE (317) 228-6240 FAX 228-6243
PROJECT NAME/LOCATION Foremen Amphenol 980 Thorneau Rd.
PROJECT NUMBER 111291-05
PROJECT MANAGER Brad Gentry

REPORT TO: SAC
INVOICE TO: Game
P.O. NO. _____
NET QUOTE NO. _____

SAMPLED BY
Ralph Mier
(PRINT NAME)

Rodd Stein
SIGNATURE

(PRINT NAME)

CONDITION OF SAMPLE: BOTTLES INTACT? YES NO
FIELD FILTERED? YES NO

COC SEALS PRESENT AND INTACT? YES / NO
VOLATILES FREE OF HEADSPACE? YES / NO

TEMPERATURE UPON RECEIPT: 71.1°
Bottles supplied by NET? YES / NO

SAMPLE REMAINDER DISPOSAL: RETURN SAMPLE REMAINDER TO CLIENT VIA _____
I REQUEST NFT TO DISPOSE OF ALL SAMPLE REMAINDERS

DATE

~~RElinquished By:~~ _____ DATE _____ TIME _____ RECEIVED BY: _____ RELINQUISHED BY: _____

DATE

| | | | | | | | |
|--|-----------------|--------------|--------------|------------------|-----------------|---------------|--|
| RELINQUISHED BY: <i>R. M. Klein</i> | DATE 8-13-99 | TIME 3:00 | RECEIVED BY: | RELINQUISHED BY: | DATE 8/13/99 | TIME 15:00 | RECEIVED FOR NET BY: <i>L. V. Johnson</i> |
| METHOD OF SHIPMENT | REMARKS: | | | | | | |



August 10, 1999

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE INTERIM CORRECTIVE MEASURE
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by Handex of Indiana (Handex) at the above-referenced site. This report summarizes the activities completed during the June 18 to July 26, 1999 reporting period. Handex personnel inspected the site on a biweekly basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On July 16, 1999, Handex personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence or absence of liquid-phase hydrocarbons. Depth to water beneath the site ranged from 8.35 feet below grade in MW-9 to 16.90 feet below grade in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. All of the recovery wells were operational while well gauging activities were performed. Figure 1 is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in Attachment A, and a groundwater contour map has been included as Figure 2.

Groundwater Treatment System

During this reporting period, approximately 1,370,916 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, and RW-4. Based on data provided by EMCN and Handex field data sheets, the total volume of groundwater recovered to date is approximately 22,878,627 gallons. The average influent groundwater recovery rate for this reporting period was approximately 25.05 gpm. Attachment B includes a table and a graph illustrating the recovery rates to date, and Attachment C contains copies of Field Data Sheets completed by Handex personnel.

Handex personnel mobilized to the site on July 2 and July 16, 1999 to perform biweekly O&M activities. The groundwater recovery system was operational upon arrival at site during both visits. However, the air stripper's positive pressure blower was non-operational upon arrival at the site on July 16, 1999. Consequently, an undetermined amount of non-treated groundwater was discharged to the onsite sanitary sewer system. Based on groundwater totalizer readings collected from the site on July 2, 1999 and July 16, 1999, it is estimated that the maximum amount of non-treated groundwater discharged to the sewer system is 514,043 gallons. This estimate assumes that the pressure blower discontinued operation the exact moment that the Handex personnel departed the site on July 2, 1999. This is highly unlikely and should be considered as a "worst case" scenario only.

After discovering the situation, Handex personnel immediately restarted the pressure blower and observed operation of the remedial system. The entire remedial system, including the pressure blower, appeared to be operating correctly. However, based on these events, Handex contacted a local electrician in order to inspect the blower and to rewire the system to include automatic shutoff tie-ins between the pressure blower and the electrical submersible pumps. Consequently, if the pressure blower discontinues operation in the future, the electrical submersible pumps should also

Mr. Sam Waldo
August 10, 1999
Page 2

automatically discontinue operation. The local electrician visited the site on July 21, 1999, inspected the system, and ordered the necessary material to tie-in operation of the electrical submersible pumps with the operation of the pressure blower. The system was fully operational upon arrival at the site on July 21, 1999. The field work for the electrical upgrade was scheduled to be performed on July 29 and July 30, 1999.

Representatives from Handex notified the City of Franklin, Department of Public Works (DPW), about the discharge of non-treated groundwater the morning of July 21, 1999. Per the request of the Mr. Rick Littleton, superintendent of the City of Franklin DPW, Handex submitted a letter to the City of Franklin DPW, on July 26, 1999 summarizing the circumstances that resulted in the discharging of non-treated groundwater to the onsite sanitary sewer system.

Handex personnel also visited the site on July 23 and July 26, 1999 in an effort to minimize the possibility of discharging non-treated groundwater to the onsite sewer system. The system was fully operational during both visits. Currently, the system is fully operational.

Groundwater Sampling and Analysis

No groundwater treatment system samples were collected during this reporting period. The next sampling event is scheduled for the week ending August 14, 1999.


Schedule of Activities


Biweekly and monthly site inspections and O&M activities will continue. Site visits are scheduled for the weeks ending July 31, August 14, and August 28, 1999. The information from these site inspections will be summarized in the August 1999 progress report.

Should you have any questions regarding this site or information summarized within this report, please do not hesitate to contact this office at (317) 228-6240. Handex appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

HANDEX OF INDIANA



Bradley E. Gentry
Senior Hydrogeologist


Jay T. Simonds, L.P.G.
Project Manager

Attachments

cc: Mr. William Gabriel, O'Brien & Gere Engineers, Inc., Syracuse, NY
Mr. Rob Baker, Franklin Power Products

FIGURES



FORMER AMPHENOL FACILITY
GROUNDWATER TABLE CONTOUR MAP
JULY 16, 1999




Figure 2

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| IT-2 | 8/29/95 | 732.25 | 12.36 | 719.89 |
| | 11/7/95 | | 13.07 | 719.18 |
| | 4/12/96 | | 13.45 | 718.80 |
| | 5/29/96 | | 10.82 | 721.43 |
| | 6/4/96 | | 11.08 | 721.17 |
| | 7/8/96 | | 11.84 | 720.41 |
| | 8/1/96 | | 12.04 | 720.21 |
| | 9/12/96 | | 12.58 | 719.67 |
| | 10/17/96 | | 12.37 | 719.88 |
| | 11/25/96 | | 12.26 | 719.99 |
| | 12/11/96 | | 12.02 | 720.23 |
| | 1/24/97 | | 11.71 | 720.54 |
| | 2/21/97 | | 11.85 | 720.40 |
| | 3/14/97 | | 11.48 | 720.77 |
| | 4/11/97 | | 11.94 | 720.31 |
| | 5/7/97 | | 11.98 | 720.27 |
| | 6/5/97 | | 11.37 | 720.88 |
| | 7/3/97 | | 11.73 | 720.52 |
| | 8/4/97 | | 12.25 | 720.00 |
| | 9/29/97 | | 12.46 | 719.79 |
| | 10/10/97 | | 12.68 | 719.57 |
| | 11/10/97 | | 12.80 | 719.45 |
| | 12/1/97 | | 12.93 | 719.32 |
| | 1/16/98 | | 13.06 | 719.19 |
| | 2/4/98 | | 13.11 | 719.14 |
| | 3/25/98 | | 12.05 | 720.20 |
| | 4/10/98 | | 12.00 | 720.25 |
| | 5/8/98 | | 11.60 | 720.65 |
| | 6/5/98 | | 11.80 | 720.45 |
| | 7/2/98 | | 11.12 | 721.13 |
| | 7/30/98 | | 11.65 | 720.60 |
| | 9/10/98 | | 12.20 | 720.05 |
| | 10/12/98 | | 12.65 | 719.60 |
| | 11/13/98 | | 12.80 | 719.45 |
| | 12/11/98 | | 13.00 | 719.25 |
| | 1/29/99 | | 11.99 | 720.26 |
| | 2/12/99 | | 11.70 | 720.55 |
| | 3/10/99 | | NR (2) | NA |
| | 3/19/99 | | 12.20 | 720.05 |
| | 3/25/99 | | 10.76 | 721.49 |
| | 4/9/99 | | 12.50 | 719.75 |
| | 4/16/99 | | 12.53 | 719.72 |
| | 4/23/99 | | 12.75 | 719.50 |
| | 5/7/99 | | 12.51 | 719.74 |
| | 6/4/99 | | 12.40 | 719.85 |
| | 7/16/99 | | 12.25 | 720.00 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|--------------------------------------|--|
| IT-3 | 8/29/95 | 728.71 | 9.52 | 719.19 |
| | 11/7/95 | | 11.14 | 717.57 |
| | 4/12/96 | | 12.09 | 716.62 |
| | 5/29/96 | | 9.41 | 719.30 |
| | 6/4/96 | | 10.11 | 718.60 |
| | 7/8/96 | | 10.44 | 718.27 |
| | 8/1/96 | | 10.63 | 718.08 |
| | 9/12/96 | | 10.85 | 717.86 |
| | 10/17/96 | | 10.97 | 717.74 |
| | 11/25/96 | | 10.82 | 717.89 |
| | 12/11/96 | | 10.79 | 717.92 |
| | 1/24/97 | | 10.55 | 718.16 |
| | 2/21/97 | | 10.80 | 717.91 |
| | 3/14/97 | | 10.51 | 718.20 |
| | 4/11/97 | | 10.76 | 717.95 |
| | 5/7/97 | | 10.79 | 717.92 |
| | 6/5/97 | | 10.18 | 718.53 |
| | 7/3/97 | | 10.49 | 718.22 |
| | 8/4/97 | | 10.78 | 717.93 |
| | 9/29/97 | | 10.93 | 717.78 |
| | 10/10/97 | | 11.02 | 717.69 |
| | 11/10/97 | | 11.12 | 717.59 |
| | 12/1/97 | | 11.18 | 717.53 |
| | 1/16/98 | | 11.21 | 717.50 |
| | 2/4/98 | | 11.30 | 717.41 |
| | 3/25/98 | | 10.78 | 717.93 |
| | 4/10/98 | | 10.67 | 718.04 |
| | 5/8/98 | | 10.48 | 718.23 |
| | 6/5/98 | | 10.70 | 718.01 |
| | 7/2/98 | | 10.24 | 718.47 |
| | 7/30/98 | | 10.39 | 718.32 |
| | 9/10/98 | | 10.80 | 717.91 |
| | 10/12/98 | | 10.94 | 717.77 |
| | 11/13/98 | | 11.10 | 717.61 |
| | 12/11/98 | | 11.23 | 717.48 |
| | 1/29/99 | | 11.00 | 717.71 |
| | 2/12/99 | | 10.81 | 717.90 |
| | 3/10/99 | NR | (2) | NA |
| | 3/19/99 | | 10.80 | 717.91 |
| | 3/25/99 | | 10.86 | 717.85 |
| | 4/9/99 | | 10.95 | 717.76 |
| | 4/16/99 | | 10.98 | 717.73 |
| | 4/23/99 | NR | (2) | NA |
| | 5/7/99 | | 10.97 | 717.74 |
| | 6/4/99 | | 10.89 | 717.82 |
| | 7/16/99 | | 10.77 | 717.94 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-3 | 8/29/95 | 736.44 | 15.23 | 721.21 |
| | 11/7/95 | | 16.40 | 720.04 |
| | 4/12/96 | | 14.91 | 721.53 |
| | 5/29/96 | | 13.16 | 723.28 |
| | 6/4/96 | | 13.15 | 723.29 |
| | 7/8/96 | | 14.03 | 722.41 |
| | 8/1/96 | | 14.53 | 721.91 |
| | 9/12/96 | | 15.33 | 721.11 |
| | 10/17/96 | | 15.33 | 721.11 |
| | 11/25/96 | | 15.29 | 721.15 |
| | 12/11/96 | | 14.95 | 721.49 |
| | 1/24/97 | | 14.50 | 721.94 |
| | 2/21/97 | | 14.50 | 721.94 |
| | 3/14/97 | | 14.06 | 722.38 |
| | 4/11/97 | | 14.42 | 722.02 |
| | 5/12/97 | | 14.59 | 721.85 |
| | 6/5/97 | | 13.53 | 722.91 |
| | 7/3/97 | | 14.09 | 722.35 |
| | 8/4/97 | | 14.90 | 721.54 |
| | 9/29/97 | | 15.53 | 720.91 |
| | 10/10/97 | | 15.75 | 720.69 |
| | 11/10/97 | | 16.08 | 720.36 |
| | 12/1/97 | | 17.24 | 719.20 |
| | 1/16/98 | | 16.32 | 720.12 |
| | 2/4/98 | | 16.40 | 720.04 |
| | 3/25/98 | | 15.39 | 721.05 |
| | 4/10/98 | | 15.00 | 721.44 |
| | 5/8/98 | | 14.27 | 722.17 |
| | 6/5/98 | | 14.44 | 722.00 |
| | 7/2/98 | | 13.38 | 723.06 |
| | 7/30/98 | | 14.02 | 722.42 |
| | 9/10/98 | | 15.08 | 721.36 |
| | 10/12/98 | | 15.50 | 720.94 |
| | 11/13/98 | | 17.77 | 718.67 |
| | 12/11/98 | | 16.08 | 720.36 |
| | 1/29/99 | | 14.85 | 721.59 |
| | 2/12/99 | | 14.48 | 721.96 |
| | 3/10/99 | | 14.65 | 721.79 |
| | 3/19/99 | | 14.65 | 721.79 |
| | 3/25/99 | | 14.75 | 721.69 |
| | 4/9/99 | | 15.01 | 721.43 |
| | 4/16/99 | | 15.07 | 721.37 |
| | 4/23/99 | | 15.03 | 721.41 |
| | 5/7/99 | | 15.11 | 721.33 |
| | 6/4/99 | | 14.93 | 721.51 |
| | 7/16/99 | | 14.87 | 721.57 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-9 | 8/29/95 | 733.04 | 9.70 | 723.34 |
| | 11/7/95 | | 11.47 | 721.57 |
| | 4/12/96 | | 9.46 | 723.58 |
| | 5/29/96 | | 3.94 | 729.10 |
| | 6/4/96 | | 5.81 | 727.23 |
| | 7/8/96 | | 6.90 | 726.14 |
| | 8/1/96 | | 7.65 | 725.39 |
| | 9/12/96 | | 9.23 | 723.81 |
| | 10/17/96 | | 9.64 | 723.40 |
| | 11/25/96 | | 9.53 | 723.51 |
| | 12/11/96 | | 9.18 | 723.86 |
| | 1/24/97 | | 7.66 | 725.38 |
| | 2/21/97 | | 7.70 | 725.34 |
| | 3/14/97 | | 6.68 | 726.36 |
| | 4/11/97 | | 7.54 | 725.50 |
| | 5/12/97 | | 7.97 | 725.07 |
| | 6/5/97 | | 5.63 | 727.41 |
| | 7/3/97 | | 7.13 | 725.91 |
| | 8/4/97 | | 8.44 | 724.60 |
| | 9/29/97 | | 9.82 | 723.22 |
| | 10/10/97 | | 10.17 | 722.87 |
| | 11/10/97 | | 10.84 | 722.20 |
| | 12/1/97 | | 11.16 | 721.88 |
| | 1/16/98 | | 11.25 | 721.79 |
| | 2/4/98 | | 11.28 | 721.76 |
| | 3/25/98 | | 9.70 | 723.34 |
| | 4/10/98 | | 8.70 | 724.34 |
| | 5/8/98 | | 6.95 | 726.09 |
| | 6/5/98 | | 7.50 | 725.54 |
| | 7/2/98 | | 6.07 | 726.97 |
| | 7/30/98 | | 7.10 | 725.94 |
| | 9/10/98 | | 8.87 | 724.17 |
| | 10/12/98 | | 9.57 | 723.47 |
| | 11/13/98 | | 9.92 | 723.12 |
| | 12/11/98 | | 10.37 | 722.67 |
| | 1/29/99 | | 9.00 | 724.04 |
| | 2/12/99 | | 7.40 | 725.64 |
| | 3/10/99 | | 7.55 | 725.49 |
| | 3/19/99 | | 7.66 | 725.38 |
| | 3/25/99 | | 7.85 | 725.19 |
| | 4/9/99 | | 8.07 | 724.97 |
| | 4/16/99 | | 8.25 | 724.79 |
| | 4/23/99 | | 8.10 | 724.94 |
| | 5/7/99 | | 8.34 | 724.70 |
| | 6/4/99 | | 8.03 | 725.01 |
| | 7/16/99 | | 8.35 | 724.69 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-12 | 8/29/95 | 736.38 | 16.43 | 719.95 |
| | 11/7/95 | | 17.18 | 719.20 |
| | 4/12/96 | | 16.21 | 720.17 |
| | 5/29/96 | | 15.07 | 721.31 |
| | 6/4/96 | | 15.31 | 721.07 |
| | 7/8/96 | | 15.88 | 720.50 |
| | 8/1/96 | | 16.16 | 720.22 |
| | 9/12/96 | | 16.59 | 719.79 |
| | 10/17/96 | | 16.47 | 719.91 |
| | 11/25/96 | | 16.32 | 720.06 |
| | 12/11/96 | | 16.12 | 720.26 |
| | 1/24/97 | | 15.89 | 720.49 |
| | 2/21/97 | | 15.96 | 720.42 |
| | 3/14/97 | | 15.66 | 720.72 |
| | 4/11/97 | | 16.07 | 720.31 |
| | 5/7/97 | | 16.09 | 720.29 |
| | 6/5/97 | | 15.85 | 720.53 |
| | 7/3/97 | | 15.64 | 720.74 |
| | 8/4/97 | | 16.36 | 720.02 |
| | 9/29/97 | | 16.57 | 719.81 |
| | 10/10/97 | | 16.70 | 719.68 |
| | 11/10/97 | | 16.90 | 719.48 |
| | 12/1/97 | | 17.00 | 719.38 |
| | 1/16/98 | | 17.20 | 719.18 |
| | 2/4/98 | | 17.20 | 719.18 |
| | 3/25/98 | | 16.26 | 720.12 |
| | 4/10/98 | | 16.12 | 720.26 |
| | 5/8/98 | | 15.79 | 720.59 |
| | 6/5/98 | | 16.00 | 720.38 |
| | 7/2/98 | | 15.33 | 721.05 |
| | 7/30/98 | | 15.70 | 720.68 |
| | 9/10/98 | | 16.26 | 720.12 |
| | 10/12/98 | | 16.81 | 719.57 |
| | 11/13/98 | | 16.94 | 719.44 |
| | 12/11/98 | | 17.10 | 719.28 |
| | 1/29/99 | | 16.18 | 720.20 |
| | 2/12/99 | | 15.92 | 720.46 |
| | 3/10/99 | | 16.40 | 719.98 |
| | 3/19/99 | | 16.44 | 719.94 |
| | 3/25/99 | | 16.50 | 719.88 |
| | 4/9/99 | | 16.71 | 719.67 |
| | 4/16/99 | | 16.73 | 719.65 |
| | 4/23/99 | | 16.70 | 719.68 |
| | 5/7/99 | | 16.73 | 719.65 |
| | 6/4/99 | | 16.56 | 719.82 |
| | 7/16/99 | | 16.45 | 719.93 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-20 | 8/29/95 | 734.03 | 10.35 | 723.68 |
| | 11/7/95 | | 12.16 | 721.87 |
| | 4/12/96 | | 9.70 | 724.33 |
| | 5/29/96 | | 6.30 | 727.73 |
| | 6/4/96 | | 7.63 | 726.40 |
| | 7/8/96 | | 8.58 | 725.45 |
| | 8/1/96 | | 8.93 | 725.10 |
| | 9/12/96 | | 10.39 | 723.64 |
| | 10/17/96 | | 10.56 | 723.47 |
| | 11/25/96 | | 9.82 | 724.21 |
| | 12/11/96 | | 9.64 | 724.39 |
| | 1/24/97 | | 8.57 | 725.46 |
| | 2/21/97 | | 8.86 | 725.17 |
| | 3/14/97 | | 8.00 | 726.03 |
| | 4/11/97 | | 8.87 | 725.16 |
| | 5/12/97 | | 9.13 | 724.90 |
| | 6/5/97 | | 7.55 | 726.48 |
| | 7/3/97 | | 8.70 | 725.33 |
| | 8/4/97 | | 9.70 | 724.33 |
| | 9/29/97 | | 10.85 | 723.18 |
| | 10/10/97 | | 11.08 | 722.95 |
| | 11/10/97 | | 11.66 | 722.37 |
| | 12/1/97 | | 11.80 | 722.23 |
| | 1/16/98 | | 11.68 | 722.35 |
| | 2/4/98 | | 11.80 | 722.23 |
| | 3/25/98 | | 10.08 | 723.95 |
| | 4/10/98 | | 9.26 | 724.77 |
| | 5/8/98 | | 8.22 | 725.81 |
| | 6/5/98 | | 8.78 | 725.25 |
| | 7/2/98 | | 8.10 | 725.93 |
| | 7/30/98 | | 8.72 | 725.31 |
| | 9/10/98 | | 10.10 | 723.93 |
| | 10/12/98 | | 10.67 | 723.36 |
| | 11/13/98 | | 10.85 | 723.18 |
| | 12/11/98 | | 11.44 | 722.59 |
| | 1/29/99 | | 9.71 | 724.32 |
| | 2/12/99 | | 7.01 | 727.02 |
| | 3/10/99 | | 8.84 | 725.19 |
| | 3/19/99 | | NR ⁽²⁾ | NA |
| | 3/25/99 | | 9.21 | 724.82 |
| | 4/9/99 | | 9.63 | 724.40 |
| | 4/16/99 | | 9.73 | 724.30 |
| | 4/23/99 | | 9.28 | 724.75 |
| | 5/7/99 | | 9.41 | 724.62 |
| | 6/4/99 | | 9.18 | 724.85 |
| | 7/16/99 | | 9.35 | 724.68 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-21 | 8/29/95 | 737.91 | 16.81 | 721.10 |
| | 11/7/95 | | 17.92 | 719.99 |
| | 4/12/96 | | 16.48 | 721.43 |
| | 5/29/96 | | 14.82 | 723.09 |
| | 6/4/96 | | 14.82 | 723.09 |
| | 7/8/96 | | 15.67 | 722.24 |
| | 8/1/96 | | 16.16 | 721.75 |
| | 9/12/96 | | 16.89 | 721.02 |
| | 10/17/96 | | 16.89 | 721.02 |
| | 11/25/96 | | 16.85 | 721.06 |
| | 12/11/96 | | 16.53 | 721.38 |
| | 1/24/97 | | 16.10 | 721.81 |
| | 2/21/97 | | 16.11 | 721.80 |
| | 3/14/97 | | 15.64 | 722.27 |
| | 4/11/97 | | 16.05 | 721.86 |
| | 5/12/97 | | 16.20 | 721.71 |
| | 6/5/97 | | 15.18 | 722.73 |
| | 7/3/97 | | 15.72 | 722.19 |
| | 8/4/97 | | 16.48 | 721.43 |
| | 9/29/97 | | 17.10 | 720.81 |
| | 10/10/97 | | 17.31 | 720.60 |
| | 11/10/97 | | 17.61 | 720.30 |
| | 12/1/97 | | 17.78 | 720.13 |
| | 1/16/98 | | 17.87 | 720.04 |
| | 2/4/98 | | 17.98 | 719.93 |
| | 3/25/98 | | 16.92 | 720.99 |
| | 4/10/98 | | 16.56 | 721.35 |
| | 5/8/98 | | 15.92 | 721.99 |
| | 6/5/98 | | 16.08 | 721.83 |
| | 7/2/98 | | 15.06 | 722.85 |
| | 7/30/98 | | 15.65 | 722.26 |
| | 9/10/98 | | 16.64 | 721.27 |
| | 10/12/98 | | 17.10 | 720.81 |
| | 11/13/98 | | 17.31 | 720.60 |
| | 12/11/98 | | 17.60 | 720.31 |
| | 1/29/99 | | 16.42 | 721.49 |
| | 2/12/99 | | 16.04 | 721.87 |
| | 3/10/99 | | 16.32 | 721.59 |
| | 3/19/99 | | 16.26 | 721.65 |
| | 3/25/99 | | 16.36 | 721.55 |
| | 4/9/99 | | 16.62 | 721.29 |
| | 4/16/99 | | 16.67 | 721.24 |
| | 4/23/99 | | 16.59 | 721.32 |
| | 5/7/99 | | 16.72 | 721.19 |
| | 6/4/99 | | 16.55 | 721.36 |
| | 7/16/99 | | 16.48 | 721.43 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-22 | 8/29/95 | 737.64 | 17.05 | 720.59 |
| | 11/7/95 | | 17.90 | 719.74 |
| | 4/12/96 | | 16.74 | 720.90 |
| | 5/29/96 | | 15.52 | 722.12 |
| | 6/4/96 | | 15.63 | 722.01 |
| | 7/8/96 | | 16.22 | 721.42 |
| | 8/1/96 | | 16.58 | 721.06 |
| | 9/12/96 | | 17.15 | 720.49 |
| | 10/17/96 | | 17.04 | 720.60 |
| | 11/25/96 | | 16.99 | 720.65 |
| | 12/11/96 | | 16.76 | 720.88 |
| | 1/24/97 | | 16.46 | 721.18 |
| | 2/21/97 | | 16.50 | 721.14 |
| | 3/14/97 | | 16.15 | 721.49 |
| | 4/11/97 | | 16.47 | 721.17 |
| | 5/7/97 | | 17.55 | 720.09 |
| | 6/5/97 | | 15.88 | 721.76 |
| | 7/3/97 | | 16.34 | 721.30 |
| | 8/4/97 | | 16.86 | 720.78 |
| | 9/29/97 | | 17.26 | 720.38 |
| | 10/10/97 | | 17.43 | 720.21 |
| | 11/10/97 | | 17.65 | 719.99 |
| | 12/1/97 | | 17.80 | 719.84 |
| | 1/16/98 | | 18.00 | 719.64 |
| | 2/4/98 | | 18.05 | 719.59 |
| | 3/25/98 | | 17.00 | 720.64 |
| | 4/10/98 | | 16.75 | 720.89 |
| | 5/8/98 | | 16.35 | 721.29 |
| | 6/5/98 | | 16.51 | 721.13 |
| | 7/2/98 | | 15.84 | 721.80 |
| | 7/30/98 | | 16.22 | 721.42 |
| | 9/10/98 | | 16.91 | 720.73 |
| | 10/12/98 | | 17.35 | 720.29 |
| | 11/13/98 | | 17.52 | 720.12 |
| | 12/11/98 | | 17.74 | 719.90 |
| | 1/29/99 | | 16.80 | 720.84 |
| | 2/12/99 | | 16.50 | 721.14 |
| | 3/10/99 | | 16.80 | 720.84 |
| | 3/19/99 | | 16.77 | 720.87 |
| | 3/25/99 | | 16.80 | 720.84 |
| | 4/9/99 | | 17.04 | 720.60 |
| | 4/16/99 | | 17.03 | 720.61 |
| | 4/23/99 | | 17.02 | 720.62 |
| | 5/7/99 | | 17.13 | 720.51 |
| | 6/4/99 | | 17.00 | 720.64 |
| | 7/16/99 | | 16.90 | 720.74 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-24 | 8/29/95 | 736.02 | 15.59 | 720.43 |
| | 11/7/95 | | 16.41 | 719.61 |
| | 4/12/96 | | 15.29 | 720.73 |
| | 5/29/96 | | 13.77 | 722.25 |
| | 6/4/96 | | 13.80 | 722.22 |
| | 7/8/96 | | 14.54 | 721.48 |
| | 8/1/96 | | 15.01 | 721.01 |
| | 9/12/96 | | 15.61 | 720.41 |
| | 10/17/96 | | 15.66 | 720.36 |
| | 11/25/96 | | 15.61 | 720.41 |
| | 12/11/96 | | 15.33 | 720.69 |
| | 1/24/97 | | 14.96 | 721.06 |
| | 2/21/97 | | 15.24 | 720.78 |
| | 3/14/97 | | 14.62 | 721.40 |
| | 4/11/97 | | 14.96 | 721.06 |
| | 5/7/97 | | 15.04 | 720.98 |
| | 6/5/97 | | 14.20 | 721.82 |
| | 7/3/97 | | 14.62 | 721.40 |
| | 8/4/97 | | 15.30 | 720.72 |
| | 9/29/97 | | 15.79 | 720.23 |
| | 10/10/97 | | 15.98 | 720.04 |
| | 11/10/97 | | 16.18 | 719.84 |
| | 12/1/97 | | 16.33 | 719.69 |
| | 1/16/98 | | 16.48 | 719.54 |
| | 2/4/98 | | 16.53 | 719.49 |
| | 3/25/98 | | 15.65 | 720.37 |
| | 4/10/98 | | 15.44 | 720.58 |
| | 5/8/98 | | 14.83 | 721.19 |
| | 6/5/98 | | 15.00 | 721.02 |
| | 7/2/98 | | 14.00 | 722.02 |
| | 7/30/98 | | 14.50 | 721.52 |
| | 9/10/98 | | 15.38 | 720.64 |
| | 10/12/98 | | 15.80 | 720.22 |
| | 11/13/98 | | 16.05 | 719.97 |
| | 12/11/98 | | 16.23 | 719.79 |
| | 1/29/99 | | 15.28 | 720.74 |
| | 2/12/99 | | 15.03 | 720.99 |
| | 3/10/99 | | 15.15 | 720.87 |
| | 3/19/99 | | 15.07 | 720.95 |
| | 3/25/99 | | 15.18 | 720.84 |
| | 4/9/99 | NR | (2) | NA |
| | 4/16/99 | NR | (2) | NA |
| | 4/23/99 | 11.05 | | 724.97 |
| | 5/7/99 | NR | (2) | NA |
| | 6/4/99 | NR | (2) | NA |
| | 7/16/99 | 15.31 | | 720.71 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-26 | 8/29/95 | 736.39 | 13.46 | 722.93 |
| | 11/7/95 | | 15.02 | 721.37 |
| | 4/12/96 | | 13.17 | 723.22 |
| | 5/29/96 | | 9.53 | 726.86 |
| | 6/4/96 | | 10.47 | 725.92 |
| | 7/8/96 | | 11.62 | 724.77 |
| | 8/1/96 | | 12.16 | 724.23 |
| | 9/12/96 | | 13.48 | 722.91 |
| | 10/17/96 | | 13.60 | 722.79 |
| | 11/25/96 | | 13.42 | 722.97 |
| | 12/11/96 | | 13.08 | 723.31 |
| | 1/24/97 | | 12.14 | 724.25 |
| | 2/21/97 | | 12.25 | 724.14 |
| | 3/14/97 | | 11.48 | 724.91 |
| | 4/11/97 | | 12.18 | 724.21 |
| | 5/12/97 | | 12.41 | 723.98 |
| | 6/5/97 | | 10.45 | 725.94 |
| | 7/3/97 | | 11.78 | 724.61 |
| | 8/4/97 | | 12.78 | 723.61 |
| | 9/29/97 | | 13.83 | 722.56 |
| | 10/10/97 | | 14.09 | 722.30 |
| | 11/10/97 | | 14.61 | 721.78 |
| | 12/1/97 | | 14.86 | 721.53 |
| | 1/16/98 | | 14.90 | 721.49 |
| | 2/4/98 | | 15.00 | 721.39 |
| | 3/25/98 | | 13.57 | 722.82 |
| | 4/10/98 | | 12.92 | 723.47 |
| | 5/8/98 | | 11.70 | 724.69 |
| | 6/5/98 | | 12.06 | 724.33 |
| | 7/2/98 | | 10.90 | 725.49 |
| | 7/30/98 | | 13.16 | 723.23 |
| | 9/10/98 | | 11.69 | 724.70 |
| | 10/12/98 | | 13.69 | 722.70 |
| | 11/13/98 | | 14.00 | 722.39 |
| | 12/11/98 | | 14.41 | 721.98 |
| | 1/29/99 | | 13.07 | 723.32 |
| | 2/12/99 | | 12.29 | 724.10 |
| | 3/10/99 | | 12.10 | 724.29 |
| | 3/19/99 | | 12.27 | 724.12 |
| | 3/25/99 | | 12.42 | 723.97 |
| | 4/9/99 | | 12.63 | 723.76 |
| | 4/16/99 | | 12.73 | 723.66 |
| | 4/23/99 | | 12.62 | 723.77 |
| | 5/7/99 | | 12.77 | 723.62 |
| | 6/4/99 | | 12.51 | 723.88 |
| | 7/16/99 | | 12.72 | 723.67 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-27 | 8/29/95 | 736.63 | 15.37 | 721.26 |
| | 11/7/95 | | 16.66 | 719.97 |
| | 4/12/96 | | 15.01 | 721.62 |
| | 5/29/96 | | 13.23 | 723.40 |
| | 6/4/96 | | 13.44 | 723.19 |
| | 7/8/96 | | 14.38 | 722.25 |
| | 8/1/96 | | 14.79 | 721.84 |
| | 9/12/96 | | 15.62 | 721.01 |
| | 10/17/96 | | 15.56 | 721.07 |
| | 11/25/96 | | 15.45 | 721.18 |
| | 12/11/96 | | 15.11 | 721.52 |
| | 1/24/97 | | 14.63 | 722.00 |
| | 2/21/97 | | 14.75 | 721.88 |
| | 3/14/97 | | 14.28 | 722.35 |
| | 4/11/97 | | 14.71 | 721.92 |
| | 5/12/97 | | 14.88 | 721.75 |
| | 6/5/97 | | 13.78 | 722.85 |
| | 7/3/97 | | 14.40 | 722.23 |
| | 8/4/97 | | 15.12 | 721.51 |
| | 9/29/97 | | 15.82 | 720.81 |
| | 10/10/97 | | 16.02 | 720.61 |
| | 11/10/97 | | 16.36 | 720.27 |
| | 12/1/97 | | 16.52 | 720.11 |
| | 1/16/98 | | 16.46 | 720.17 |
| | 2/4/98 | | 16.58 | 720.05 |
| | 3/25/98 | | 15.42 | 721.21 |
| | 4/10/98 | | 15.06 | 721.57 |
| | 5/8/98 | | 14.40 | 722.23 |
| | 6/5/98 | | 14.67 | 721.96 |
| | 7/2/98 | | 13.78 | 722.85 |
| | 7/30/98 | | 14.34 | 722.29 |
| | 9/10/98 | | 15.38 | 721.25 |
| | 10/12/98 | | 15.80 | 720.83 |
| | 11/13/98 | | 15.98 | 720.65 |
| | 12/11/98 | | 16.32 | 720.31 |
| | 1/29/99 | | 14.97 | 721.66 |
| | 2/12/99 | | 14.55 | 722.08 |
| | 3/10/99 | | 15.00 | 721.63 |
| | 3/19/99 | | 14.93 | 721.70 |
| | 3/25/99 | | 15.03 | 721.60 |
| | 4/9/99 | | 15.30 | 721.33 |
| | 4/16/99 | | 15.38 | 721.25 |
| | 4/23/99 | | 15.28 | 721.35 |
| | 5/7/99 | | 15.38 | 721.25 |
| | 6/4/99 | | 15.12 | 721.51 |
| | 7/16/99 | | 15.13 | 721.50 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-28 | 8/29/95 | 738.04 | 17.03 | 721.01 |
| | 11/7/95 | | 18.19 | 719.85 |
| | 4/12/96 | | 16.72 | 721.32 |
| | 5/29/96 | | 15.21 | 722.83 |
| | 6/4/96 | | 15.32 | 722.72 |
| | 7/8/96 | | 16.12 | 721.92 |
| | 8/1/96 | | 16.54 | 721.50 |
| | 9/12/96 | | 17.25 | 720.79 |
| | 10/17/96 | | 17.20 | 720.84 |
| | 11/25/96 | | 17.10 | 720.94 |
| | 12/11/96 | | 16.81 | 721.23 |
| | 1/24/97 | | 16.39 | 721.65 |
| | 2/21/97 | | 16.49 | 721.55 |
| | 3/14/97 | | 16.05 | 721.99 |
| | 4/11/97 | | 16.41 | 721.63 |
| | 5/12/97 | | 16.57 | 721.47 |
| | 6/5/97 | | 15.66 | 722.38 |
| | 7/3/97 | | 16.17 | 721.87 |
| | 8/4/97 | | 16.84 | 721.20 |
| | 9/29/97 | | 17.41 | 720.63 |
| | 10/10/97 | | 17.61 | 720.43 |
| | 11/10/97 | | 17.91 | 720.13 |
| | 12/1/97 | | 18.08 | 719.96 |
| | 1/16/98 | | 18.10 | 719.94 |
| | 2/4/98 | | 18.20 | 719.84 |
| | 3/25/98 | | 17.10 | 720.94 |
| | 4/10/98 | | 16.79 | 721.25 |
| | 5/8/98 | | 16.20 | 721.84 |
| | 6/5/98 | | 16.40 | 721.64 |
| | 7/2/98 | | 15.60 | 722.44 |
| | 7/30/98 | | 16.10 | 721.94 |
| | 9/10/98 | | 17.00 | 721.04 |
| | 10/12/98 | | 17.41 | 720.63 |
| | 11/13/98 | | 17.60 | 720.44 |
| | 12/11/98 | | 17.88 | 720.16 |
| | 1/29/99 | | 16.70 | 721.34 |
| | 2/12/99 | | 16.34 | 721.70 |
| | 3/10/99 | | 16.68 | 721.36 |
| | 3/19/99 | | 16.71 | 721.33 |
| | 3/25/99 | | 16.80 | 721.24 |
| | 4/9/99 | | 17.02 | 721.02 |
| | 4/16/99 | | 17.08 | 720.96 |
| | 4/23/99 | | 17.03 | 721.01 |
| | 5/7/99 | | 17.10 | 720.94 |
| | 6/4/99 | | 16.90 | 721.14 |
| | 7/16/99 | | 16.85 | 721.19 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-29 | 8/29/95 | 737.61 | 16.83 | 720.78 |
| | 11/7/95 | | 17.99 | 719.62 |
| | 4/12/96 | | 16.46 | 721.15 |
| | 5/29/96 | | 15.01 | 722.60 |
| | 6/4/96 | | 15.19 | 722.42 |
| | 7/8/96 | | 16.04 | 721.57 |
| | 8/1/96 | | 16.40 | 721.21 |
| | 9/12/96 | | 17.15 | 720.46 |
| | 10/17/96 | | 17.02 | 720.59 |
| | 11/25/96 | | 16.93 | 720.68 |
| | 12/11/96 | | 16.61 | 721.00 |
| | 1/24/97 | | 16.24 | 721.37 |
| | 2/21/97 | | 16.31 | 721.30 |
| | 3/14/97 | | 15.91 | 721.70 |
| | 4/11/97 | | 16.30 | 721.31 |
| | 5/12/97 | | 16.41 | 721.20 |
| | 6/5/97 | | 15.57 | 722.04 |
| | 7/3/97 | | 16.06 | 721.55 |
| | 8/4/97 | | 16.70 | 720.91 |
| | 9/29/97 | | 17.25 | 720.36 |
| | 10/10/97 | | 17.44 | 720.17 |
| | 11/10/97 | | 17.86 | 719.75 |
| | 12/1/97 | | 17.86 | 719.75 |
| | 1/16/98 | | 17.81 | 719.80 |
| | 2/4/98 | | 17.95 | 719.66 |
| | 3/25/98 | | 16.80 | 720.81 |
| | 4/10/98 | | 16.53 | 721.08 |
| | 5/8/98 | | 15.98 | 721.63 |
| | 6/5/98 | | 16.30 | 721.31 |
| | 7/2/98 | | 15.50 | 722.11 |
| | 7/30/98 | | 15.98 | 721.63 |
| | 9/10/98 | | 16.89 | 720.72 |
| | 10/12/98 | | 17.23 | 720.38 |
| | 11/13/98 | | 17.40 | 720.21 |
| | 12/11/98 | | 17.70 | 719.91 |
| | 1/29/99 | | 16.45 | 721.16 |
| | 2/12/99 | | 16.09 | 721.52 |
| | 3/10/99 | | 16.48 | 721.13 |
| | 3/19/99 | | 16.48 | 721.13 |
| | 3/25/99 | | 16.61 | 721.00 |
| | 4/9/99 | | 16.88 | 720.73 |
| | 4/16/99 | | 16.92 | 720.69 |
| | 4/23/99 | | 16.84 | 720.77 |
| | 5/7/99 | | 16.92 | 720.69 |
| | 6/4/99 | | 16.70 | 720.91 |
| | 7/16/99 | | 16.67 | 720.94 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-30 | 8/29/95 | 734.84 | 15.54 | 719.30 |
| | 11/7/95 | | 15.93 | 718.91 |
| | 4/12/96 | | 14.95 | 719.89 |
| | 5/29/96 | | 14.10 | 720.74 |
| | 6/4/96 | | 14.38 | 720.46 |
| | 7/8/96 | | 14.84 | 720.00 |
| | 8/1/96 | | 15.06 | 719.78 |
| | 9/12/96 | | 15.28 | 719.56 |
| | 10/17/96 | | 15.58 | 719.26 |
| | 11/25/96 | | 15.13 | 719.71 |
| | 12/11/96 | | 14.98 | 719.86 |
| | 1/24/97 | | 14.71 | 720.13 |
| | 2/21/97 | | 14.95 | 719.89 |
| | 3/14/97 | | 14.70 | 720.14 |
| | 4/11/97 | | 14.92 | 719.92 |
| | 5/7/97 | | 14.93 | 719.91 |
| | 6/5/97 | | 14.37 | 720.47 |
| | 7/3/97 | | 14.75 | 720.09 |
| | 8/4/97 | | 15.28 | 719.56 |
| | 9/29/97 | | 15.33 | 719.51 |
| | 10/10/97 | | 15.42 | 719.42 |
| | 11/10/97 | | 15.52 | 719.32 |
| | 12/1/97 | | 15.80 | 719.04 |
| | 1/16/98 | | 15.70 | 719.14 |
| | 2/4/98 | | 15.80 | 719.04 |
| | 3/25/98 | | 15.44 | 719.40 |
| | 4/10/98 | | 15.18 | 719.66 |
| | 5/8/98 | | 15.05 | 719.79 |
| | 6/5/98 | | 15.20 | 719.64 |
| | 7/2/98 | | 14.30 | 720.54 |
| | 7/30/98 | | 14.73 | 720.11 |
| | 9/10/98 | | 15.12 | 719.72 |
| | 10/12/98 | | 15.88 | 718.96 |
| | 11/13/98 | | 16.00 | 718.84 |
| | 12/11/98 | | 16.10 | 718.74 |
| | 1/29/99 | | 16.90 | 717.94 |
| | 2/12/99 | | 15.33 | 719.51 |
| | 3/10/99 | | 15.46 | 719.38 |
| | 3/19/99 | | 15.50 | 719.34 |
| | 3/25/99 | | 15.55 | 719.29 |
| | 4/9/99 | | 15.65 | 719.19 |
| | 4/16/99 | | 15.69 | 719.15 |
| | 4/23/99 | | 15.65 | 719.19 |
| | 5/7/99 | | 15.73 | 719.11 |
| | 6/4/99 | | 15.52 | 719.32 |
| | 7/16/99 | | 15.50 | 719.34 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-1 | 8/29/95 | 730.97 | 2.58 | (1) 728.39 |
| | 11/7/95 | | NR | (2) NA |
| | 4/12/96 | | 11.02 | 719.95 |
| | 5/29/96 | | 10.84 | 720.13 |
| | 6/4/96 | | 11.12 | 719.85 |
| | 7/8/96 | | 11.28 | 719.69 |
| | 8/1/96 | | NR | (2) NA |
| | 9/12/96 | | 11.55 | 719.42 |
| | 10/17/96 | | 12.50 | 718.47 |
| | 11/25/96 | | 11.23 | 719.74 |
| | 12/11/96 | | 11.06 | 719.91 |
| | 1/24/97 | | 10.90 | 720.07 |
| | 2/21/97 | | 11.06 | 719.91 |
| | 3/14/97 | | 10.73 | 720.24 |
| | 4/11/97 | | 10.98 | 719.99 |
| | 5/7/97 | | 11.02 | 719.95 |
| | 6/5/97 | | 10.48 | 720.49 |
| | 7/3/97 | | 10.86 | 720.11 |
| | 8/4/97 | | 11.72 | 719.25 |
| | 9/29/97 | | 12.75 | 718.22 |
| | 10/10/97 | | 11.50 | 719.47 |
| | 11/10/97 | | 11.60 | 719.37 |
| | 12/1/97 | | 13.00 | 717.97 |
| | 1/16/98 | | 11.90 | 719.07 |
| | 2/4/98 | | 11.90 | 719.07 |
| | 3/25/98 | | 12.96 | 718.01 |
| | 4/10/98 | | 12.50 | 718.47 |
| | 5/8/98 | | 12.10 | 718.87 |
| | 6/5/98 | | 12.30 | 718.67 |
| | 7/2/98 | | 10.60 | 720.37 |
| | 7/30/98 | | 11.60 | 719.37 |
| | 9/10/98 | | 11.22 | 719.75 |
| | 10/12/98 | | 13.80 | 717.17 |
| | 11/13/98 | | 13.50 | 717.47 |
| | 12/11/98 | | 13.80 | 717.17 |
| | 1/29/99 | | 13.20 | 717.77 |
| | 2/12/99 | | 12.70 | 718.27 |
| | 3/25/99 | | 12.66 | 718.31 |
| | 4/9/99 | | 12.63 | 718.34 |
| | 4/23/99 | | 12.65 | 718.32 |
| | 5/7/99 | | 12.76 | 718.21 |
| | 6/4/99 | | 12.22 | 718.75 |
| | 7/16/99 | | 12.37 | 718.60 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-2 | 8/29/95 | 732.05 | 4.42 | (1) 727.63 |
| | 11/7/95 | | NR | (2) NA |
| | 4/12/96 | | 12.72 | 719.33 |
| | 5/29/96 | | 11.50 | 720.55 |
| | 6/4/96 | | 11.88 | 720.17 |
| | 7/8/96 | | 12.48 | 719.57 |
| | 8/1/96 | | 12.76 | 719.29 |
| | 9/12/96 | | 13.25 | 718.80 |
| | 10/17/96 | | 12.86 | 719.19 |
| | 11/25/96 | | 12.26 | 719.79 |
| | 12/11/96 | | 11.89 | 720.16 |
| | 1/24/97 | | 11.76 | 720.29 |
| | 2/21/97 | | 11.80 | 720.25 |
| | 3/14/97 | | 11.45 | 720.60 |
| | 4/11/97 | | 11.84 | 720.21 |
| | 5/7/97 | | 11.85 | 720.20 |
| | 6/5/97 | | 11.43 | 720.62 |
| | 7/3/97 | | 11.61 | 720.44 |
| | 8/4/97 | | 12.10 | 719.95 |
| | 9/29/97 | | 12.90 | 719.15 |
| | 10/10/97 | | 12.42 | 719.63 |
| | 11/10/97 | | 13.10 | 718.95 |
| | 12/1/97 | | 12.62 | 719.43 |
| | 1/16/98 | | 12.90 | 719.15 |
| | 2/4/98 | | 12.95 | 719.10 |
| | 3/25/98 | | 13.10 | 718.95 |
| | 4/10/98 | | 13.10 | 718.95 |
| | 5/8/98 | | 12.80 | 719.25 |
| | 6/5/98 | | 12.20 | 719.85 |
| | 7/2/98 | | 12.40 | 719.65 |
| | 7/30/98 | | 12.80 | 719.25 |
| | 9/10/98 | | 11.96 | 720.09 |
| | 10/12/98 | | 15.80 | 716.25 |
| | 11/13/98 | | 14.12 | 717.93 |
| | 12/11/98 | | 14.10 | 717.95 |
| | 1/29/99 | | 14.00 | 718.05 |
| | 2/12/99 | | 12.90 | 719.15 |
| | 3/25/99 | | 15.24 | 716.81 |
| | 4/9/99 | | 16.40 | 715.65 |
| | 4/23/99 | | 16.54 | 715.51 |
| | 5/7/99 | | 15.90 | 716.15 |
| | 6/4/99 | | 13.90 | 718.15 |
| | 7/16/99 | | 14.73 | 717.32 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-3 | 8/29/95 | 733.19 | 4.08 | (1) 729.11 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 13.07 | 720.12 |
| | 5/29/96 | | 11.73 | 721.46 |
| | 6/4/96 | | 12.68 | 720.51 |
| | 7/8/96 | | 13.26 | 719.93 |
| | 8/1/96 | | 13.10 | 720.09 |
| | 9/12/96 | | 13.40 | 719.79 |
| | 10/17/96 | | 12.78 | 720.41 |
| | 11/25/96 | | 12.68 | 720.51 |
| | 12/11/96 | | 12.51 | 720.68 |
| | 1/24/97 | | 12.26 | 720.93 |
| | 2/21/97 | | 12.20 | 720.99 |
| | 3/14/97 | | 11.90 | 721.29 |
| | 4/11/97 | | 12.23 | 720.96 |
| | 5/7/97 | | 12.23 | 720.96 |
| | 6/5/97 | | 11.68 | 721.51 |
| | 7/3/97 | | 12.00 | 721.19 |
| | 8/4/97 | | 14.00 | 719.19 |
| | 9/29/97 | | 14.20 | 718.99 |
| | 10/10/97 | | 13.18 | 720.01 |
| | 11/10/97 | | 14.52 | 718.67 |
| | 12/1/97 | | 15.60 | 717.59 |
| | 1/16/98 | | 13.76 | 719.43 |
| | 2/4/98 | | 13.80 | 719.39 |
| | 3/25/98 | | 15.46 | 717.73 |
| | 4/10/98 | | 15.00 | 718.19 |
| | 5/8/98 | | 13.50 | 719.69 |
| | 6/5/98 | | 14.10 | 719.09 |
| | 7/2/98 | | 12.74 | 720.45 |
| | 7/30/98 | | 13.60 | 719.59 |
| | 9/10/98 | | 12.30 | 720.89 |
| | 10/12/98 | | 16.20 | 716.99 |
| | 11/13/98 | | 15.16 | 718.03 |
| | 12/11/98 | | 14.80 | 718.39 |
| | 1/29/99 | | 13.40 | 719.79 |
| | 2/12/99 | | 13.10 | 720.09 |
| | 3/25/99 | | 14.91 | 718.28 |
| | 4/9/99 | | 15.10 | 718.09 |
| | 4/23/99 | | 15.12 | 718.07 |
| | 5/7/99 | | 16.00 | 717.19 |
| | 6/4/99 | | 15.00 | 718.19 |
| | 7/16/99 | | 15.60 | 717.59 |
| RW-4 | 3/25/99 | 735.48 | 16.33 | 719.15 |
| | 4/9/99 | | 16.90 | 718.58 |
| | 4/23/99 | | 16.51 | 718.97 |
| | 5/7/99 | | 16.47 | 719.01 |
| | 6/4/99 | | 14.90 | 720.58 |
| | 7/16/99 | | 15.70 | 719.78 |

(1) Ground water elevation based on measurements from top of bubbler tip.

(2) NR - Not Recorded

ATTACHMENT B

Groundwater Recovery Summary

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | | |
|----------------|------------------------------|------------------|------------------|------|------------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 2/24/95 | - | - | - | - | - |
| 3/3/95 | 20,984 | 31,644 | 80,228 | - | 132,856 |
| 3/29/95 | 84,695 | 88,774 | 152,228 | - | 325,697 |
| 4/14/95 | 136,654 | 133,675 | 224,228 | - | 494,557 |
| 5/3/95 | 200,683 | 193,729 | 284,420 | - | 678,832 |
| 5/14/95 | 237,115 | 228,577 | 319,268 | - | 784,960 |
| 5/18/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/23/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/26/95 | 276,211 | 266,031 | 374,420 | - | 916,662 |
| 6/19/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/3/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/4/95 | 448,963 | 431,997 | 543,600 | - | 1,424,560 |
| 8/9/95 | 473,414 | 453,496 | 590,792 | - | 1,517,702 |
| 8/11/95 | 482,414 | 461,556 | 609,202 | - | 1,553,172 |
| 8/14/95 | 496,474 | 474,106 | 637,152 | - | 1,607,732 |
| 8/29/95 | 561,302 | 533,550 | 768,644 | - | 1,863,496 |
| 10/6/95 | 664,814 | 629,975 | 985,749 | - | 2,280,538 |
| 11/7/95 | 665,305 | 763,804 | 1,159,950 | - | 2,589,059 |
| 12/8/95 | 686,316 | 766,356 | 1,253,348 | - | 2,706,020 |
| 1/15/96 | 778,585 | 873,570 | 1,263,941 | - | 2,916,096 |
| 4/12/96 | 778,585 | 1,170,564 | 1,651,617 | - | 3,600,766 |
| 5/29/96 | 873,365 | 1,376,384 | 1,823,668 | - | 4,073,417 |
| 6/26/96 | 915,555 | 1,414,873 | 1,884,622 | - | 4,215,050 |
| 7/8/96 | 972,328 | 1,474,048 | 1,987,350 | - | 4,433,726 |
| 7/18/96 | 1,006,046 | 1,516,919 | 2,060,742 | - | 4,583,707 |
| 8/1/96 | 1,049,996 | 1,577,801 | 2,164,916 | - | 4,792,713 |
| 8/16/96 | 1,091,112 | 1,638,683 | 2,246,037 | - | 4,975,832 |
| 8/27/96 | 1,118,169 | 1,684,621 | 2,314,606 | - | 5,117,396 |
| 9/12/96 | 1,146,432 | 1,754,050 | 2,360,521 | - | 5,261,003 |
| 9/24/96 | 1,159,035 | 1,796,140 | 2,409,496 | - | 5,364,671 |
| 10/1/96 | 1,174,178 | 1,825,149 | 2,408,298 | - | 5,407,625 |
| 10/17/96 | 1,253,727 | 1,855,632 | 2,411,539 | - | 5,520,898 |
| 11/2/96 | 1,315,165 | 1,906,634 | 2,420,559 | - | 5,642,358 |
| 11/15/96 | 1,365,973 | 1,908,623 | 2,502,342 | - | 5,776,938 |
| 11/25/96 | 1,396,032 | 1,911,188 | 2,552,717 | - | 5,859,937 |
| 12/11/96 | 1,430,595 | 1,935,775 | 2,611,374 | - | 5,977,744 |
| 12/27/96 | 1,452,912 | 1,937,132 | 2,649,962 | - | 6,040,006 |
| 1/3/97 | 1,456,304 | 1,939,518 | 2,655,775 | - | 6,051,597 |
| 1/14/97 | 1,470,242 | 1,949,120 | 2,684,864 | - | 6,104,226 |
| 1/24/97 | 1,470,505 | 1,949,124 | 2,702,272 | - | 6,121,901 |
| 2/7/97 | 1,518,975 | 1,950,754 | 2,796,872 | - | 6,266,601 |
| 2/21/97 | 1,571,273 | 1,952,209 | 2,835,673 | - | 6,359,155 |
| 3/14/97 | 1,646,678 | 1,952,209 | 2,835,673 | - | 6,436,098 |
| 3/28/97 | 1,692,834 | 2,039,011 | 2,835,673 | - | 6,588,745 |
| 4/11/97 | 1,734,064 | 2,124,196 | 2,835,673 | - | 6,715,160 |
| 4/25/97 | 1,773,261 | 2,182,646 | 2,842,124 | - | 6,819,258 |
| 5/7/97 | 1,798,995 | 2,336,981 | 2,842,124 | - | 6,999,327 |
| 5/22/97 | 1,825,676 | 2,393,705 | 2,905,414 | - | 7,146,022 |
| 6/5/97 | 1,867,121 | 2,472,696 | 2,988,177 | - | 7,349,221 |



HANDEX®

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | | Total |
|-------------|-------------------------------------|-------------|-------------|-------------|--------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | |
| 6/20/97 | 1,912,764 | 2,540,269 | 3,061,814 | - | 7,536,074 |
| 7/3/97 | 1,954,658 | 2,609,124 | 3,135,756 | - | 7,720,764 |
| 7/17/97 | 1,975,303 | 2,680,948 | 3,199,801 | - | 7,877,279 |
| 8/4/97 | 2,025,486 | 2,806,996 | 3,364,397 | - | 8,218,106 |
| 8/15/97 | 2,052,962 | 2,958,721 | 3,461,264 | - | 8,494,174 |
| 8/28/97 | 2,083,623 | 3,093,542 | 3,569,012 | - | 8,767,404 |
| 9/12/97 | 2,083,684 | 3,119,818 | 3,692,072 | - | 8,916,801 |
| 9/29/97 | 2,083,905 | 3,120,840 | 3,839,556 | - | 9,065,528 |
| 10/10/97 | 2,101,637 | 3,231,288 | 3,924,600 | - | 9,278,752 |
| 10/31/97 | 2,101,662 | 3,254,766 | 4,062,129 | - | 9,439,784 |
| 11/10/97 | 2,101,662 | 3,394,895 | 4,102,900 | - | 9,620,684 |
| 12/1/97 | 2,101,662 | 3,626,479 | 4,211,530 | - | 9,960,898 |
| 12/28/97 | 2,102,033 | 3,627,036 | 4,212,021 | - | 9,962,317 |
| 1/16/98 | 2,145,973 | 3,914,074 | 4,365,837 | - | 10,447,111 |
| 1/27/98 | 2,146,228 | 3,915,067 | 4,366,295 | - | 10,448,817 |
| 2/4/98 | 2,146,228 | 4,068,235 | 4,412,344 | - | 10,648,034 |
| 2/17/98 | 2,189,727 | 4,222,732 | 4,539,755 | - | 10,973,441 |
| 3/18/98 | 2,293,340 | 4,743,314 | 4,774,847 | - | 11,832,728 |
| 3/25/98 | 2,309,656 | 4,805,528 | 4,802,993 | - | 11,939,404 |
| 4/10/98 | 2,383,929 | 5,043,344 | 4,927,777 | - | 12,376,277 |
| 4/24/98 | 2,453,055 | 5,233,074 | 5,019,725 | - | 12,727,081 |
| 5/8/98 | 2,525,463 | 5,474,383 | 5,106,293 | - | 13,127,366 |
| 5/22/98 | 2,593,232 | 5,670,794 | 5,210,326 | - | 13,495,579 |
| 6/5/98 | 2,659,709 | 5,852,839 | 5,315,076 | - | 13,848,851 |
| 6/19/98 | 2,698,743 | 6,047,156 | 5,406,842 | - | 14,173,968 |
| 7/2/98 | 2,700,428 | 6,135,172 | 5,453,010 | - | 14,309,837 |
| 7/16/98 | 2,701,261 | 6,336,772 | 5,654,610 | - | 14,713,870 |
| 7/30/98 | 2,702,469 | 6,378,927 | 5,700,300 | - | 14,802,923 |
| 8/6/98 | 2,702,469 | 6,381,833 | 5,702,810 | - | 14,808,339 |
| 8/7/98 | 2,702,469 | 6,381,833 | 5,709,497 | - | 14,815,026 |
| 8/26/98 | 2,702,469 | 6,381,833 | 5,709,507 | - | 14,815,036 |
| 9/10/98 | 2,763,725 | 6,446,571 | 5,779,418 | - | 15,010,941 |
| 9/25/98 | 2,770,423 | 6,451,177 | 5,784,427 | - | 15,027,254 |
| 10/12/98 | 2,861,852 | 6,516,954 | 5,858,558 | - | 15,258,591 |
| 10/23/98 | 2,917,194 | 6,605,960 | 5,991,054 | - | 15,535,435 |
| 11/13/98 | 2,992,505 | 6,736,611 | 6,138,358 | - | 15,888,701 |
| 11/24/98 | 3,043,555 | 6,829,030 | 6,208,200 | - | 16,102,012 |
| 12/11/98 | 3,116,948 | 6,964,953 | 6,260,783 | - | 16,363,911 |
| 12/23/98 | 3,166,441 | 7,055,518 | 6,295,200 | - | 16,538,386 |
| 1/8/99 | 3,231,706 | 7,182,268 | 6,341,789 | - | 16,776,990 |
| 1/22/99 | 3,291,306 | 7,288,952 | 6,391,971 | - | 16,993,456 |
| 1/29/99 | 3,313,604 | 7,312,970 | 6,402,525 | - | 17,050,326 |
| 2/12/99 | 3,400,844 | 7,406,750 | 6,440,706 | - | 17,269,527 |
| 2/25/99 | 3,458,990 | 7,473,334 | 6,481,956 | - | 17,435,507 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


| Date | Cumulative Pumpage (gallons) | | | | |
|-------------|-------------------------------------|-------------|-------------|-------------|--------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 3/10/99 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | 17,921,939 |
| 3/19/99 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | 18,260,475 |
| 3/25/99 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | 18,480,324 |
| 4/9/99 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | 19,040,617 |
| 4/16/99 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | 19,287,008 |
| 4/23/99 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | 19,540,774 |
| 5/7/99 | 3,764,768 | 8,289,628 | 7,087,681 | 892,281 | 20,055,585 |
| 5/21/99 | 3,818,876 | 8,438,495 | 7,231,742 | 1,065,242 | 20,575,582 |
| 6/4/99 | 3,873,641 | 8,591,045 | 7,379,733 | 1,128,343 | 20,993,989 |
| 6/8/99 | 3,889,675 | 8,638,302 | 7,429,910 | 1,171,610 | 21,150,724 |
| 6/18/99 | 3,928,797 | 8,741,161 | 7,537,384 | 1,279,142 | 21,507,711 |
| 7/2/99 | 3,983,641 | 8,885,162 | 7,691,278 | 1,401,901 | 21,983,209 |
| 7/16/99 | 4,038,857 | 9,032,265 | 7,848,761 | 1,556,142 | 22,497,252 |
| 7/21/99 | 4,058,235 | 9,084,172 | 7,904,870 | 1,610,600 | 22,679,104 |
| 7/26/99 | 4,079,505 | 9,141,300 | 7,966,860 | 1,669,735 | 22,878,627 |

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Site Inspection Forms

FORMER AMPHENOL FACII 'TY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 7-2-99
 Handex Personnel: R. Mier
 Arrival Time: 9:30
 Departure Time: 11:30
 Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3538086.0 RW-2 8740220.0 RW-3 7307568.0 RW-4 1401901.0Flow Rate GPM: RW-1 2.75 RW-2 0.25 RW-3 0.75 RW-4 0.00Air Stripper Pressure: 15 Inches of WaterEffluent Clarity: ClearBuilding Temperature: 73 Degrees FSystem Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

 Manholes
 Lines
 Stripper

NO
NO
NO

 YES Repaired
 YES Repaired
 YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 7-16-99Handex Personnel: R. M.

Arrival Time:

Departure Time:

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 3593302.0 RW-2 8889323.0 RW-3 2465051.0 RW-4 1556142.0Flow Rate GPM: RW-1 2.75 RW-2 2.25 RW-3 8.00 RW-4 8.00Air Stripper Pressure: 13.5 Inches of WaterEffluent Clarity: ClearBuilding Temperature: 78° Degrees FSystem Operation Upon Arrival: YES NO (if no please explain below)

Pumps was running But stripper was not Restarter
Stripper and check and could No Find And thing # wrong
But Pumps to to kick out or shut down if stripper does

Water Leaks: RW-1

RW-2

RW-3

RW-4

Please circle appropriate controller(s) below:

Manholes

 NO

YES Repaired

Lines

 NO

YES Repaired

Stripper

 NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

Need Elec. hook-up to shut Down ^{Pumps} stripper if stripper does

FORMER AMPHENOL FACII Y
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 7/21/99 Weds.
Handex Personnel: Aaron D. Green
Arrival Time: 9:45
Departure Time: 10:15
Alarm Response Visit: YES NO

BiW BEKLY DATA

Totalizer Readings: RW-1 03612680 RW-2 08939230 RW-3 07521160 RW-4 1610600

Flow Rate GPM: RW-1 2.8 RW-2 7.4 RW-3 8.1 RW-4 7.7

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 79 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

| | | | | |
|----------|----|-----|----------|--|
| Manholes | NO | YES | Repaired | |
| Lines | NO | YES | Repaired | |
| Stripper | NO | YES | Repaired | |

If yes, explain:

Everything appears in good repair & is operating.

MONTHLY DATA

Filter Cartridges Replaced: N/A RW-1 N/A RW-2 N/A RW-3 N/A RW-4

Stripper Trays and Tubes Checked: N/A

Stripper Trays and Tubes Cleaned: N/A

Monitoring/Recovery Wells Gauged: N/A

Recommendations for system optimization or general comments:

N/A

FORMER AMPHENOL FACIL
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 7/26/99

Handex Personnel: Brad Gentry

Arrival Time: 5:50

Departure Time: 5:55

Alarm Response Visit: YES NO out-of-scope visit → check on Air Stripper

BIWEEKLY DATA

Totalizer Readings: RW-1 3,633,950 RW-2 8,996,358 RW-3 7,583,150 RW-4 1,669,735

Flow Rate GPM: RW-1 2.75 RW-2 7.4 RW-3 8.1 RW-4 7.7

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 86 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4

Please circle appropriate controller(s) below:

Manholes

(NO)

YES Repaired

Lines

(NO)

YES Repaired

Stripper

(NO)

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:



May 26, 1999

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE INTERIM CORRECTIVE MEASURE
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by Handex of Indiana (Handex) at the above-referenced site. This report summarizes the activities completed during the March 25 to April 23, 1999 reporting period. Handex personnel inspected the site on a biweekly basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On April 23, 1999, Handex personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence or absence of liquid-phase hydrocarbons. Depth to water beneath the site ranged from 8.10 feet below grade in MW-9 to 17.03 feet below grade in MW-28. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. All of the recovery wells were operational while well gauging activities were performed. Figure 1 is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in Attachment A, and a groundwater contour map has been included as Figure 2.

Groundwater elevation readings were also obtained from the monitoring well network on April 9, 1999 and April 16, 1999. Depth to water beneath the site on April 9, 1999 ranged from 8.07 feet below grade in MW-9 to 17.04 feet below grade in MW-22. Depth to water beneath the site on April 16, 1999 ranged from 8.25 feet below grade in MW-9 to 17.08 feet below grade in MW-28. All of the recovery wells were operational while well gauging activities were performed. The groundwater elevation data is summarized in Attachment A.

Groundwater Treatment System

During this reporting period, approximately 1,060,450 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, and RW-4. Based on data provided by EMCON and Handex field data sheets, the total volume of groundwater recovered to date is approximately 19,540,774 gallons. The average influent groundwater recovery rate for this reporting period was approximately 25.39 gallons per minute. Attachment B includes a table and a graph illustrating the recovery rates to date, and Attachment C contains copies of Field Data Sheets completed by Handex personnel.

Handex personnel mobilized to the site on April 9 and April 23, 1999 to perform biweekly O&M activities. Additionally, monthly O&M activities were performed at the site on April 9, 1999 and an out-of-scope 8579 Zionsville Road, Indianapolis, IN 46268 • (317) 228-6240 • Fax: (317) 228-6243

Mr. Sam Waldo
May 26, 1999
Page 2

biweekly visit was performed at the site on April 16, 1999. The system was fully operational upon arrival at site during all of the visits.

Groundwater Sampling and Analysis

No groundwater treatment system samples were collected during this reporting period. The next sampling event is scheduled for the week ending May 8, 1999.


Schedule of Activities

Biweekly and monthly site inspections and O&M activities will continue. Site visits are scheduled for the weeks ending May 8 and May 22, 1999. The information from these site inspections will be summarized in the May 1999 progress report.


Should you have any questions regarding this site or information summarized within this report, please do not hesitate to contact this office at (317) 228-6240. Handex appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

HANDEX OF INDIANA



Bradley E. Gentry
Hydrogeologist




Jay T. Simonds, L.P.G.
Project Manager

Attachments

cc: Mr. William Gabriel, O'Brien & Gere Engineers, Inc., Syracuse, NY
Mr. Rob Baker, Franklin Power Products

FIGURES



FORMER AMPHENOL FACILITY
GROUNDWATER TABLE CONTOUR MAP
APRIL 23, 1999




Figure 2

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| IT-2 | 8/29/95 | 732.25 | 12.36 | 719.89 |
| | 11/7/95 | | 13.07 | 719.18 |
| | 4/12/96 | | 13.45 | 718.80 |
| | 5/29/96 | | 10.82 | 721.43 |
| | 6/4/96 | | 11.08 | 721.17 |
| | 7/8/96 | | 11.84 | 720.41 |
| | 8/1/96 | | 12.04 | 720.21 |
| | 9/12/96 | | 12.58 | 719.67 |
| | 10/17/96 | | 12.37 | 719.88 |
| | 11/25/96 | | 12.26 | 719.99 |
| | 12/11/96 | | 12.02 | 720.23 |
| | 1/24/97 | | 11.71 | 720.54 |
| | 2/21/97 | | 11.85 | 720.40 |
| | 3/14/97 | | 11.48 | 720.77 |
| | 4/11/97 | | 11.94 | 720.31 |
| | 5/7/97 | | 11.98 | 720.27 |
| | 6/5/97 | | 11.37 | 720.88 |
| | 7/3/97 | | 11.73 | 720.52 |
| | 8/4/97 | | 12.25 | 720.00 |
| | 9/29/97 | | 12.46 | 719.79 |
| | 10/10/97 | | 12.68 | 719.57 |
| | 11/10/97 | | 12.80 | 719.45 |
| | 12/1/97 | | 12.93 | 719.32 |
| | 1/16/98 | | 13.06 | 719.19 |
| | 2/4/98 | | 13.11 | 719.14 |
| | 3/25/98 | | 12.05 | 720.20 |
| | 4/10/98 | | 12.00 | 720.25 |
| | 5/8/98 | | 11.60 | 720.65 |
| | 6/5/98 | | 11.80 | 720.45 |
| | 7/2/98 | | 11.12 | 721.13 |
| | 7/30/98 | | 11.65 | 720.60 |
| | 9/10/98 | | 12.20 | 720.05 |
| | 10/12/98 | | 12.65 | 719.60 |
| | 11/13/98 | | 12.80 | 719.45 |
| | 12/11/98 | | 13.00 | 719.25 |
| | 1/29/99 | | 11.99 | 720.26 |
| | 2/12/99 | | 11.70 | 720.55 |
| | 3/10/99 | NR | (2) | NA |
| | 3/19/99 | | 12.20 | 720.05 |
| | 3/25/99 | | 10.76 | 721.49 |
| | 4/9/99 | | 12.50 | 719.75 |
| | 4/16/99 | | 12.53 | 719.72 |
| | 4/23/99 | | 12.75 | 719.50 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| IT-3 | 8/29/95 | 728.71 | 9.52 | 719.19 |
| | 11/7/95 | | 11.14 | 717.57 |
| | 4/12/96 | | 12.09 | 716.62 |
| | 5/29/96 | | 9.41 | 719.30 |
| | 6/4/96 | | 10.11 | 718.60 |
| | 7/8/96 | | 10.44 | 718.27 |
| | 8/1/96 | | 10.63 | 718.08 |
| | 9/12/96 | | 10.85 | 717.86 |
| | 10/17/96 | | 10.97 | 717.74 |
| | 11/25/96 | | 10.82 | 717.89 |
| | 12/11/96 | | 10.79 | 717.92 |
| | 1/24/97 | | 10.55 | 718.16 |
| | 2/21/97 | | 10.80 | 717.91 |
| | 3/14/97 | | 10.51 | 718.20 |
| | 4/11/97 | | 10.76 | 717.95 |
| | 5/7/97 | | 10.79 | 717.92 |
| | 6/5/97 | | 10.18 | 718.53 |
| | 7/3/97 | | 10.49 | 718.22 |
| | 8/4/97 | | 10.78 | 717.93 |
| | 9/29/97 | | 10.93 | 717.78 |
| | 10/10/97 | | 11.02 | 717.69 |
| | 11/10/97 | | 11.12 | 717.59 |
| | 12/1/97 | | 11.18 | 717.53 |
| | 1/16/98 | | 11.21 | 717.50 |
| | 2/4/98 | | 11.30 | 717.41 |
| | 3/25/98 | | 10.78 | 717.93 |
| | 4/10/98 | | 10.67 | 718.04 |
| | 5/8/98 | | 10.48 | 718.23 |
| | 6/5/98 | | 10.70 | 718.01 |
| | 7/2/98 | | 10.24 | 718.47 |
| | 7/30/98 | | 10.39 | 718.32 |
| | 9/10/98 | | 10.80 | 717.91 |
| | 10/12/98 | | 10.94 | 717.77 |
| | 11/13/98 | | 11.10 | 717.61 |
| | 12/11/98 | | 11.23 | 717.48 |
| | 1/29/99 | | 11.00 | 717.71 |
| | 2/12/99 | | 10.81 | 717.90 |
| | 3/10/99 | | NR (2) | NA |
| | 3/19/99 | | 10.80 | 717.91 |
| | 3/25/99 | | 10.86 | 717.85 |
| | 4/9/99 | | 10.95 | 717.76 |
| | 4/16/99 | | 10.98 | 717.73 |
| | 4/23/99 | | NR (2) | NA |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-3 | 8/29/95 | 736.44 | 15.23 | 721.21 |
| | 11/7/95 | | 16.40 | 720.04 |
| | 4/12/96 | | 14.91 | 721.53 |
| | 5/29/96 | | 13.16 | 723.28 |
| | 6/4/96 | | 13.15 | 723.29 |
| | 7/8/96 | | 14.03 | 722.41 |
| | 8/1/96 | | 14.53 | 721.91 |
| | 9/12/96 | | 15.33 | 721.11 |
| | 10/17/96 | | 15.33 | 721.11 |
| | 11/25/96 | | 15.29 | 721.15 |
| | 12/11/96 | | 14.95 | 721.49 |
| | 1/24/97 | | 14.50 | 721.94 |
| | 2/21/97 | | 14.50 | 721.94 |
| | 3/14/97 | | 14.06 | 722.38 |
| | 4/11/97 | | 14.42 | 722.02 |
| | 5/12/97 | | 14.59 | 721.85 |
| | 6/5/97 | | 13.53 | 722.91 |
| | 7/3/97 | | 14.09 | 722.35 |
| | 8/4/97 | | 14.90 | 721.54 |
| | 9/29/97 | | 15.53 | 720.91 |
| | 10/10/97 | | 15.75 | 720.69 |
| | 11/10/97 | | 16.08 | 720.36 |
| | 12/1/97 | | 17.24 | 719.20 |
| | 1/16/98 | | 16.32 | 720.12 |
| | 2/4/98 | | 16.40 | 720.04 |
| | 3/25/98 | | 15.39 | 721.05 |
| | 4/10/98 | | 15.00 | 721.44 |
| | 5/8/98 | | 14.27 | 722.17 |
| | 6/5/98 | | 14.44 | 722.00 |
| | 7/2/98 | | 13.38 | 723.06 |
| | 7/30/98 | | 14.02 | 722.42 |
| | 9/10/98 | | 15.08 | 721.36 |
| | 10/12/98 | | 15.50 | 720.94 |
| | 11/13/98 | | 17.77 | 718.67 |
| | 12/11/98 | | 16.08 | 720.36 |
| | 1/29/99 | | 14.85 | 721.59 |
| | 2/12/99 | | 14.48 | 721.96 |
| | 3/10/99 | | 14.65 | 721.79 |
| | 3/19/99 | | 14.65 | 721.79 |
| | 3/25/99 | | 14.75 | 721.69 |
| | 4/9/99 | | 15.01 | 721.43 |
| | 4/16/99 | | 15.07 | 721.37 |
| | 4/23/99 | | 15.03 | 721.41 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| MW-9 | 8/29/95 | 733.04 | 9.70 | 723.34 |
| | 11/7/95 | | 11.47 | 721.57 |
| | 4/12/96 | | 9.46 | 723.58 |
| | 5/29/96 | | 3.94 | 729.10 |
| | 6/4/96 | | 5.81 | 727.23 |
| | 7/8/96 | | 6.90 | 726.14 |
| | 8/1/96 | | 7.65 | 725.39 |
| | 9/12/96 | | 9.23 | 723.81 |
| | 10/17/96 | | 9.64 | 723.40 |
| | 11/25/96 | | 9.53 | 723.51 |
| | 12/11/96 | | 9.18 | 723.86 |
| | 1/24/97 | | 7.66 | 725.38 |
| | 2/21/97 | | 7.70 | 725.34 |
| | 3/14/97 | | 6.68 | 726.36 |
| | 4/11/97 | | 7.54 | 725.50 |
| | 5/12/97 | | 7.97 | 725.07 |
| | 6/5/97 | | 5.63 | 727.41 |
| | 7/3/97 | | 7.13 | 725.91 |
| | 8/4/97 | | 8.44 | 724.60 |
| | 9/29/97 | | 9.82 | 723.22 |
| | 10/10/97 | | 10.17 | 722.87 |
| | 11/10/97 | | 10.84 | 722.20 |
| | 12/1/97 | | 11.16 | 721.88 |
| | 1/16/98 | | 11.25 | 721.79 |
| | 2/4/98 | | 11.28 | 721.76 |
| | 3/25/98 | | 9.70 | 723.34 |
| | 4/10/98 | | 8.70 | 724.34 |
| | 5/8/98 | | 6.95 | 726.09 |
| | 6/5/98 | | 7.50 | 725.54 |
| | 7/2/98 | | 6.07 | 726.97 |
| | 7/30/98 | | 7.10 | 725.94 |
| | 9/10/98 | | 8.87 | 724.17 |
| | 10/12/98 | | 9.57 | 723.47 |
| | 11/13/98 | | 9.92 | 723.12 |
| | 12/11/98 | | 10.37 | 722.67 |
| | 1/29/99 | | 9.00 | 724.04 |
| | 2/12/99 | | 7.40 | 725.64 |
| | 3/10/99 | | 7.55 | 725.49 |
| | 3/19/99 | | 7.66 | 725.38 |
| | 3/25/99 | | 7.85 | 725.19 |
| | 4/9/99 | | 8.07 | 724.97 |
| | 4/16/99 | | 8.25 | 724.79 |
| | 4/23/99 | | 8.10 | 724.94 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-12 | 8/29/95 | 736.38 | 16.43 | 719.95 |
| | 11/7/95 | | 17.18 | 719.20 |
| | 4/12/96 | | 16.21 | 720.17 |
| | 5/29/96 | | 15.07 | 721.31 |
| | 6/4/96 | | 15.31 | 721.07 |
| | 7/8/96 | | 15.88 | 720.50 |
| | 8/1/96 | | 16.16 | 720.22 |
| | 9/12/96 | | 16.59 | 719.79 |
| | 10/17/96 | | 16.47 | 719.91 |
| | 11/25/96 | | 16.32 | 720.06 |
| | 12/11/96 | | 16.12 | 720.26 |
| | 1/24/97 | | 15.89 | 720.49 |
| | 2/21/97 | | 15.96 | 720.42 |
| | 3/14/97 | | 15.66 | 720.72 |
| | 4/11/97 | | 16.07 | 720.31 |
| | 5/7/97 | | 16.09 | 720.29 |
| | 6/5/97 | | 15.85 | 720.53 |
| | 7/3/97 | | 15.64 | 720.74 |
| | 8/4/97 | | 16.36 | 720.02 |
| | 9/29/97 | | 16.57 | 719.81 |
| | 10/10/97 | | 16.70 | 719.68 |
| | 11/10/97 | | 16.90 | 719.48 |
| | 12/1/97 | | 17.00 | 719.38 |
| | 1/16/98 | | 17.20 | 719.18 |
| | 2/4/98 | | 17.20 | 719.18 |
| | 3/25/98 | | 16.26 | 720.12 |
| | 4/10/98 | | 16.12 | 720.26 |
| | 5/8/98 | | 15.79 | 720.59 |
| | 6/5/98 | | 16.00 | 720.38 |
| | 7/2/98 | | 15.33 | 721.05 |
| | 7/30/98 | | 15.70 | 720.68 |
| | 9/10/98 | | 16.26 | 720.12 |
| | 10/12/98 | | 16.81 | 719.57 |
| | 11/13/98 | | 16.94 | 719.44 |
| | 12/11/98 | | 17.10 | 719.28 |
| | 1/29/99 | | 16.18 | 720.20 |
| | 2/12/99 | | 15.92 | 720.46 |
| | 3/10/99 | | 16.40 | 719.98 |
| | 3/19/99 | | 16.44 | 719.94 |
| | 3/25/99 | | 16.50 | 719.88 |
| | 4/9/99 | | 16.71 | 719.67 |
| | 4/16/99 | | 16.73 | 719.65 |
| | 4/23/99 | | 16.70 | 719.68 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-20 | 8/29/95 | 734.03 | 10.35 | 723.68 |
| | 11/7/95 | | 12.16 | 721.87 |
| | 4/12/96 | | 9.70 | 724.33 |
| | 5/29/96 | | 6.30 | 727.73 |
| | 6/4/96 | | 7.63 | 726.40 |
| | 7/8/96 | | 8.58 | 725.45 |
| | 8/1/96 | | 8.93 | 725.10 |
| | 9/12/96 | | 10.39 | 723.64 |
| | 10/17/96 | | 10.56 | 723.47 |
| | 11/25/96 | | 9.82 | 724.21 |
| | 12/11/96 | | 9.64 | 724.39 |
| | 1/24/97 | | 8.57 | 725.46 |
| | 2/21/97 | | 8.86 | 725.17 |
| | 3/14/97 | | 8.00 | 726.03 |
| | 4/11/97 | | 8.87 | 725.16 |
| | 5/12/97 | | 9.13 | 724.90 |
| | 6/5/97 | | 7.55 | 726.48 |
| | 7/3/97 | | 8.70 | 725.33 |
| | 8/4/97 | | 9.70 | 724.33 |
| | 9/29/97 | | 10.85 | 723.18 |
| | 10/10/97 | | 11.08 | 722.95 |
| | 11/10/97 | | 11.66 | 722.37 |
| | 12/1/97 | | 11.80 | 722.23 |
| | 1/16/98 | | 11.68 | 722.35 |
| | 2/4/98 | | 11.80 | 722.23 |
| | 3/25/98 | | 10.08 | 723.95 |
| | 4/10/98 | | 9.26 | 724.77 |
| | 5/8/98 | | 8.22 | 725.81 |
| | 6/5/98 | | 8.78 | 725.25 |
| | 7/2/98 | | 8.10 | 725.93 |
| | 7/30/98 | | 8.72 | 725.31 |
| | 9/10/98 | | 10.10 | 723.93 |
| | 10/12/98 | | 10.67 | 723.36 |
| | 11/13/98 | | 10.85 | 723.18 |
| | 12/11/98 | | 11.44 | 722.59 |
| | 1/29/99 | | 9.71 | 724.32 |
| | 2/12/99 | | 7.01 | 727.02 |
| | 3/10/99 | | 8.84 | 725.19 |
| | 3/19/99 | | NR (2) | NA |
| | 3/25/99 | | 9.21 | 724.82 |
| | 4/9/99 | | 9.63 | 724.40 |
| | 4/16/99 | | 9.73 | 724.30 |
| | 4/23/99 | | 9.28 | 724.75 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-21 | 8/29/95 | 737.91 | 16.81 | 721.10 |
| | 11/7/95 | | 17.92 | 719.99 |
| | 4/12/96 | | 16.48 | 721.43 |
| | 5/29/96 | | 14.82 | 723.09 |
| | 6/4/96 | | 14.82 | 723.09 |
| | 7/8/96 | | 15.67 | 722.24 |
| | 8/1/96 | | 16.16 | 721.75 |
| | 9/12/96 | | 16.89 | 721.02 |
| | 10/17/96 | | 16.89 | 721.02 |
| | 11/25/96 | | 16.85 | 721.06 |
| | 12/11/96 | | 16.53 | 721.38 |
| | 1/24/97 | | 16.10 | 721.81 |
| | 2/21/97 | | 16.11 | 721.80 |
| | 3/14/97 | | 15.64 | 722.27 |
| | 4/11/97 | | 16.05 | 721.86 |
| | 5/12/97 | | 16.20 | 721.71 |
| | 6/5/97 | | 15.18 | 722.73 |
| | 7/3/97 | | 15.72 | 722.19 |
| | 8/4/97 | | 16.48 | 721.43 |
| | 9/29/97 | | 17.10 | 720.81 |
| | 10/10/97 | | 17.31 | 720.60 |
| | 11/10/97 | | 17.61 | 720.30 |
| | 12/1/97 | | 17.78 | 720.13 |
| | 1/16/98 | | 17.87 | 720.04 |
| | 2/4/98 | | 17.98 | 719.93 |
| | 3/25/98 | | 16.92 | 720.99 |
| | 4/10/98 | | 16.56 | 721.35 |
| | 5/8/98 | | 15.92 | 721.99 |
| | 6/5/98 | | 16.08 | 721.83 |
| | 7/2/98 | | 15.06 | 722.85 |
| | 7/30/98 | | 15.65 | 722.26 |
| | 9/10/98 | | 16.64 | 721.27 |
| | 10/12/98 | | 17.10 | 720.81 |
| | 11/13/98 | | 17.31 | 720.60 |
| | 12/11/98 | | 17.60 | 720.31 |
| | 1/29/99 | | 16.42 | 721.49 |
| | 2/12/99 | | 16.04 | 721.87 |
| | 3/10/99 | | 16.32 | 721.59 |
| | 3/19/99 | | 16.26 | 721.65 |
| | 3/25/99 | | 16.36 | 721.55 |
| | 4/9/99 | | 16.62 | 721.29 |
| | 4/16/99 | | 16.67 | 721.24 |
| | 4/23/99 | | 16.59 | 721.32 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-22 | 8/29/95 | 737.64 | 17.05 | 720.59 |
| | 11/7/95 | | 17.90 | 719.74 |
| | 4/12/96 | | 16.74 | 720.90 |
| | 5/29/96 | | 15.52 | 722.12 |
| | 6/4/96 | | 15.63 | 722.01 |
| | 7/8/96 | | 16.22 | 721.42 |
| | 8/1/96 | | 16.58 | 721.06 |
| | 9/12/96 | | 17.15 | 720.49 |
| | 10/17/96 | | 17.04 | 720.60 |
| | 11/25/96 | | 16.99 | 720.65 |
| | 12/11/96 | | 16.76 | 720.88 |
| | 1/24/97 | | 16.46 | 721.18 |
| | 2/21/97 | | 16.50 | 721.14 |
| | 3/14/97 | | 16.15 | 721.49 |
| | 4/11/97 | | 16.47 | 721.17 |
| | 5/7/97 | | 17.55 | 720.09 |
| | 6/5/97 | | 15.88 | 721.76 |
| | 7/3/97 | | 16.34 | 721.30 |
| | 8/4/97 | | 16.86 | 720.78 |
| | 9/29/97 | | 17.26 | 720.38 |
| | 10/10/97 | | 17.43 | 720.21 |
| | 11/10/97 | | 17.65 | 719.99 |
| | 12/1/97 | | 17.80 | 719.84 |
| | 1/16/98 | | 18.00 | 719.64 |
| | 2/4/98 | | 18.05 | 719.59 |
| | 3/25/98 | | 17.00 | 720.64 |
| | 4/10/98 | | 16.75 | 720.89 |
| | 5/8/98 | | 16.35 | 721.29 |
| | 6/5/98 | | 16.51 | 721.13 |
| | 7/2/98 | | 15.84 | 721.80 |
| | 7/30/98 | | 16.22 | 721.42 |
| | 9/10/98 | | 16.91 | 720.73 |
| | 10/12/98 | | 17.35 | 720.29 |
| | 11/13/98 | | 17.52 | 720.12 |
| | 12/11/98 | | 17.74 | 719.90 |
| | 1/29/99 | | 16.80 | 720.84 |
| | 2/12/99 | | 16.50 | 721.14 |
| | 3/10/99 | | 16.80 | 720.84 |
| | 3/19/99 | | 16.77 | 720.87 |
| | 3/25/99 | | 16.80 | 720.84 |
| | 4/9/99 | | 17.04 | 720.60 |
| | 4/16/99 | | 17.03 | 720.61 |
| | 4/23/99 | | 17.02 | 720.62 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-24 | 8/29/95 | 736.02 | 15.59 | 720.43 |
| | 11/7/95 | | 16.41 | 719.61 |
| | 4/12/96 | | 15.29 | 720.73 |
| | 5/29/96 | | 13.77 | 722.25 |
| | 6/4/96 | | 13.80 | 722.22 |
| | 7/8/96 | | 14.54 | 721.48 |
| | 8/1/96 | | 15.01 | 721.01 |
| | 9/12/96 | | 15.61 | 720.41 |
| | 10/17/96 | | 15.66 | 720.36 |
| | 11/25/96 | | 15.61 | 720.41 |
| | 12/11/96 | | 15.33 | 720.69 |
| | 1/24/97 | | 14.96 | 721.06 |
| | 2/21/97 | | 15.24 | 720.78 |
| | 3/14/97 | | 14.62 | 721.40 |
| | 4/11/97 | | 14.96 | 721.06 |
| | 5/7/97 | | 15.04 | 720.98 |
| | 6/5/97 | | 14.20 | 721.82 |
| | 7/3/97 | | 14.62 | 721.40 |
| | 8/4/97 | | 15.30 | 720.72 |
| | 9/29/97 | | 15.79 | 720.23 |
| | 10/10/97 | | 15.98 | 720.04 |
| | 11/10/97 | | 16.18 | 719.84 |
| | 12/1/97 | | 16.33 | 719.69 |
| | 1/16/98 | | 16.48 | 719.54 |
| | 2/4/98 | | 16.53 | 719.49 |
| | 3/25/98 | | 15.65 | 720.37 |
| | 4/10/98 | | 15.44 | 720.58 |
| | 5/8/98 | | 14.83 | 721.19 |
| | 6/5/98 | | 15.00 | 721.02 |
| | 7/2/98 | | 14.00 | 722.02 |
| | 7/30/98 | | 14.50 | 721.52 |
| | 9/10/98 | | 15.38 | 720.64 |
| | 10/12/98 | | 15.80 | 720.22 |
| | 11/13/98 | | 16.05 | 719.97 |
| | 12/11/98 | | 16.23 | 719.79 |
| | 1/29/99 | | 15.28 | 720.74 |
| | 2/12/99 | | 15.03 | 720.99 |
| | 3/10/99 | | 15.15 | 720.87 |
| | 3/19/99 | | 15.07 | 720.95 |
| | 3/25/99 | | 15.18 | 720.84 |
| | 4/9/99 | NR | (2) | NA |
| | 4/16/99 | NR | (2) | NA |
| | 4/23/99 | | 11.05 | 724.97 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-26 | 8/29/95 | 736.39 | 13.46 | 722.93 |
| | 11/7/95 | | 15.02 | 721.37 |
| | 4/12/96 | | 13.17 | 723.22 |
| | 5/29/96 | | 9.53 | 726.86 |
| | 6/4/96 | | 10.47 | 725.92 |
| | 7/8/96 | | 11.62 | 724.77 |
| | 8/1/96 | | 12.16 | 724.23 |
| | 9/12/96 | | 13.48 | 722.91 |
| | 10/17/96 | | 13.60 | 722.79 |
| | 11/25/96 | | 13.42 | 722.97 |
| | 12/11/96 | | 13.08 | 723.31 |
| | 1/24/97 | | 12.14 | 724.25 |
| | 2/21/97 | | 12.25 | 724.14 |
| | 3/14/97 | | 11.48 | 724.91 |
| | 4/11/97 | | 12.18 | 724.21 |
| | 5/12/97 | | 12.41 | 723.98 |
| | 6/5/97 | | 10.45 | 725.94 |
| | 7/3/97 | | 11.78 | 724.61 |
| | 8/4/97 | | 12.78 | 723.61 |
| | 9/29/97 | | 13.83 | 722.56 |
| | 10/10/97 | | 14.09 | 722.30 |
| | 11/10/97 | | 14.61 | 721.78 |
| | 12/1/97 | | 14.86 | 721.53 |
| | 1/16/98 | | 14.90 | 721.49 |
| | 2/4/98 | | 15.00 | 721.39 |
| | 3/25/98 | | 13.57 | 722.82 |
| | 4/10/98 | | 12.92 | 723.47 |
| | 5/8/98 | | 11.70 | 724.69 |
| | 6/5/98 | | 12.06 | 724.33 |
| | 7/2/98 | | 10.90 | 725.49 |
| | 7/30/98 | | 13.16 | 723.23 |
| | 9/10/98 | | 11.69 | 724.70 |
| | 10/12/98 | | 13.69 | 722.70 |
| | 11/13/98 | | 14.00 | 722.39 |
| | 12/11/98 | | 14.41 | 721.98 |
| | 1/29/99 | | 13.07 | 723.32 |
| | 2/12/99 | | 12.29 | 724.10 |
| | 3/10/99 | | 12.10 | 724.29 |
| | 3/19/99 | | 12.27 | 724.12 |
| | 3/25/99 | | 12.42 | 723.97 |
| | 4/9/99 | | 12.63 | 723.76 |
| | 4/16/99 | | 12.73 | 723.66 |
| | 4/23/99 | | 12.62 | 723.77 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-27 | 8/29/95 | 736.63 | 15.37 | 721.26 |
| | 11/7/95 | | 16.66 | 719.97 |
| | 4/12/96 | | 15.01 | 721.62 |
| | 5/29/96 | | 13.23 | 723.40 |
| | 6/4/96 | | 13.44 | 723.19 |
| | 7/8/96 | | 14.38 | 722.25 |
| | 8/1/96 | | 14.79 | 721.84 |
| | 9/12/96 | | 15.62 | 721.01 |
| | 10/17/96 | | 15.56 | 721.07 |
| | 11/25/96 | | 15.45 | 721.18 |
| | 12/11/96 | | 15.11 | 721.52 |
| | 1/24/97 | | 14.63 | 722.00 |
| | 2/21/97 | | 14.75 | 721.88 |
| | 3/14/97 | | 14.28 | 722.35 |
| | 4/11/97 | | 14.71 | 721.92 |
| | 5/12/97 | | 14.88 | 721.75 |
| | 6/5/97 | | 13.78 | 722.85 |
| | 7/3/97 | | 14.40 | 722.23 |
| | 8/4/97 | | 15.12 | 721.51 |
| | 9/29/97 | | 15.82 | 720.81 |
| | 10/10/97 | | 16.02 | 720.61 |
| | 11/10/97 | | 16.36 | 720.27 |
| | 12/1/97 | | 16.52 | 720.11 |
| | 1/16/98 | | 16.46 | 720.17 |
| | 2/4/98 | | 16.58 | 720.05 |
| | 3/25/98 | | 15.42 | 721.21 |
| | 4/10/98 | | 15.06 | 721.57 |
| | 5/8/98 | | 14.40 | 722.23 |
| | 6/5/98 | | 14.67 | 721.96 |
| | 7/2/98 | | 13.78 | 722.85 |
| | 7/30/98 | | 14.34 | 722.29 |
| | 9/10/98 | | 15.38 | 721.25 |
| | 10/12/98 | | 15.80 | 720.83 |
| | 11/13/98 | | 15.98 | 720.65 |
| | 12/11/98 | | 16.32 | 720.31 |
| | 1/29/99 | | 14.97 | 721.66 |
| | 2/12/99 | | 14.55 | 722.08 |
| | 3/10/99 | | 15.00 | 721.63 |
| | 3/19/99 | | 14.93 | 721.70 |
| | 3/25/99 | | 15.03 | 721.60 |
| | 4/9/99 | | 15.30 | 721.33 |
| | 4/16/99 | | 15.38 | 721.25 |
| | 4/23/99 | | 15.28 | 721.35 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-28 | 8/29/95 | 738.04 | 17.03 | 721.01 |
| | 11/7/95 | | 18.19 | 719.85 |
| | 4/12/96 | | 16.72 | 721.32 |
| | 5/29/96 | | 15.21 | 722.83 |
| | 6/4/96 | | 15.32 | 722.72 |
| | 7/8/96 | | 16.12 | 721.92 |
| | 8/1/96 | | 16.54 | 721.50 |
| | 9/12/96 | | 17.25 | 720.79 |
| | 10/17/96 | | 17.20 | 720.84 |
| | 11/25/96 | | 17.10 | 720.94 |
| | 12/11/96 | | 16.81 | 721.23 |
| | 1/24/97 | | 16.39 | 721.65 |
| | 2/21/97 | | 16.49 | 721.55 |
| | 3/14/97 | | 16.05 | 721.99 |
| | 4/11/97 | | 16.41 | 721.63 |
| | 5/12/97 | | 16.57 | 721.47 |
| | 6/5/97 | | 15.66 | 722.38 |
| | 7/3/97 | | 16.17 | 721.87 |
| | 8/4/97 | | 16.84 | 721.20 |
| | 9/29/97 | | 17.41 | 720.63 |
| | 10/10/97 | | 17.61 | 720.43 |
| | 11/10/97 | | 17.91 | 720.13 |
| | 12/1/97 | | 18.08 | 719.96 |
| | 1/16/98 | | 18.10 | 719.94 |
| | 2/4/98 | | 18.20 | 719.84 |
| | 3/25/98 | | 17.10 | 720.94 |
| | 4/10/98 | | 16.79 | 721.25 |
| | 5/8/98 | | 16.20 | 721.84 |
| | 6/5/98 | | 16.40 | 721.64 |
| | 7/2/98 | | 15.60 | 722.44 |
| | 7/30/98 | | 16.10 | 721.94 |
| | 9/10/98 | | 17.00 | 721.04 |
| | 10/12/98 | | 17.41 | 720.63 |
| | 11/13/98 | | 17.60 | 720.44 |
| | 12/11/98 | | 17.88 | 720.16 |
| | 1/29/99 | | 16.70 | 721.34 |
| | 2/12/99 | | 16.34 | 721.70 |
| | 3/10/99 | | 16.68 | 721.36 |
| | 3/19/99 | | 16.71 | 721.33 |
| | 3/25/99 | | 16.80 | 721.24 |
| | 4/9/99 | | 17.02 | 721.02 |
| | 4/16/99 | | 17.08 | 720.96 |
| | 4/23/99 | | 17.03 | 721.01 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| MW-29 | 8/29/95 | 737.61 | 16.83 | 720.78 |
| | 11/7/95 | | 17.99 | 719.62 |
| | 4/12/96 | | 16.46 | 721.15 |
| | 5/29/96 | | 15.01 | 722.60 |
| | 6/4/96 | | 15.19 | 722.42 |
| | 7/8/96 | | 16.04 | 721.57 |
| | 8/1/96 | | 16.40 | 721.21 |
| | 9/12/96 | | 17.15 | 720.46 |
| | 10/17/96 | | 17.02 | 720.59 |
| | 11/25/96 | | 16.93 | 720.68 |
| | 12/11/96 | | 16.61 | 721.00 |
| | 1/24/97 | | 16.24 | 721.37 |
| | 2/21/97 | | 16.31 | 721.30 |
| | 3/14/97 | | 15.91 | 721.70 |
| | 4/11/97 | | 16.30 | 721.31 |
| | 5/12/97 | | 16.41 | 721.20 |
| | 6/5/97 | | 15.57 | 722.04 |
| | 7/3/97 | | 16.06 | 721.55 |
| | 8/4/97 | | 16.70 | 720.91 |
| | 9/29/97 | | 17.25 | 720.36 |
| | 10/10/97 | | 17.44 | 720.17 |
| | 11/10/97 | | 17.86 | 719.75 |
| | 12/1/97 | | 17.86 | 719.75 |
| | 1/16/98 | | 17.81 | 719.80 |
| | 2/4/98 | | 17.95 | 719.66 |
| | 3/25/98 | | 16.80 | 720.81 |
| | 4/10/98 | | 16.53 | 721.08 |
| | 5/8/98 | | 15.98 | 721.63 |
| | 6/5/98 | | 16.30 | 721.31 |
| | 7/2/98 | | 15.50 | 722.11 |
| | 7/30/98 | | 15.98 | 721.63 |
| | 9/10/98 | | 16.89 | 720.72 |
| | 10/12/98 | | 17.23 | 720.38 |
| | 11/13/98 | | 17.40 | 720.21 |
| | 12/11/98 | | 17.70 | 719.91 |
| | 1/29/99 | | 16.45 | 721.16 |
| | 2/12/99 | | 16.09 | 721.52 |
| | 3/10/99 | | 16.48 | 721.13 |
| | 3/19/99 | | 16.48 | 721.13 |
| | 3/25/99 | | 16.61 | 721.00 |
| | 4/9/99 | | 16.88 | 720.73 |
| | 4/16/99 | | 16.92 | 720.69 |
| | 4/23/99 | | 16.84 | 720.77 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-30 | 8/29/95 | 734.84 | 15.54 | 719.30 |
| | 11/7/95 | | 15.93 | 718.91 |
| | 4/12/96 | | 14.95 | 719.89 |
| | 5/29/96 | | 14.10 | 720.74 |
| | 6/4/96 | | 14.38 | 720.46 |
| | 7/8/96 | | 14.84 | 720.00 |
| | 8/1/96 | | 15.06 | 719.78 |
| | 9/12/96 | | 15.28 | 719.56 |
| | 10/17/96 | | 15.58 | 719.26 |
| | 11/25/96 | | 15.13 | 719.71 |
| | 12/11/96 | | 14.98 | 719.86 |
| | 1/24/97 | | 14.71 | 720.13 |
| | 2/21/97 | | 14.95 | 719.89 |
| | 3/14/97 | | 14.70 | 720.14 |
| | 4/11/97 | | 14.92 | 719.92 |
| | 5/7/97 | | 14.93 | 719.91 |
| | 6/5/97 | | 14.37 | 720.47 |
| | 7/3/97 | | 14.75 | 720.09 |
| | 8/4/97 | | 15.28 | 719.56 |
| | 9/29/97 | | 15.33 | 719.51 |
| | 10/10/97 | | 15.42 | 719.42 |
| | 11/10/97 | | 15.52 | 719.32 |
| | 12/1/97 | | 15.80 | 719.04 |
| | 1/16/98 | | 15.70 | 719.14 |
| | 2/4/98 | | 15.80 | 719.04 |
| | 3/25/98 | | 15.44 | 719.40 |
| | 4/10/98 | | 15.18 | 719.66 |
| | 5/8/98 | | 15.05 | 719.79 |
| | 6/5/98 | | 15.20 | 719.64 |
| | 7/2/98 | | 14.30 | 720.54 |
| | 7/30/98 | | 14.73 | 720.11 |
| | 9/10/98 | | 15.12 | 719.72 |
| | 10/12/98 | | 15.88 | 718.96 |
| | 11/13/98 | | 16.00 | 718.84 |
| | 12/11/98 | | 16.10 | 718.74 |
| | 1/29/99 | | 16.90 | 717.94 |
| | 2/12/99 | | 15.33 | 719.51 |
| | 3/10/99 | | 15.46 | 719.38 |
| | 3/19/99 | | 15.50 | 719.34 |
| | 3/25/99 | | 15.55 | 719.29 |
| | 4/9/99 | | 15.65 | 719.19 |
| | 4/16/99 | | 15.69 | 719.15 |
| | 4/23/99 | | 15.65 | 719.19 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| RW-1 | 8/29/95 | 730.97 | 2.58 (1) | 728.39 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 11.02 | 719.95 |
| | 5/29/96 | | 10.84 | 720.13 |
| | 6/4/96 | | 11.12 | 719.85 |
| | 7/8/96 | | 11.28 | 719.69 |
| | 8/1/96 | | NR (2) | NA |
| | 9/12/96 | | 11.55 | 719.42 |
| | 10/17/96 | | 12.50 | 718.47 |
| | 11/25/96 | | 11.23 | 719.74 |
| | 12/11/96 | | 11.06 | 719.91 |
| | 1/24/97 | | 10.90 | 720.07 |
| | 2/21/97 | | 11.06 | 719.91 |
| | 3/14/97 | | 10.73 | 720.24 |
| | 4/11/97 | | 10.98 | 719.99 |
| | 5/7/97 | | 11.02 | 719.95 |
| | 6/5/97 | | 10.48 | 720.49 |
| | 7/3/97 | | 10.86 | 720.11 |
| | 8/4/97 | | 11.72 | 719.25 |
| | 9/29/97 | | 12.75 | 718.22 |
| | 10/10/97 | | 11.50 | 719.47 |
| | 11/10/97 | | 11.60 | 719.37 |
| | 12/1/97 | | 13.00 | 717.97 |
| | 1/16/98 | | 11.90 | 719.07 |
| | 2/4/98 | | 11.90 | 719.07 |
| | 3/25/98 | | 12.96 | 718.01 |
| | 4/10/98 | | 12.50 | 718.47 |
| | 5/8/98 | | 12.10 | 718.87 |
| | 6/5/98 | | 12.30 | 718.67 |
| | 7/2/98 | | 10.60 | 720.37 |
| | 7/30/98 | | 11.60 | 719.37 |
| | 9/10/98 | | 11.22 | 719.75 |
| | 10/12/98 | | 13.80 | 717.17 |
| | 11/13/98 | | 13.50 | 717.47 |
| | 12/11/98 | | 13.80 | 717.17 |
| | 1/29/99 | | 13.20 | 717.77 |
| | 2/12/99 | | 12.70 | 718.27 |
| | 3/25/99 | | 12.66 | 718.31 |
| | 4/9/99 | | 12.63 | 718.34 |
| | 4/23/99 | | 12.65 | 718.32 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| RW-2 | 8/29/95 | 732.05 | 4.42 (1) | 727.63 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 12.72 | 719.33 |
| | 5/29/96 | | 11.50 | 720.55 |
| | 6/4/96 | | 11.88 | 720.17 |
| | 7/8/96 | | 12.48 | 719.57 |
| | 8/1/96 | | 12.76 | 719.29 |
| | 9/12/96 | | 13.25 | 718.80 |
| | 10/17/96 | | 12.86 | 719.19 |
| | 11/25/96 | | 12.26 | 719.79 |
| | 12/11/96 | | 11.89 | 720.16 |
| | 1/24/97 | | 11.76 | 720.29 |
| | 2/21/97 | | 11.80 | 720.25 |
| | 3/14/97 | | 11.45 | 720.60 |
| | 4/11/97 | | 11.84 | 720.21 |
| | 5/7/97 | | 11.85 | 720.20 |
| | 6/5/97 | | 11.43 | 720.62 |
| | 7/3/97 | | 11.61 | 720.44 |
| | 8/4/97 | | 12.10 | 719.95 |
| | 9/29/97 | | 12.90 | 719.15 |
| | 10/10/97 | | 12.42 | 719.63 |
| | 11/10/97 | | 13.10 | 718.95 |
| | 12/1/97 | | 12.62 | 719.43 |
| | 1/16/98 | | 12.90 | 719.15 |
| | 2/4/98 | | 12.95 | 719.10 |
| | 3/25/98 | | 13.10 | 718.95 |
| | 4/10/98 | | 13.10 | 718.95 |
| | 5/8/98 | | 12.80 | 719.25 |
| | 6/5/98 | | 12.20 | 719.85 |
| | 7/2/98 | | 12.40 | 719.65 |
| | 7/30/98 | | 12.80 | 719.25 |
| | 9/10/98 | | 11.96 | 720.09 |
| | 10/12/98 | | 15.80 | 716.25 |
| | 11/13/98 | | 14.12 | 717.93 |
| | 12/11/98 | | 14.10 | 717.95 |
| | 1/29/99 | | 14.00 | 718.05 |
| | 2/12/99 | | 12.90 | 719.15 |
| | 3/25/99 | | 15.24 | 716.81 |
| | 4/9/99 | | 16.40 | 715.65 |
| | 4/23/99 | | 16.54 | 715.51 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-------------------------|------------------------------|--|
| RW-3 | 8/29/95 | 733.19 | 4.08 | (1) 729.11 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 13.07 | 720.12 |
| | 5/29/96 | | 11.73 | 721.46 |
| | 6/4/96 | | 12.68 | 720.51 |
| | 7/8/96 | | 13.26 | 719.93 |
| | 8/1/96 | | 13.10 | 720.09 |
| | 9/12/96 | | 13.40 | 719.79 |
| | 10/17/96 | | 12.78 | 720.41 |
| | 11/25/96 | | 12.68 | 720.51 |
| | 12/11/96 | | 12.51 | 720.68 |
| | 1/24/97 | | 12.26 | 720.93 |
| | 2/21/97 | | 12.20 | 720.99 |
| | 3/14/97 | | 11.90 | 721.29 |
| | 4/11/97 | | 12.23 | 720.96 |
| | 5/7/97 | | 12.23 | 720.96 |
| | 6/5/97 | | 11.68 | 721.51 |
| | 7/3/97 | | 12.00 | 721.19 |
| | 8/4/97 | | 14.00 | 719.19 |
| | 9/29/97 | | 14.20 | 718.99 |
| | 10/10/97 | | 13.18 | 720.01 |
| | 11/10/97 | | 14.52 | 718.67 |
| | 12/1/97 | | 15.60 | 717.59 |
| | 1/16/98 | | 13.76 | 719.43 |
| | 2/4/98 | | 13.80 | 719.39 |
| | 3/25/98 | | 15.46 | 717.73 |
| | 4/10/98 | | 15.00 | 718.19 |
| | 5/8/98 | | 13.50 | 719.69 |
| | 6/5/98 | | 14.10 | 719.09 |
| | 7/2/98 | | 12.74 | 720.45 |
| | 7/30/98 | | 13.60 | 719.59 |
| | 9/10/98 | | 12.30 | 720.89 |
| | 10/12/98 | | 16.20 | 716.99 |
| | 11/13/98 | | 15.16 | 718.03 |
| | 12/11/98 | | 14.80 | 718.39 |
| | 1/29/99 | | 13.40 | 719.79 |
| | 2/12/99 | | 13.10 | 720.09 |
| | 3/25/99 | | 14.91 | 718.28 |
| | 4/9/99 | | 15.10 | 718.09 |
| | 4/23/99 | | 15.12 | 718.07 |
| RW-4 | 3/25/99 | 735.48 | 16.33 | 719.15 |
| | 4/9/99 | | 16.90 | 718.58 |
| | 4/23/99 | | 16.51 | 718.97 |

(1) Ground water elevation based on measurements from top of bubbler tip.

(2) NR - Not Recorded

ATTACHMENT B

Groundwater Recovery Summary

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | | |
|----------------|------------------------------|------------------|------------------|------|------------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 2/24/95 | - | - | - | - | - |
| 3/3/95 | 20,984 | 31,644 | 80,228 | - | 132,856 |
| 3/29/95 | 84,695 | 88,774 | 152,228 | - | 325,697 |
| 4/14/95 | 136,654 | 133,675 | 224,228 | - | 494,557 |
| 5/3/95 | 200,683 | 193,729 | 284,420 | - | 678,832 |
| 5/14/95 | 237,115 | 228,577 | 319,268 | - | 784,960 |
| 5/18/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/23/95 | 255,043 | 245,727 | 354,116 | - | 854,886 |
| 5/26/95 | 276,211 | 266,031 | 374,420 | - | 916,662 |
| 6/19/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/3/95 | 445,555 | 428,463 | 536,852 | - | 1,410,870 |
| 8/4/95 | 448,963 | 431,997 | 543,600 | - | 1,424,560 |
| 8/9/95 | 473,414 | 453,496 | 590,792 | - | 1,517,702 |
| 8/11/95 | 482,414 | 461,556 | 609,202 | - | 1,553,172 |
| 8/14/95 | 496,474 | 474,106 | 637,152 | - | 1,607,732 |
| 8/29/95 | 561,302 | 533,550 | 768,644 | - | 1,863,496 |
| 10/6/95 | 664,814 | 629,975 | 985,749 | - | 2,280,538 |
| 11/7/95 | 665,305 | 763,804 | 1,159,950 | - | 2,589,059 |
| 12/8/95 | 686,316 | 766,356 | 1,253,348 | - | 2,706,020 |
| 1/15/96 | 778,585 | 873,570 | 1,263,941 | - | 2,916,096 |
| 4/12/96 | 778,585 | 1,170,564 | 1,651,617 | - | 3,600,766 |
| 5/29/96 | 873,365 | 1,376,384 | 1,823,668 | - | 4,073,417 |
| 6/26/96 | 915,555 | 1,414,873 | 1,884,622 | - | 4,215,050 |
| 7/8/96 | 972,328 | 1,474,048 | 1,987,350 | - | 4,433,726 |
| 7/18/96 | 1,006,046 | 1,516,919 | 2,060,742 | - | 4,583,707 |
| 8/1/96 | 1,049,996 | 1,577,801 | 2,164,916 | - | 4,792,713 |
| 8/16/96 | 1,091,112 | 1,638,683 | 2,246,037 | - | 4,975,832 |
| 8/27/96 | 1,118,169 | 1,684,621 | 2,314,606 | - | 5,117,396 |
| 9/12/96 | 1,146,432 | 1,754,050 | 2,360,521 | - | 5,261,003 |
| 9/24/96 | 1,159,035 | 1,796,140 | 2,409,496 | - | 5,364,671 |
| 10/1/96 | 1,174,178 | 1,825,149 | 2,408,298 | - | 5,407,625 |
| 10/17/96 | 1,253,727 | 1,855,632 | 2,411,539 | - | 5,520,898 |
| 11/2/96 | 1,315,165 | 1,906,634 | 2,420,559 | - | 5,642,358 |
| 11/15/96 | 1,365,973 | 1,908,623 | 2,502,342 | - | 5,776,938 |
| 11/25/96 | 1,396,032 | 1,911,188 | 2,552,717 | - | 5,859,937 |
| 12/11/96 | 1,430,595 | 1,935,775 | 2,611,374 | - | 5,977,744 |
| 12/27/96 | 1,452,912 | 1,937,132 | 2,649,962 | - | 6,040,006 |
| 1/3/97 | 1,456,304 | 1,939,518 | 2,655,775 | - | 6,051,597 |
| 1/14/97 | 1,470,242 | 1,949,120 | 2,684,864 | - | 6,104,226 |
| 1/24/97 | 1,470,505 | 1,949,124 | 2,702,272 | - | 6,121,901 |
| 2/7/97 | 1,518,975 | 1,950,754 | 2,796,872 | - | 6,266,601 |
| 2/21/97 | 1,571,273 | 1,952,209 | 2,835,673 | - | 6,359,155 |
| 3/14/97 | 1,646,678 | 1,952,209 | 2,835,673 | - | 6,436,098 |
| 3/28/97 | 1,692,834 | 2,039,011 | 2,835,673 | - | 6,588,745 |
| 4/11/97 | 1,734,064 | 2,124,196 | 2,835,673 | - | 6,715,160 |
| 4/25/97 | 1,773,261 | 2,182,646 | 2,842,124 | - | 6,819,258 |
| 5/7/97 | 1,798,995 | 2,336,981 | 2,842,124 | - | 6,999,327 |
| 5/22/97 | 1,825,676 | 2,393,705 | 2,905,414 | - | 7,146,022 |
| 6/5/97 | 1,867,121 | 2,472,696 | 2,988,177 | - | 7,349,221 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | | |
|-------------|-------------------------------------|-------------|-------------|-------------|--------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 6/20/97 | 1,912,764 | 2,540,269 | 3,061,814 | - | 7,536,074 |
| 7/3/97 | 1,954,658 | 2,609,124 | 3,135,756 | - | 7,720,764 |
| 7/17/97 | 1,975,303 | 2,680,948 | 3,199,801 | - | 7,877,279 |
| 8/4/97 | 2,025,486 | 2,806,996 | 3,364,397 | - | 8,218,106 |
| 8/15/97 | 2,052,962 | 2,958,721 | 3,461,264 | - | 8,494,174 |
| 8/28/97 | 2,083,623 | 3,093,542 | 3,569,012 | - | 8,767,404 |
| 9/12/97 | 2,083,684 | 3,119,818 | 3,692,072 | - | 8,916,801 |
| 9/29/97 | 2,083,905 | 3,120,840 | 3,839,556 | - | 9,065,528 |
| 10/10/97 | 2,101,637 | 3,231,288 | 3,924,600 | - | 9,278,752 |
| 10/31/97 | 2,101,662 | 3,254,766 | 4,062,129 | - | 9,439,784 |
| 11/10/97 | 2,101,662 | 3,394,895 | 4,102,900 | - | 9,620,684 |
| 12/1/97 | 2,101,662 | 3,626,479 | 4,211,530 | - | 9,960,898 |
| 12/28/97 | 2,102,033 | 3,627,036 | 4,212,021 | - | 9,962,317 |
| 1/16/98 | 2,145,973 | 3,914,074 | 4,365,837 | - | 10,447,111 |
| 1/27/98 | 2,146,228 | 3,915,067 | 4,366,295 | - | 10,448,817 |
| 2/4/98 | 2,146,228 | 4,068,235 | 4,412,344 | - | 10,648,034 |
| 2/17/98 | 2,189,727 | 4,222,732 | 4,539,755 | - | 10,973,441 |
| 3/18/98 | 2,293,340 | 4,743,314 | 4,774,847 | - | 11,832,728 |
| 3/25/98 | 2,309,656 | 4,805,528 | 4,802,993 | - | 11,939,404 |
| 4/10/98 | 2,383,929 | 5,043,344 | 4,927,777 | - | 12,376,277 |
| 4/24/98 | 2,453,055 | 5,233,074 | 5,019,725 | - | 12,727,081 |
| 5/8/98 | 2,525,463 | 5,474,383 | 5,106,293 | - | 13,127,366 |
| 5/22/98 | 2,593,232 | 5,670,794 | 5,210,326 | - | 13,495,579 |
| 6/5/98 | 2,659,709 | 5,852,839 | 5,315,076 | - | 13,848,851 |
| 6/19/98 | 2,698,743 | 6,047,156 | 5,406,842 | - | 14,173,968 |
| 7/2/98 | 2,700,428 | 6,135,172 | 5,453,010 | - | 14,309,837 |
| 7/16/98 | 2,701,261 | 6,336,772 | 5,654,610 | - | 14,713,870 |
| 7/30/98 | 2,702,469 | 6,378,927 | 5,700,300 | - | 14,802,923 |
| 8/6/98 | 2,702,469 | 6,381,833 | 5,702,810 | - | 14,808,339 |
| 8/7/98 | 2,702,469 | 6,381,833 | 5,709,497 | - | 14,815,026 |
| 8/26/98 | 2,702,469 | 6,381,833 | 5,709,507 | - | 14,815,036 |
| 9/10/98 | 2,763,725 | 6,446,571 | 5,779,418 | - | 15,010,941 |
| 9/25/98 | 2,770,423 | 6,451,177 | 5,784,427 | - | 15,027,254 |
| 10/12/98 | 2,861,852 | 6,516,954 | 5,858,558 | - | 15,258,591 |
| 10/23/98 | 2,917,194 | 6,605,960 | 5,991,054 | - | 15,535,435 |
| 11/13/98 | 2,992,505 | 6,736,611 | 6,138,358 | - | 15,888,701 |
| 11/24/98 | 3,043,555 | 6,829,030 | 6,208,200 | - | 16,102,012 |
| 12/11/98 | 3,116,948 | 6,964,953 | 6,260,783 | - | 16,363,911 |
| 12/23/98 | 3,166,441 | 7,055,518 | 6,295,200 | - | 16,538,386 |
| 1/8/99 | 3,231,706 | 7,182,268 | 6,341,789 | - | 16,776,990 |
| 1/22/99 | 3,291,306 | 7,288,952 | 6,391,971 | - | 16,993,456 |
| 1/29/99 | 3,313,604 | 7,312,970 | 6,402,525 | - | 17,050,326 |
| 2/12/99 | 3,400,844 | 7,406,750 | 6,440,706 | - | 17,269,527 |
| 2/25/99 | 3,458,990 | 7,473,334 | 6,481,956 | - | 17,435,507 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


| Date | Cumulative Pumpage (gallons) | | | | |
|-------------|-------------------------------------|-------------|-------------|-------------|--------------|
| | RW-1 | RW-2 | RW-3 | RW-4 | Total |
| 3/10/99 | 3,519,722 | 7,615,173 | 6,582,877 | 182,940 | 17,921,939 |
| 3/19/99 | 3,562,578 | 7,723,673 | 6,659,777 | 293,220 | 18,260,475 |
| 3/25/99 | 3,590,475 | 7,794,462 | 6,709,350 | 364,810 | 18,480,324 |
| 4/9/99 | 3,655,331 | 7,976,488 | 6,832,533 | 555,038 | 19,040,617 |
| 4/16/99 | 3,682,214 | 8,056,148 | 6,887,292 | 640,127 | 19,287,008 |
| 4/23/99 | 3,710,105 | 8,136,972 | 6,944,210 | 728,260 | 19,540,774 |

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Site Inspection Forms

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

Site Inspection Date: 4-6-99
 Handex Personnel: R.M.
 Arrival Time: 11:30
 Departure Time: 3:00
 ALARM RESPONSE VISIT: YES NO

| BIWEEKLY DATA | | | | | |
|----------------------------------|---|----------------------|--|------------------|-----------------------|
| Flow Meter Readings: | RW-1 | <u>13209776.0</u> | RW-2 | <u>7831546.0</u> | RW-3 <u>4448823.0</u> |
| Bubbler Pressure: 2pm | RW-1 | <u>2.75</u> | RW-2 | <u>8.50</u> | RW-3 <u>4.75</u> |
| Air Stripper Pressure: | <u>16</u> | Inches of Water | | | |
| Effluent Flow Rate: | <u>25</u> | Gallons Per Minute | | | |
| Effluent Clarity: | | | | | |
| Building Temperature: | <u>76</u> | Degrees F | | | |
| Compressor Checked: | <u>N/A</u> | Condensate Released: | <u>N/A</u> | | |
| Compressor Oil Level Checked: | <u>—</u> | | | | |
| System Operational Upon Arrival: | <input checked="" type="checkbox"/> | Yes | <u>No, (if no, please explain below)</u> | | |
| Air/Water Leaks: RW-1 RW-2 RW-3 | (please circle appropriate controller(s)) | | | | |
| Manholes | <input checked="" type="checkbox"/> | No | <u>Yes</u> | <u>Repaired</u> | |
| Controllers | <input checked="" type="checkbox"/> | No | <u>Yes</u> | <u>Repaired</u> | |
| Lines | <input checked="" type="checkbox"/> | No | <u>Yes</u> | <u>Repaired</u> | |
| Stripper | <input checked="" type="checkbox"/> | No | <u>Yes</u> | <u>Repaired</u> | |
| Compressor | <u>N/A</u> | No | <u>Yes</u> | <u>Repaired</u> | |
| If yes, explain: | | | | | |

| MONTHLY DATA | | | | | |
|-----------------------------------|------------|------|----------|------|----------|
| Filter Cartridges Replaced: | <u> </u> | RW-1 | <u> </u> | RW-2 | <u> </u> |
| Stripper Trays and Tubes Checked: | <u>yes</u> | | | | |
| Stripper Trays and Tubes Cleaned: | <u>yes</u> | | | | |
| Monitoring/Recovery Wells Gauged: | <u>yes</u> | | | | |

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

Site Inspection Date: 4-16-99
 Handex Personnel: R. M
 Arrival Time:
 Departure Time:
 ALARM RESPONSE VISIT: YES NO

GPM

| BIWEEKLY DATA | | | |
|----------------------------------|-----------------------|-----------------------------------|--|
| Flow Meter Readings: | RW-1 <u>3236659.0</u> | RW-2 <u>7911206.0</u> | RW-3 <u>6503582.0</u> (RW-4) <u>640169.0</u> |
| Bubbler Pressure: | RW-1 <u>2.75</u> | RW-2 <u>8.50</u> | RW-3 <u>5.75</u> |
| Air Stripper Pressure: | <u>15</u> | Inches of Water | |
| Effluent Flow Rate: | <u>26</u> | Gallons Per Minute | |
| Effluent Clarity: | <u>Clear</u> | | |
| Building Temperature: | <u>60</u> | Degrees F | |
| Compressor Checked: | <u>N/A</u> | Condensate Released: | |
| Compressor Oil Level Checked: | <u>N/A</u> | Oil Changed: | <u>N/A</u> |
| System Operational Upon Arrival: | <u>X</u> Yes | No, (if no, please explain below) | |
| | | | |
| | | | |
| | | | |
| | | | |

Air/Water Leaks: RW-1 RW-2 RW-3 (please circle appropriate controller(s))

| | | | | |
|-------------|-------------------------------------|----|-----|----------|
| Manholes | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Controllers | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Lines | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Stripper | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Compressor | <input checked="" type="checkbox"/> | No | Yes | Repaired |

If yes, explain: _____

MONTHLY DATA

| | | | |
|-----------------------------------|------------|------|------|
| Filter Cartridges Replaced: | RW-1 | RW-2 | RW-3 |
| Stripper Trays and Tubes Checked: | | | |
| Stripper Trays and Tubes Cleaned: | | | |
| Monitoring/Recovery Wells Gauged: | <u>YES</u> | | |

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

Site Inspection Date: 4/23/99
 Handex Personnel: Mack Terret
 Arrival Time: 12:15
 Departure Time: _____
 ALARM RESPONSE VISIT: YES NO

| BIWEEKLY DATA | | | |
|----------------------------------|-------------------------------------|--------------------|-----------------------------------|
| Flow Meter Readings: | RW-1 <u>326455</u> | RW-2 <u>799203</u> | RW-3 <u>656050</u> |
| Bubbler Pressure: GPM | RW-1 <u>3.5</u> | RW-2 <u>9.</u> | RW-3 <u>6.</u> |
| RW-4 <u>7282</u> | | | |
| Air Stripper Pressure: | <u>16</u> | Inches of Water | RW-4 <u>8.5</u> |
| Effluent Flow Rate: | <u>27</u> | Gallons Per Minute | |
| Effluent Clarity: | <u>clear looks good</u> | | |
| Building Temperature: | <u>77°</u> | Degrees F | |
| Compressor Checked: | Condensate Released: _____ | | |
| Compressor Oil Level Checked: | Oil Changed: _____ | | |
| System Operational Upon Arrival: | <input checked="" type="checkbox"/> | Yes | No, (if no, please explain below) |
| _____ | | | |
| _____ | | | |
| _____ | | | |
| _____ | | | |
| _____ | | | |

| | | | |
|---|------|------|---|
| Air/Water Leaks: RW-1 | RW-2 | RW-3 | (please circle appropriate controller(s)) |
| Manholes <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Controllers <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Lines <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Stripper <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Compressor <input checked="" type="checkbox"/> | No | Yes | Repaired |
| If yes, explain: _____ | | | |
| _____ | | | |
| _____ | | | |
| _____ | | | |

| MONTHLY DATA | | | |
|-----------------------------------|-----------|------|------|
| Filter Cartridges Replaced: | RW-1 | RW-2 | RW-3 |
| Stripper Trays and Tubes Checked: | RW-4 SIZE | | |
| Stripper Trays and Tubes Cleaned: | | | |
| Monitoring/Recovery Wells Gauged: | | | |

Recommendations for system optimization or general comments:

~~RECOMMENDATION~~ RW-4 3" diameter X 9" height
RW-1 1/4" dia to READ TOTAL 120 ft



March 4, 1999

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE INTERIM CORRECTIVE MEASURE
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by Handex of Indiana (Handex) at the above-referenced site. This report summarizes the activities completed during the December 23, 1998 to January 29, 1999 reporting period. Handex personnel inspected the site on a biweekly basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On January 29, 1999, Handex personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence or absence of liquid-phase hydrocarbons. Depth to water beneath the site ranged from 9.00 feet below grade in MW-9 to 16.90 feet below grade in MW-30. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. All of the recovery wells were operational while well gauging activities were performed. Figure 1 is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in Attachment A, and a groundwater contour map has been included as Figure 2.

Groundwater Treatment System

During this reporting period, approximately 511,940 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, and RW-3. Based on data provided by EMCN and Handex field data sheets, the total volume of groundwater recovered to date is approximately 17,050,326 gallons. Attachment B includes a table and a graph illustrating the recovery rates to date, and Attachment C contains copies of Field Data Sheets completed by Handex personnel.

Handex personnel mobilized to the site on January 8 and January 25, 1999 to perform biweekly O&M activities. Handex personnel also performed one out-of-scope visit to the site on January 22, 1999 due to a power outage in the area. The system was fully operational upon arrival during all of the site visits.

Additionally, Handex personnel performed annual O&M activities at the site on January 25, 1999. However, after disassembling the air stripper unit for cleaning purposes, it was discovered that the steel lip on one of the air stripper trays had corroded and one piece approximately 2.5-inches in length and 1-inch in width had broken off from the lip of the stripper tray. A second piece approximately 8-inches in length and

Mr. Sam Waldo
March 4, 1999
Page 2

1-inch in width also had corroded and broken off from the lip of the same air stripper tray. Consequently, new pieces of steel had to be cut to fit the damaged area of the air stripper tray and then these pieces had to be welded back onto the lip of the stripper tray before the air stripper unit could be reassembled. Representatives from Handex subcontracted a local welding company to repair the air stripper. The air stripper was repaired on January 26, 1999. Additionally, Handex personnel applied an epoxy primer coating to the new steel pieces of the air stripper unit on January 27, 1999. After the epoxy primer was allowed to dry over night, Handex personnel reassembled the air stripper on January 28, 1999 and the groundwater treatment system was reactivated. No leaks were observed after the system was reactivated.

After the system was restarted, Handex personnel performed monthly O&M activities at the site on January 29, 1999. The system was fully operation upon arrival at the site and all of the recovery wells were operational during groundwater gauging activities.

Groundwater Sampling and Analysis

No groundwater treatment system samples were collected during this reporting period. The next sampling event is scheduled for the week ending February 13, 1999.


Schedule of Activities


Biweekly and monthly site inspections and O&M activities will continue. Site visits are scheduled for the weeks ending February 13 and February 27, 1999. The information from these site inspections will be summarized in the February 1999 progress report.

Should you have any questions regarding this site or information summarized within this report, please do not hesitate to contact this office at (317) 228-6240. Handex appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

HANDEX OF INDIANA



Bradley E. Gentry
Hydrogeologist


Jay T. Simonds
Project Manager

Attachments

cc: Mr. William Gabriel, O'Brien & Gere Engineers, Inc., Syracuse, NY
Mr. Rob Baker, Franklin Power Products

FIGURES



FORMER AMPHENOL FACILITY
GROUNDWATER TABLE CONTOUR MAP
JANUARY 29, 1999




Figure 2

ATTACHMENT A

Groundwater Level Measurements

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| IT-2 | 8/29/95 | 732.25 | 12.36 | 719.89 |
| | 11/7/95 | | 13.07 | 719.18 |
| | 4/12/96 | | 13.45 | 718.80 |
| | 5/29/96 | | 10.82 | 721.43 |
| | 6/4/96 | | 11.08 | 721.17 |
| | 7/8/96 | | 11.84 | 720.41 |
| | 8/1/96 | | 12.04 | 720.21 |
| | 9/12/96 | | 12.58 | 719.67 |
| | 10/17/96 | | 12.37 | 719.88 |
| | 11/25/96 | | 12.26 | 719.99 |
| | 12/11/96 | | 12.02 | 720.23 |
| | 1/24/97 | | 11.71 | 720.54 |
| | 2/21/97 | | 11.85 | 720.40 |
| | 3/14/97 | | 11.48 | 720.77 |
| | 4/11/97 | | 11.94 | 720.31 |
| | 5/7/97 | | 11.98 | 720.27 |
| | 6/5/97 | | 11.37 | 720.88 |
| | 7/3/97 | | 11.73 | 720.52 |
| | 8/4/97 | | 12.25 | 720.00 |
| | 9/29/97 | | 12.46 | 719.79 |
| | 10/10/97 | | 12.68 | 719.57 |
| | 11/10/97 | | 12.80 | 719.45 |
| | 12/1/97 | | 12.93 | 719.32 |
| | 1/16/98 | | 13.06 | 719.19 |
| | 2/4/98 | | 13.11 | 719.14 |
| | 3/25/98 | | 12.05 | 720.20 |
| | 4/10/98 | | 12.00 | 720.25 |
| | 5/8/98 | | 11.60 | 720.65 |
| | 6/5/98 | | 11.80 | 720.45 |
| | 7/2/98 | | 11.12 | 721.13 |
| | 7/30/98 | | 11.65 | 720.60 |
| | 9/10/98 | | 12.20 | 720.05 |
| | 10/12/98 | | 12.65 | 719.60 |
| | 11/13/98 | | 12.80 | 719.45 |
| | 12/11/98 | | 13.00 | 719.25 |
| | 1/29/99 | | 11.99 | 720.26 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| IT-3 | 8/29/95 | 728.71 | 9.52 | 719.19 |
| | 11/7/95 | | 11.14 | 717.57 |
| | 4/12/96 | | 12.09 | 716.62 |
| | 5/29/96 | | 9.41 | 719.30 |
| | 6/4/96 | | 10.11 | 718.60 |
| | 7/8/96 | | 10.44 | 718.27 |
| | 8/1/96 | | 10.63 | 718.08 |
| | 9/12/96 | | 10.85 | 717.86 |
| | 10/17/96 | | 10.97 | 717.74 |
| | 11/25/96 | | 10.82 | 717.89 |
| | 12/11/96 | | 10.79 | 717.92 |
| | 1/24/97 | | 10.55 | 718.16 |
| | 2/21/97 | | 10.80 | 717.91 |
| | 3/14/97 | | 10.51 | 718.20 |
| | 4/11/97 | | 10.76 | 717.95 |
| | 5/7/97 | | 10.79 | 717.92 |
| | 6/5/97 | | 10.18 | 718.53 |
| | 7/3/97 | | 10.49 | 718.22 |
| | 8/4/97 | | 10.78 | 717.93 |
| | 9/29/97 | | 10.93 | 717.78 |
| | 10/10/97 | | 11.02 | 717.69 |
| | 11/10/97 | | 11.12 | 717.59 |
| | 12/1/97 | | 11.18 | 717.53 |
| | 1/16/98 | | 11.21 | 717.50 |
| | 2/4/98 | | 11.30 | 717.41 |
| | 3/25/98 | | 10.78 | 717.93 |
| | 4/10/98 | | 10.67 | 718.04 |
| | 5/8/98 | | 10.48 | 718.23 |
| | 6/5/98 | | 10.70 | 718.01 |
| | 7/2/98 | | 10.24 | 718.47 |
| | 7/30/98 | | 10.39 | 718.32 |
| | 9/10/98 | | 10.80 | 717.91 |
| | 10/12/98 | | 10.94 | 717.77 |
| | 11/13/98 | | 11.10 | 717.61 |
| | 12/11/98 | | 11.23 | 717.48 |
| | 1/29/99 | | 11.00 | 717.71 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-3 | 8/29/95 | 736.44 | 15.23 | 721.21 |
| | 11/7/95 | | 16.40 | 720.04 |
| | 4/12/96 | | 14.91 | 721.53 |
| | 5/29/96 | | 13.16 | 723.28 |
| | 6/4/96 | | 13.15 | 723.29 |
| | 7/8/96 | | 14.03 | 722.41 |
| | 8/1/96 | | 14.53 | 721.91 |
| | 9/12/96 | | 15.33 | 721.11 |
| | 10/17/96 | | 15.33 | 721.11 |
| | 11/25/96 | | 15.29 | 721.15 |
| | 12/11/96 | | 14.95 | 721.49 |
| | 1/24/97 | | 14.50 | 721.94 |
| | 2/21/97 | | 14.50 | 721.94 |
| | 3/14/97 | | 14.06 | 722.38 |
| | 4/11/97 | | 14.42 | 722.02 |
| | 5/12/97 | | 14.59 | 721.85 |
| | 6/5/97 | | 13.53 | 722.91 |
| | 7/3/97 | | 14.09 | 722.35 |
| | 8/4/97 | | 14.90 | 721.54 |
| | 9/29/97 | | 15.53 | 720.91 |
| | 10/10/97 | | 15.75 | 720.69 |
| | 11/10/97 | | 16.08 | 720.36 |
| | 12/1/97 | | 17.24 | 719.20 |
| | 1/16/98 | | 16.32 | 720.12 |
| | 2/4/98 | | 16.40 | 720.04 |
| | 3/25/98 | | 15.39 | 721.05 |
| | 4/10/98 | | 15.00 | 721.44 |
| | 5/8/98 | | 14.27 | 722.17 |
| | 6/5/98 | | 14.44 | 722.00 |
| | 7/2/98 | | 13.38 | 723.06 |
| | 7/30/98 | | 14.02 | 722.42 |
| | 9/10/98 | | 15.08 | 721.36 |
| | 10/12/98 | | 15.50 | 720.94 |
| | 11/13/98 | | 17.77 | 718.67 |
| | 12/11/98 | | 16.08 | 720.36 |
| | 1/29/99 | | 14.85 | 721.59 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-9 | 8/29/95 | 733.04 | 9.70 | 723.34 |
| | 11/7/95 | | 11.47 | 721.57 |
| | 4/12/96 | | 9.46 | 723.58 |
| | 5/29/96 | | 3.94 | 729.10 |
| | 6/4/96 | | 5.81 | 727.23 |
| | 7/8/96 | | 6.90 | 726.14 |
| | 8/1/96 | | 7.65 | 725.39 |
| | 9/12/96 | | 9.23 | 723.81 |
| | 10/17/96 | | 9.64 | 723.40 |
| | 11/25/96 | | 9.53 | 723.51 |
| | 12/11/96 | | 9.18 | 723.86 |
| | 1/24/97 | | 7.66 | 725.38 |
| | 2/21/97 | | 7.70 | 725.34 |
| | 3/14/97 | | 6.68 | 726.36 |
| | 4/11/97 | | 7.54 | 725.50 |
| | 5/12/97 | | 7.97 | 725.07 |
| | 6/5/97 | | 5.63 | 727.41 |
| | 7/3/97 | | 7.13 | 725.91 |
| | 8/4/97 | | 8.44 | 724.60 |
| | 9/29/97 | | 9.82 | 723.22 |
| | 10/10/97 | | 10.17 | 722.87 |
| | 11/10/97 | | 10.84 | 722.20 |
| | 12/1/97 | | 11.16 | 721.88 |
| | 1/16/98 | | 11.25 | 721.79 |
| | 2/4/98 | | 11.28 | 721.76 |
| | 3/25/98 | | 9.70 | 723.34 |
| | 4/10/98 | | 8.70 | 724.34 |
| | 5/8/98 | | 6.95 | 726.09 |
| | 6/5/98 | | 7.50 | 725.54 |
| | 7/2/98 | | 6.07 | 726.97 |
| | 7/30/98 | | 7.10 | 725.94 |
| | 9/10/98 | | 8.87 | 724.17 |
| | 10/12/98 | | 9.57 | 723.47 |
| | 11/13/98 | | 9.92 | 723.12 |
| | 12/11/98 | | 10.37 | 722.67 |
| | 1/29/99 | | 9.00 | 724.04 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-12 | 8/29/95 | 736.38 | 16.43 | 719.95 |
| | 11/7/95 | | 17.18 | 719.20 |
| | 4/12/96 | | 16.21 | 720.17 |
| | 5/29/96 | | 15.07 | 721.31 |
| | 6/4/96 | | 15.31 | 721.07 |
| | 7/8/96 | | 15.88 | 720.50 |
| | 8/1/96 | | 16.16 | 720.22 |
| | 9/12/96 | | 16.59 | 719.79 |
| | 10/17/96 | | 16.47 | 719.91 |
| | 11/25/96 | | 16.32 | 720.06 |
| | 12/11/96 | | 16.12 | 720.26 |
| | 1/24/97 | | 15.89 | 720.49 |
| | 2/21/97 | | 15.96 | 720.42 |
| | 3/14/97 | | 15.66 | 720.72 |
| | 4/11/97 | | 16.07 | 720.31 |
| | 5/7/97 | | 16.09 | 720.29 |
| | 6/5/97 | | 15.85 | 720.53 |
| | 7/3/97 | | 15.64 | 720.74 |
| | 8/4/97 | | 16.36 | 720.02 |
| | 9/29/97 | | 16.57 | 719.81 |
| | 10/10/97 | | 16.70 | 719.68 |
| | 11/10/97 | | 16.90 | 719.48 |
| | 12/1/97 | | 17.00 | 719.38 |
| | 1/16/98 | | 17.20 | 719.18 |
| | 2/4/98 | | 17.20 | 719.18 |
| | 3/25/98 | | 16.26 | 720.12 |
| | 4/10/98 | | 16.12 | 720.26 |
| | 5/8/98 | | 15.79 | 720.59 |
| | 6/5/98 | | 16.00 | 720.38 |
| | 7/2/98 | | 15.33 | 721.05 |
| | 7/30/98 | | 15.70 | 720.68 |
| | 9/10/98 | | 16.26 | 720.12 |
| | 10/12/98 | | 16.81 | 719.57 |
| | 11/13/98 | | 16.94 | 719.44 |
| | 12/11/98 | | 17.10 | 719.28 |
| | 1/29/99 | | 16.18 | 720.20 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-20 | 8/29/95 | 734.03 | 10.35 | 723.68 |
| | 11/7/95 | | 12.16 | 721.87 |
| | 4/12/96 | | 9.70 | 724.33 |
| | 5/29/96 | | 6.30 | 727.73 |
| | 6/4/96 | | 7.63 | 726.40 |
| | 7/8/96 | | 8.58 | 725.45 |
| | 8/1/96 | | 8.93 | 725.10 |
| | 9/12/96 | | 10.39 | 723.64 |
| | 10/17/96 | | 10.56 | 723.47 |
| | 11/25/96 | | 9.82 | 724.21 |
| | 12/11/96 | | 9.64 | 724.39 |
| | 1/24/97 | | 8.57 | 725.46 |
| | 2/21/97 | | 8.86 | 725.17 |
| | 3/14/97 | | 8.00 | 726.03 |
| | 4/11/97 | | 8.87 | 725.16 |
| | 5/12/97 | | 9.13 | 724.90 |
| | 6/5/97 | | 7.55 | 726.48 |
| | 7/3/97 | | 8.70 | 725.33 |
| | 8/4/97 | | 9.70 | 724.33 |
| | 9/29/97 | | 10.85 | 723.18 |
| | 10/10/97 | | 11.08 | 722.95 |
| | 11/10/97 | | 11.66 | 722.37 |
| | 12/1/97 | | 11.80 | 722.23 |
| | 1/16/98 | | 11.68 | 722.35 |
| | 2/4/98 | | 11.80 | 722.23 |
| | 3/25/98 | | 10.08 | 723.95 |
| | 4/10/98 | | 9.26 | 724.77 |
| | 5/8/98 | | 8.22 | 725.81 |
| | 6/5/98 | | 8.78 | 725.25 |
| | 7/2/98 | | 8.10 | 725.93 |
| | 7/30/98 | | 8.72 | 725.31 |
| | 9/10/98 | | 10.10 | 723.93 |
| | 10/12/98 | | 10.67 | 723.36 |
| | 11/13/98 | | 10.85 | 723.18 |
| | 12/11/98 | | 11.44 | 722.59 |
| | 1/29/99 | | 9.71 | 724.32 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-21 | 8/29/95 | 737.91 | 16.81 | 721.10 |
| | 11/7/95 | | 17.92 | 719.99 |
| | 4/12/96 | | 16.48 | 721.43 |
| | 5/29/96 | | 14.82 | 723.09 |
| | 6/4/96 | | 14.82 | 723.09 |
| | 7/8/96 | | 15.67 | 722.24 |
| | 8/1/96 | | 16.16 | 721.75 |
| | 9/12/96 | | 16.89 | 721.02 |
| | 10/17/96 | | 16.89 | 721.02 |
| | 11/25/96 | | 16.85 | 721.06 |
| | 12/11/96 | | 16.53 | 721.38 |
| | 1/24/97 | | 16.10 | 721.81 |
| | 2/21/97 | | 16.11 | 721.80 |
| | 3/14/97 | | 15.64 | 722.27 |
| | 4/11/97 | | 16.05 | 721.86 |
| | 5/12/97 | | 16.20 | 721.71 |
| | 6/5/97 | | 15.18 | 722.73 |
| | 7/3/97 | | 15.72 | 722.19 |
| | 8/4/97 | | 16.48 | 721.43 |
| | 9/29/97 | | 17.10 | 720.81 |
| | 10/10/97 | | 17.31 | 720.60 |
| | 11/10/97 | | 17.61 | 720.30 |
| | 12/1/97 | | 17.78 | 720.13 |
| | 1/16/98 | | 17.87 | 720.04 |
| | 2/4/98 | | 17.98 | 719.93 |
| | 3/25/98 | | 16.92 | 720.99 |
| | 4/10/98 | | 16.56 | 721.35 |
| | 5/8/98 | | 15.92 | 721.99 |
| | 6/5/98 | | 16.08 | 721.83 |
| | 7/2/98 | | 15.06 | 722.85 |
| | 7/30/98 | | 15.65 | 722.26 |
| | 9/10/98 | | 16.64 | 721.27 |
| | 10/12/98 | | 17.10 | 720.81 |
| | 11/13/98 | | 17.31 | 720.60 |
| | 12/11/98 | | 17.60 | 720.31 |
| | 1/29/99 | | 16.42 | 721.49 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-22 | 8/29/95 | 737.64 | 17.05 | 720.59 |
| | 11/7/95 | | 17.90 | 719.74 |
| | 4/12/96 | | 16.74 | 720.90 |
| | 5/29/96 | | 15.52 | 722.12 |
| | 6/4/96 | | 15.63 | 722.01 |
| | 7/8/96 | | 16.22 | 721.42 |
| | 8/1/96 | | 16.58 | 721.06 |
| | 9/12/96 | | 17.15 | 720.49 |
| | 10/17/96 | | 17.04 | 720.60 |
| | 11/25/96 | | 16.99 | 720.65 |
| | 12/11/96 | | 16.76 | 720.88 |
| | 1/24/97 | | 16.46 | 721.18 |
| | 2/21/97 | | 16.50 | 721.14 |
| | 3/14/97 | | 16.15 | 721.49 |
| | 4/11/97 | | 16.47 | 721.17 |
| | 5/7/97 | | 17.55 | 720.09 |
| | 6/5/97 | | 15.88 | 721.76 |
| | 7/3/97 | | 16.34 | 721.30 |
| | 8/4/97 | | 16.86 | 720.78 |
| | 9/29/97 | | 17.26 | 720.38 |
| | 10/10/97 | | 17.43 | 720.21 |
| | 11/10/97 | | 17.65 | 719.99 |
| | 12/1/97 | | 17.80 | 719.84 |
| | 1/16/98 | | 18.00 | 719.64 |
| | 2/4/98 | | 18.05 | 719.59 |
| | 3/25/98 | | 17.00 | 720.64 |
| | 4/10/98 | | 16.75 | 720.89 |
| | 5/8/98 | | 16.35 | 721.29 |
| | 6/5/98 | | 16.51 | 721.13 |
| | 7/2/98 | | 15.84 | 721.80 |
| | 7/30/98 | | 16.22 | 721.42 |
| | 9/10/98 | | 16.91 | 720.73 |
| | 10/12/98 | | 17.35 | 720.29 |
| | 11/13/98 | | 17.52 | 720.12 |
| | 12/11/98 | | 17.74 | 719.90 |
| | 1/29/99 | | 16.80 | 720.84 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-24 | 8/29/95 | 736.02 | 15.59 | 720.43 |
| | 11/7/95 | | 16.41 | 719.61 |
| | 4/12/96 | | 15.29 | 720.73 |
| | 5/29/96 | | 13.77 | 722.25 |
| | 6/4/96 | | 13.80 | 722.22 |
| | 7/8/96 | | 14.54 | 721.48 |
| | 8/1/96 | | 15.01 | 721.01 |
| | 9/12/96 | | 15.61 | 720.41 |
| | 10/17/96 | | 15.66 | 720.36 |
| | 11/25/96 | | 15.61 | 720.41 |
| | 12/11/96 | | 15.33 | 720.69 |
| | 1/24/97 | | 14.96 | 721.06 |
| | 2/21/97 | | 15.24 | 720.78 |
| | 3/14/97 | | 14.62 | 721.40 |
| | 4/11/97 | | 14.96 | 721.06 |
| | 5/7/97 | | 15.04 | 720.98 |
| | 6/5/97 | | 14.20 | 721.82 |
| | 7/3/97 | | 14.62 | 721.40 |
| | 8/4/97 | | 15.30 | 720.72 |
| | 9/29/97 | | 15.79 | 720.23 |
| | 10/10/97 | | 15.98 | 720.04 |
| | 11/10/97 | | 16.18 | 719.84 |
| | 12/1/97 | | 16.33 | 719.69 |
| | 1/16/98 | | 16.48 | 719.54 |
| | 2/4/98 | | 16.53 | 719.49 |
| | 3/25/98 | | 15.65 | 720.37 |
| | 4/10/98 | | 15.44 | 720.58 |
| | 5/8/98 | | 14.83 | 721.19 |
| | 6/5/98 | | 15.00 | 721.02 |
| | 7/2/98 | | 14.00 | 722.02 |
| | 7/30/98 | | 14.50 | 721.52 |
| | 9/10/98 | | 15.38 | 720.64 |
| | 10/12/98 | | 15.80 | 720.22 |
| | 11/13/98 | | 16.05 | 719.97 |
| | 12/11/98 | | 16.23 | 719.79 |
| | 1/29/99 | | 15.28 | 720.74 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-26 | 8/29/95 | 736.39 | 13.46 | 722.93 |
| | 11/7/95 | | 15.02 | 721.37 |
| | 4/12/96 | | 13.17 | 723.22 |
| | 5/29/96 | | 9.53 | 726.86 |
| | 6/4/96 | | 10.47 | 725.92 |
| | 7/8/96 | | 11.62 | 724.77 |
| | 8/1/96 | | 12.16 | 724.23 |
| | 9/12/96 | | 13.48 | 722.91 |
| | 10/17/96 | | 13.60 | 722.79 |
| | 11/25/96 | | 13.42 | 722.97 |
| | 12/11/96 | | 13.08 | 723.31 |
| | 1/24/97 | | 12.14 | 724.25 |
| | 2/21/97 | | 12.25 | 724.14 |
| | 3/14/97 | | 11.48 | 724.91 |
| | 4/11/97 | | 12.18 | 724.21 |
| | 5/12/97 | | 12.41 | 723.98 |
| | 6/5/97 | | 10.45 | 725.94 |
| | 7/3/97 | | 11.78 | 724.61 |
| | 8/4/97 | | 12.78 | 723.61 |
| | 9/29/97 | | 13.83 | 722.56 |
| | 10/10/97 | | 14.09 | 722.30 |
| | 11/10/97 | | 14.61 | 721.78 |
| | 12/1/97 | | 14.86 | 721.53 |
| | 1/16/98 | | 14.90 | 721.49 |
| | 2/4/98 | | 15.00 | 721.39 |
| | 3/25/98 | | 13.57 | 722.82 |
| | 4/10/98 | | 12.92 | 723.47 |
| | 5/8/98 | | 11.70 | 724.69 |
| | 6/5/98 | | 12.06 | 724.33 |
| | 7/2/98 | | 10.90 | 725.49 |
| | 7/30/98 | | 13.16 | 723.23 |
| | 9/10/98 | | 11.69 | 724.70 |
| | 10/12/98 | | 13.69 | 722.70 |
| | 11/13/98 | | 14.00 | 722.39 |
| | 12/11/98 | | 14.41 | 721.98 |
| | 1/29/99 | | 13.07 | 723.32 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-27 | 8/29/95 | 736.63 | 15.37 | 721.26 |
| | 11/7/95 | | 16.66 | 719.97 |
| | 4/12/96 | | 15.01 | 721.62 |
| | 5/29/96 | | 13.23 | 723.40 |
| | 6/4/96 | | 13.44 | 723.19 |
| | 7/8/96 | | 14.38 | 722.25 |
| | 8/1/96 | | 14.79 | 721.84 |
| | 9/12/96 | | 15.62 | 721.01 |
| | 10/17/96 | | 15.56 | 721.07 |
| | 11/25/96 | | 15.45 | 721.18 |
| | 12/11/96 | | 15.11 | 721.52 |
| | 1/24/97 | | 14.63 | 722.00 |
| | 2/21/97 | | 14.75 | 721.88 |
| | 3/14/97 | | 14.28 | 722.35 |
| | 4/11/97 | | 14.71 | 721.92 |
| | 5/12/97 | | 14.88 | 721.75 |
| | 6/5/97 | | 13.78 | 722.85 |
| | 7/3/97 | | 14.40 | 722.23 |
| | 8/4/97 | | 15.12 | 721.51 |
| | 9/29/97 | | 15.82 | 720.81 |
| | 10/10/97 | | 16.02 | 720.61 |
| | 11/10/97 | | 16.36 | 720.27 |
| | 12/1/97 | | 16.52 | 720.11 |
| | 1/16/98 | | 16.46 | 720.17 |
| | 2/4/98 | | 16.58 | 720.05 |
| | 3/25/98 | | 15.42 | 721.21 |
| | 4/10/98 | | 15.06 | 721.57 |
| | 5/8/98 | | 14.40 | 722.23 |
| | 6/5/98 | | 14.67 | 721.96 |
| | 7/2/98 | | 13.78 | 722.85 |
| | 7/30/98 | | 14.34 | 722.29 |
| | 9/10/98 | | 15.38 | 721.25 |
| | 10/12/98 | | 15.80 | 720.83 |
| | 11/13/98 | | 15.98 | 720.65 |
| | 12/11/98 | | 16.32 | 720.31 |
| | 1/29/99 | | 14.97 | 721.66 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| MW-28 | 8/29/95 | 738.04 | 17.03 | 721.01 |
| | 11/7/95 | | 18.19 | 719.85 |
| | 4/12/96 | | 16.72 | 721.32 |
| | 5/29/96 | | 15.21 | 722.83 |
| | 6/4/96 | | 15.32 | 722.72 |
| | 7/8/96 | | 16.12 | 721.92 |
| | 8/1/96 | | 16.54 | 721.50 |
| | 9/12/96 | | 17.25 | 720.79 |
| | 10/17/96 | | 17.20 | 720.84 |
| | 11/25/96 | | 17.10 | 720.94 |
| | 12/11/96 | | 16.81 | 721.23 |
| | 1/24/97 | | 16.39 | 721.65 |
| | 2/21/97 | | 16.49 | 721.55 |
| | 3/14/97 | | 16.05 | 721.99 |
| | 4/11/97 | | 16.41 | 721.63 |
| | 5/12/97 | | 16.57 | 721.47 |
| | 6/5/97 | | 15.66 | 722.38 |
| | 7/3/97 | | 16.17 | 721.87 |
| | 8/4/97 | | 16.84 | 721.20 |
| | 9/29/97 | | 17.41 | 720.63 |
| | 10/10/97 | | 17.61 | 720.43 |
| | 11/10/97 | | 17.91 | 720.13 |
| | 12/1/97 | | 18.08 | 719.96 |
| | 1/16/98 | | 18.10 | 719.94 |
| | 2/4/98 | | 18.20 | 719.84 |
| | 3/25/98 | | 17.10 | 720.94 |
| | 4/10/98 | | 16.79 | 721.25 |
| | 5/8/98 | | 16.20 | 721.84 |
| | 6/5/98 | | 16.40 | 721.64 |
| | 7/2/98 | | 15.60 | 722.44 |
| | 7/30/98 | | 16.10 | 721.94 |
| | 9/10/98 | | 17.00 | 721.04 |
| | 10/12/98 | | 17.41 | 720.63 |
| | 11/13/98 | | 17.60 | 720.44 |
| | 12/11/98 | | 17.88 | 720.16 |
| | 1/29/99 | | 16.70 | 721.34 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-29 | 8/29/95 | 737.61 | 16.83 | 720.78 |
| | 11/7/95 | | 17.99 | 719.62 |
| | 4/12/96 | | 16.46 | 721.15 |
| | 5/29/96 | | 15.01 | 722.60 |
| | 6/4/96 | | 15.19 | 722.42 |
| | 7/8/96 | | 16.04 | 721.57 |
| | 8/1/96 | | 16.40 | 721.21 |
| | 9/12/96 | | 17.15 | 720.46 |
| | 10/17/96 | | 17.02 | 720.59 |
| | 11/25/96 | | 16.93 | 720.68 |
| | 12/11/96 | | 16.61 | 721.00 |
| | 1/24/97 | | 16.24 | 721.37 |
| | 2/21/97 | | 16.31 | 721.30 |
| | 3/14/97 | | 15.91 | 721.70 |
| | 4/11/97 | | 16.30 | 721.31 |
| | 5/12/97 | | 16.41 | 721.20 |
| | 6/5/97 | | 15.57 | 722.04 |
| | 7/3/97 | | 16.06 | 721.55 |
| | 8/4/97 | | 16.70 | 720.91 |
| | 9/29/97 | | 17.25 | 720.36 |
| | 10/10/97 | | 17.44 | 720.17 |
| | 11/10/97 | | 17.86 | 719.75 |
| | 12/1/97 | | 17.86 | 719.75 |
| | 1/16/98 | | 17.81 | 719.80 |
| | 2/4/98 | | 17.95 | 719.66 |
| | 3/25/98 | | 16.80 | 720.81 |
| | 4/10/98 | | 16.53 | 721.08 |
| | 5/8/98 | | 15.98 | 721.63 |
| | 6/5/98 | | 16.30 | 721.31 |
| | 7/2/98 | | 15.50 | 722.11 |
| | 7/30/98 | | 15.98 | 721.63 |
| | 9/10/98 | | 16.89 | 720.72 |
| | 10/12/98 | | 17.23 | 720.38 |
| | 11/13/98 | | 17.40 | 720.21 |
| | 12/11/98 | | 17.70 | 719.91 |
| | 1/29/99 | | 16.45 | 721.16 |

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| MW-30 | 8/29/95 | 734.84 | 15.54 | 719.30 |
| | 11/7/95 | | 15.93 | 718.91 |
| | 4/12/96 | | 14.95 | 719.89 |
| | 5/29/96 | | 14.10 | 720.74 |
| | 6/4/96 | | 14.38 | 720.46 |
| | 7/8/96 | | 14.84 | 720.00 |
| | 8/1/96 | | 15.06 | 719.78 |
| | 9/12/96 | | 15.28 | 719.56 |
| | 10/17/96 | | 15.58 | 719.26 |
| | 11/25/96 | | 15.13 | 719.71 |
| | 12/11/96 | | 14.98 | 719.86 |
| | 1/24/97 | | 14.71 | 720.13 |
| | 2/21/97 | | 14.95 | 719.89 |
| | 3/14/97 | | 14.70 | 720.14 |
| | 4/11/97 | | 14.92 | 719.92 |
| | 5/7/97 | | 14.93 | 719.91 |
| | 6/5/97 | | 14.37 | 720.47 |
| | 7/3/97 | | 14.75 | 720.09 |
| | 8/4/97 | | 15.28 | 719.56 |
| | 9/29/97 | | 15.33 | 719.51 |
| | 10/10/97 | | 15.42 | 719.42 |
| | 11/10/97 | | 15.52 | 719.32 |
| | 12/1/97 | | 15.80 | 719.04 |
| | 1/16/98 | | 15.70 | 719.14 |
| | 2/4/98 | | 15.80 | 719.04 |
| | 3/25/98 | | 15.44 | 719.40 |
| | 4/10/98 | | 15.18 | 719.66 |
| | 5/8/98 | | 15.05 | 719.79 |
| | 6/5/98 | | 15.20 | 719.64 |
| | 7/2/98 | | 14.30 | 720.54 |
| | 7/30/98 | | 14.73 | 720.11 |
| | 9/10/98 | | 15.12 | 719.72 |
| | 10/12/98 | | 15.88 | 718.96 |
| | 11/13/98 | | 16.00 | 718.84 |
| | 12/11/98 | | 16.10 | 718.74 |
| | 1/29/99 | | 16.90 | 717.94 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|---------------------|--------------------------|--|
| RW-1 | 8/29/95 | 730.97 | 2.58 | (1) 728.39 |
| | 11/7/95 | | NR | (2) NA |
| | 4/12/96 | | 11.02 | 719.95 |
| | 5/29/96 | | 10.84 | 720.13 |
| | 6/4/96 | | 11.12 | 719.85 |
| | 7/8/96 | | 11.28 | 719.69 |
| | 8/1/96 | | NR | (2) NA |
| | 9/12/96 | | 11.55 | 719.42 |
| | 10/17/96 | | 12.50 | 718.47 |
| | 11/25/96 | | 11.23 | 719.74 |
| | 12/11/96 | | 11.06 | 719.91 |
| | 1/24/97 | | 10.90 | 720.07 |
| | 2/21/97 | | 11.06 | 719.91 |
| | 3/14/97 | | 10.73 | 720.24 |
| | 4/11/97 | | 10.98 | 719.99 |
| | 5/7/97 | | 11.02 | 719.95 |
| | 6/5/97 | | 10.48 | 720.49 |
| | 7/3/97 | | 10.86 | 720.11 |
| | 8/4/97 | | 11.72 | 719.25 |
| | 9/29/97 | | 12.75 | 718.22 |
| | 10/10/97 | | 11.50 | 719.47 |
| | 11/10/97 | | 11.60 | 719.37 |
| | 12/1/97 | | 13.00 | 717.97 |
| | 1/16/98 | | 11.90 | 719.07 |
| | 2/4/98 | | 11.90 | 719.07 |
| | 3/25/98 | | 12.96 | 718.01 |
| | 4/10/98 | | 12.50 | 718.47 |
| | 5/8/98 | | 12.10 | 718.87 |
| | 6/5/98 | | 12.30 | 718.67 |
| | 7/2/98 | | 10.60 | 720.37 |
| | 7/30/98 | | 11.60 | 719.37 |
| | 9/10/98 | | 11.22 | 719.75 |
| | 10/12/98 | | 13.80 | 717.17 |
| | 11/13/98 | | 13.50 | 717.47 |
| | 12/11/98 | | 13.80 | 717.17 |
| | 1/29/99 | | 13.20 | 717.77 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|-------------|--------------|------------------|-----------------------|---|
| RW-2 | 8/29/95 | 732.05 | 4.42 | (1) 727.63 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 12.72 | 719.33 |
| | 5/29/96 | | 11.50 | 720.55 |
| | 6/4/96 | | 11.88 | 720.17 |
| | 7/8/96 | | 12.48 | 719.57 |
| | 8/1/96 | | 12.76 | 719.29 |
| | 9/12/96 | | 13.25 | 718.80 |
| | 10/17/96 | | 12.86 | 719.19 |
| | 11/25/96 | | 12.26 | 719.79 |
| | 12/11/96 | | 11.89 | 720.16 |
| | 1/24/97 | | 11.76 | 720.29 |
| | 2/21/97 | | 11.80 | 720.25 |
| | 3/14/97 | | 11.45 | 720.60 |
| | 4/11/97 | | 11.84 | 720.21 |
| | 5/7/97 | | 11.85 | 720.20 |
| | 6/5/97 | | 11.43 | 720.62 |
| | 7/3/97 | | 11.61 | 720.44 |
| | 8/4/97 | | 12.10 | 719.95 |
| | 9/29/97 | | 12.90 | 719.15 |
| | 10/10/97 | | 12.42 | 719.63 |
| | 11/10/97 | | 13.10 | 718.95 |
| | 12/1/97 | | 12.62 | 719.43 |
| | 1/16/98 | | 12.90 | 719.15 |
| | 2/4/98 | | 12.95 | 719.10 |
| | 3/25/98 | | 13.10 | 718.95 |
| | 4/10/98 | | 13.10 | 718.95 |
| | 5/8/98 | | 12.80 | 719.25 |
| | 6/5/98 | | 12.20 | 719.85 |
| | 7/2/98 | | 12.40 | 719.65 |
| | 7/30/98 | | 12.80 | 719.25 |
| | 9/10/98 | | 11.96 | 720.09 |
| | 10/12/98 | | 15.80 | 716.25 |
| | 11/13/98 | | 14.12 | 717.93 |
| | 12/11/98 | | 14.10 | 717.95 |
| | 1/29/99 | | 14.00 | 718.05 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

| Well Number | Gauging Date | TOC Elev. (feet) | Depth to Water (feet) | Corrected Ground Water Elevation (feet) |
|--------------------|---------------------|-----------------------------|----------------------------------|--|
| RW-3 | 8/29/95 | 733.19 | 4.08 (1) | 729.11 |
| | 11/7/95 | | NR (2) | NA |
| | 4/12/96 | | 13.07 | 720.12 |
| | 5/29/96 | | 11.73 | 721.46 |
| | 6/4/96 | | 12.68 | 720.51 |
| | 7/8/96 | | 13.26 | 719.93 |
| | 8/1/96 | | 13.10 | 720.09 |
| | 9/12/96 | | 13.40 | 719.79 |
| | 10/17/96 | | 12.78 | 720.41 |
| | 11/25/96 | | 12.68 | 720.51 |
| | 12/11/96 | | 12.51 | 720.68 |
| | 1/24/97 | | 12.26 | 720.93 |
| | 2/21/97 | | 12.20 | 720.99 |
| | 3/14/97 | | 11.90 | 721.29 |
| | 4/11/97 | | 12.23 | 720.96 |
| | 5/7/97 | | 12.23 | 720.96 |
| | 6/5/97 | | 11.68 | 721.51 |
| | 7/3/97 | | 12.00 | 721.19 |
| | 8/4/97 | | 14.00 | 719.19 |
| | 9/29/97 | | 14.20 | 718.99 |
| | 10/10/97 | | 13.18 | 720.01 |
| | 11/10/97 | | 14.52 | 718.67 |
| | 12/1/97 | | 15.60 | 717.59 |
| | 1/16/98 | | 13.76 | 719.43 |
| | 2/4/98 | | 13.80 | 719.39 |
| | 3/25/98 | | 15.46 | 717.73 |
| | 4/10/98 | | 15.00 | 718.19 |
| | 5/8/98 | | 13.50 | 719.69 |
| | 6/5/98 | | 14.10 | 719.09 |
| | 7/2/98 | | 12.74 | 720.45 |
| | 7/30/98 | | 13.60 | 719.59 |
| | 9/10/98 | | 12.30 | 720.89 |
| | 10/12/98 | | 16.20 | 716.99 |
| | 11/13/98 | | 15.16 | 718.03 |
| | 12/11/98 | | 14.80 | 718.39 |
| | 1/29/99 | | 13.40 | 719.79 |

(1) Ground water elevation based on measurements from top of bubbler tip.

(2) NR - Not Recorded

ATTACHMENT B

Groundwater Recovery Summary

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | |
|----------------|-------------------------------------|------------------|------------------|------------------|
| | RW-1 | RW-2 | RW-3 | Total |
| 2/24/95 | - | - | - | - |
| 3/3/95 | 20,984 | 31,644 | 80,228 | 132,856 |
| 3/29/95 | 84,695 | 88,774 | 152,228 | 325,697 |
| 4/14/95 | 136,654 | 133,675 | 224,228 | 494,557 |
| 5/3/95 | 200,683 | 193,729 | 284,420 | 678,832 |
| 5/14/95 | 237,115 | 228,577 | 319,268 | 784,960 |
| 5/18/95 | 255,043 | 245,727 | 354,116 | 854,886 |
| 5/23/95 | 255,043 | 245,727 | 354,116 | 854,886 |
| 5/26/95 | 276,211 | 266,031 | 374,420 | 916,662 |
| 6/19/95 | 445,555 | 428,463 | 536,852 | 1,410,870 |
| 8/3/95 | 445,555 | 428,463 | 536,852 | 1,410,870 |
| 8/4/95 | 448,963 | 431,997 | 543,600 | 1,424,560 |
| 8/9/95 | 473,414 | 453,496 | 590,792 | 1,517,702 |
| 8/11/95 | 482,414 | 461,556 | 609,202 | 1,553,172 |
| 8/14/95 | 496,474 | 474,106 | 637,152 | 1,607,732 |
| 8/29/95 | 561,302 | 533,550 | 768,644 | 1,863,496 |
| 10/6/95 | 664,814 | 629,975 | 985,749 | 2,280,538 |
| 11/7/95 | 665,305 | 763,804 | 1,159,950 | 2,589,059 |
| 12/8/95 | 686,316 | 766,356 | 1,253,348 | 2,706,020 |
| 1/15/96 | 778,585 | 873,570 | 1,263,941 | 2,916,096 |
| 4/12/96 | 778,585 | 1,170,564 | 1,651,617 | 3,600,766 |
| 5/29/96 | 873,365 | 1,376,384 | 1,823,668 | 4,073,417 |
| 6/26/96 | 915,555 | 1,414,873 | 1,884,622 | 4,215,050 |
| 7/8/96 | 972,328 | 1,474,048 | 1,987,350 | 4,433,726 |
| 7/18/96 | 1,006,046 | 1,516,919 | 2,060,742 | 4,583,707 |
| 8/1/96 | 1,049,996 | 1,577,801 | 2,164,916 | 4,792,713 |
| 8/16/96 | 1,091,112 | 1,638,683 | 2,246,037 | 4,975,832 |
| 8/27/96 | 1,118,169 | 1,684,621 | 2,314,606 | 5,117,396 |
| 9/12/96 | 1,146,432 | 1,754,050 | 2,360,521 | 5,261,003 |
| 9/24/96 | 1,159,035 | 1,796,140 | 2,409,496 | 5,364,671 |
| 10/1/96 | 1,174,178 | 1,825,149 | 2,408,298 | 5,407,625 |
| 10/17/96 | 1,253,727 | 1,855,632 | 2,411,539 | 5,520,898 |
| 11/2/96 | 1,315,165 | 1,906,634 | 2,420,559 | 5,642,358 |
| 11/15/96 | 1,365,973 | 1,908,623 | 2,502,342 | 5,776,938 |
| 11/25/96 | 1,396,032 | 1,911,188 | 2,552,717 | 5,859,937 |
| 12/11/96 | 1,430,595 | 1,935,775 | 2,611,374 | 5,977,744 |
| 12/27/96 | 1,452,912 | 1,937,132 | 2,649,962 | 6,040,006 |
| 1/3/97 | 1,456,304 | 1,939,518 | 2,655,775 | 6,051,597 |
| 1/14/97 | 1,470,242 | 1,949,120 | 2,684,864 | 6,104,226 |
| 1/24/97 | 1,470,505 | 1,949,124 | 2,702,272 | 6,121,901 |
| 2/7/97 | 1,518,975 | 1,950,754 | 2,796,872 | 6,266,601 |
| 2/21/97 | 1,571,273 | 1,952,209 | 2,835,673 | 6,359,155 |
| 3/14/97 | 1,646,678 | 1,952,209 | 2,835,673 | 6,436,098 |
| 3/28/97 | 1,692,834 | 2,039,011 | 2,835,673 | 6,588,745 |
| 4/11/97 | 1,734,064 | 2,124,196 | 2,835,673 | 6,715,160 |
| 4/25/97 | 1,773,261 | 2,182,646 | 2,842,124 | 6,819,258 |
| 5/7/97 | 1,798,995 | 2,336,981 | 2,842,124 | 6,999,327 |
| 5/22/97 | 1,825,676 | 2,393,705 | 2,905,414 | 7,146,022 |
| 6/5/97 | 1,867,121 | 2,472,696 | 2,988,177 | 7,349,221 |
| 6/20/97 | 1,912,764 | 2,540,269 | 3,061,814 | 7,536,074 |

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | |
|-------------|-------------------------------------|-------------|-------------|--------------|
| | RW-1 | RW-2 | RW-3 | Total |
| 7/3/97 | 1,954,658 | 2,609,124 | 3,135,756 | 7,720,764 |
| 7/17/97 | 1,975,303 | 2,680,948 | 3,199,801 | 7,877,279 |
| 8/4/97 | 2,025,486 | 2,806,996 | 3,364,397 | 8,218,106 |
| 8/15/97 | 2,052,962 | 2,958,721 | 3,461,264 | 8,494,174 |
| 8/28/97 | 2,083,623 | 3,093,542 | 3,569,012 | 8,767,404 |
| 9/12/97 | 2,083,684 | 3,119,818 | 3,692,072 | 8,916,801 |
| 9/29/97 | 2,083,905 | 3,120,840 | 3,839,556 | 9,065,528 |
| 10/10/97 | 2,101,637 | 3,231,288 | 3,924,600 | 9,278,752 |
| 10/31/97 | 2,101,662 | 3,254,766 | 4,062,129 | 9,439,784 |
| 11/10/97 | 2,101,662 | 3,394,895 | 4,102,900 | 9,620,684 |
| 12/1/97 | 2,101,662 | 3,626,479 | 4,211,530 | 9,960,898 |
| 12/28/97 | 2,102,033 | 3,627,036 | 4,212,021 | 9,962,317 |
| 1/16/98 | 2,145,973 | 3,914,074 | 4,365,837 | 10,447,111 |
| 1/27/98 | 2,146,228 | 3,915,067 | 4,366,295 | 10,448,817 |
| 2/4/98 | 2,146,228 | 4,068,235 | 4,412,344 | 10,648,034 |
| 2/17/98 | 2,189,727 | 4,222,732 | 4,539,755 | 10,973,441 |
| 3/18/98 | 2,293,340 | 4,743,314 | 4,774,847 | 11,832,728 |
| 3/25/98 | 2,309,656 | 4,805,528 | 4,802,993 | 11,939,404 |
| 4/10/98 | 2,383,929 | 5,043,344 | 4,927,777 | 12,376,277 |
| 4/24/98 | 2,453,055 | 5,233,074 | 5,019,725 | 12,727,081 |
| 5/8/98 | 2,525,463 | 5,474,383 | 5,106,293 | 13,127,366 |
| 5/22/98 | 2,593,232 | 5,670,794 | 5,210,326 | 13,495,579 |
| 6/5/98 | 2,659,709 | 5,852,839 | 5,315,076 | 13,848,851 |
| 6/19/98 | 2,698,743 | 6,047,156 | 5,406,842 | 14,173,968 |
| 7/2/98 | 2,700,428 | 6,135,172 | 5,453,010 | 14,309,837 |
| 7/16/98 | 2,701,261 | 6,336,772 | 5,654,610 | 14,713,870 |
| 7/30/98 | 2,702,469 | 6,378,927 | 5,700,300 | 14,802,923 |
| 8/6/98 | 2,702,469 | 6,381,833 | 5,702,810 | 14,808,339 |
| 8/7/98 | 2,702,469 | 6,381,833 | 5,709,497 | 14,815,026 |
| 8/26/98 | 2,702,469 | 6,381,833 | 5,709,507 | 14,815,036 |
| 9/10/98 | 2,763,725 | 6,446,571 | 5,779,418 | 15,010,941 |
| 9/25/98 | 2,770,423 | 6,451,177 | 5,784,427 | 15,027,254 |
| 10/12/98 | 2,861,852 | 6,516,954 | 5,858,558 | 15,258,591 |
| 10/23/98 | 2,917,194 | 6,605,960 | 5,991,054 | 15,535,435 |
| 11/13/98 | 2,992,505 | 6,736,611 | 6,138,358 | 15,888,701 |
| 11/24/98 | 3,043,555 | 6,829,030 | 6,208,200 | 16,102,012 |
| 12/11/98 | 3,116,948 | 6,964,953 | 6,260,783 | 16,363,911 |
| 12/23/98 | 3,166,441 | 7,055,518 | 6,295,200 | 16,538,386 |


Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

| Date | Cumulative Pumpage (gallons) | | | |
|---------|------------------------------|-----------|-----------|------------|
| | RW-1 | RW-2 | RW-3 | Total |
| 1/8/99 | 3,231,706 | 7,182,268 | 6,341,789 | 16,776,990 |
| 1/22/99 | 3,291,306 | 7,288,952 | 6,391,971 | 16,993,456 |
| 1/29/99 | 3,313,604 | 7,312,970 | 6,402,525 | 17,050,326 |

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Site Inspection Forms

**FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA**

Site Inspection Date: 1-8-89

Handex Personnel: Ron

Arrival Time:

Departure Time:

ALARM RESPONSE VISIT: YES NO

BiWEEKLY DATA

Flow Meter Readings: RW-1 2786151.0 RW-2 7037326.6 RW-3 5958079.0

Bubbler Pressure: RW-1 RW-2 4 - 8 RW-3 38 - 50

Air Stripper Pressure: 14 Inches of Water

Effluent Flow Rate: 13 Gallons Per Minute

Effluent Clarity: Clear

Building Temperature: 88 Degrees F

Compressor Checked: ✓ Condensate Released: Auto

Compressor Oil Level Checked: ✓ Oil Changed: yes

System Operational Upon Arrival: ✓ Yes _____ No, (if no, please explain below)

Air/Water Leaks: RW-1 RW-2 RW-3 (please circle appropriate controller(s))

| | | | | |
|----------|----------|----|-----|----------|
| Manholes | <u>✓</u> | No | Yes | Repaired |
|----------|----------|----|-----|----------|

| | | | | |
|-------------|----------|----|-----|----------|
| Controllers | <u>✓</u> | No | Yes | Repaired |
|-------------|----------|----|-----|----------|

| | | | | |
|-------|----------|----|-----|----------|
| Lines | <u>✓</u> | No | Yes | Repaired |
|-------|----------|----|-----|----------|

| | | | | |
|----------|----------|----|-----|----------|
| Stripper | <u>✓</u> | No | Yes | Repaired |
|----------|----------|----|-----|----------|

| | | | | |
|------------|----------|----|-----|----------|
| Compressor | <u>✓</u> | No | Yes | Repaired |
|------------|----------|----|-----|----------|

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: _____ RW-1 _____ RW-2 _____ RW-3 _____

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

Site Inspection Date:

1/22/99
B. Gentry

Handex Personnel:

Arrival Time:

3:35

Departure Time:

3:50

ALARM RESPONSE VISIT: YES NO Potential Power outage

BIWEEKLY DATA

Flow Meter Readings: RW-1 2,845,751.0 RW-2 7,144,010.0 RW-3 6,008,261.0

Bubbler Pressure: RW-1 — RW-2 16-30" WC RW-3 84-58" WC

Air Stripper Pressure: 15.5 Inches of Water

Effluent Flow Rate: — Gallons Per Minute

Effluent Clarity: —

Building Temperature: 94 Degrees F

Compressor Checked: NO Condensate Released: NO

Compressor Oil Level Checked: NO Oil Changed: NO

System Operational Upon Arrival: X Yes _____ No, (if no, please explain below)

Air/Water Leaks: RW-1 RW-2 RW-3 (please circle appropriate controller(s))

| | | | | |
|-------------|-------------------------------------|----|-----|----------|
| Manholes | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Controllers | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Lines | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Stripper | <input checked="" type="checkbox"/> | No | Yes | Repaired |
| Compressor | <input checked="" type="checkbox"/> | No | Yes | Repaired |

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

1/25/99

Annual OTM

Handex Personnel = RM, MT, DP

QUARTERLY DATA

| | | | |
|--------------------------------|------|------|------|
| Air Stripper Cleaned: | | | |
| Recovery Wells Sampled: | RW-1 | RW-2 | RW-3 |
| Air Stripper Effluent Sampled: | | | |
| Pumps Checked/Cleaned | RW-1 | RW-2 | RW-3 |

SEMIANNUAL DATA

Filter elements on S-2 controllers inspected and replaced as necessary:

Air compressor inspection and overhaul as necessary:

ANNUAL DATA

Break down air stripper blower and check for lubrication and bearing integrity per manufacturers specifications.

Break down S-2 controllers and check and replace where necessary filters, valves, springs, and cylinder bores.

Pull pumps and clean well screens.

Recommendations for system optimization or general comments:

Need to repair the damaged lip on the air stripper tray before reassembling & starting the system back up. Contact welder.

FORMER AMPHENOL FACILITY
980 HURRICANE ROAD
FRANKLIN, INDIANA

Site Inspection Date: 1-29-97
 Handex Personnel: Rin
 Arrival Time:
 Departure Time:
 ALARM RESPONSE VISIT: YES NO

| BIWEEKLY DATA | | | | | |
|---|-------------------------------------|----------------------|-------------------------------------|-----------|-----------------------------------|
| Flow Meter Readings: | RW-1 | 2868049.0 | RW-2 | 9168028.0 | RW-3 6018815.0 |
| Bubbler Pressure: | RW-1 | | RW-2 | 26-32 | RW-3 54-62 |
| Air Stripper Pressure: | 13.5 | Inches of Water | | | |
| Effluent Flow Rate: | 14 | Gallons Per Minute | | | |
| Effluent Clarity: | <u>clear</u> | | | | |
| Building Temperature: | 84 | Degrees F | | | |
| Compressor Checked: | | Condensate Released: | <u>Auto</u> | | |
| Compressor Oil Level Checked: | <input checked="" type="checkbox"/> | Oil Changed: | <input checked="" type="checkbox"/> | | |
| System Operational Upon Arrival: | <input checked="" type="checkbox"/> | Yes | No, (if no, please explain below) | | |
| <hr/> <hr/> <hr/> <hr/> <hr/> | | | | | |
| Air/Water Leaks: RW-1 RW-2 RW-3 (please circle appropriate controller(s)) | | | | | |
| Manholes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | Yes | <input type="checkbox"/> Repaired |
| Controllers | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | Yes | <input type="checkbox"/> Repaired |
| Lines | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | Yes | <input type="checkbox"/> Repaired |
| Stripper | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | Yes | <input type="checkbox"/> Repaired |
| Compressor | <input checked="" type="checkbox"/> | No | <input type="checkbox"/> | Yes | <input type="checkbox"/> Repaired |
| <hr/> <hr/> <hr/> <hr/> <hr/> | | | | | |
| If yes, explain: _____ | | | | | |
| <hr/> <hr/> <hr/> <hr/> <hr/> | | | | | |

| MONTHLY DATA | | | | | | |
|-----------------------------------|-------------------------------------|------|-------------------------------------|------|-------------------------------------|------|
| Filter Cartridges Replaced: | <input checked="" type="checkbox"/> | RW-1 | <input checked="" type="checkbox"/> | RW-2 | <input checked="" type="checkbox"/> | RW-3 |
| Stripper Trays and Tubes Checked: | <u>yes</u> | | | | | |
| Stripper Trays and Tubes Cleaned: | <u>yes</u> | | | | | |
| Monitoring/Recovery Wells Gauged: | <u>yes</u> | | | | | |
| <hr/> <hr/> <hr/> <hr/> <hr/> | | | | | | |

Recommendations for system optimization or general comments:
